




WELLCOME INSTITUTE LIBRARY	
Coll.	we!MOmec
Call	9w
No.	WA

Eighty-Eighth
Annual Report of the
Registrar-General for
Scotland

1942



Crown Copyright Reserved

EDINBURGH

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE

To be purchased directly from H.M. STATIONERY OFFICE at the following addresses :

13a Castle Street, Edinburgh 2 ; York House, Kingsway, London, W.C. 2 ;

39/41 King Street, Manchester 2 ; 1 St. Andrew's Crescent, Cardiff ;

80 Chichester Street, Belfast ;

or through any bookseller

1945

Price 4s. 0d. net

CONTENTS.

<i>REPORT.</i>	<i>PAGE</i>
Introductory Letter,	iv
General Summary,	v
Population Estimates,	v
Births,	vii
Marriages,	xi
Deaths,	xiii
Age and Sex,	xv
Causes of Death,	xix
<i>APPENDIX I.</i>	
Seventy-eighth Annual Report on Vaccination (1941),	xxxviii
<i>APPENDIX II.</i>	
Additional Marriage Statistics for Year 1941,	xl
<i>APPENDIX III.</i>	
Weather Report for Year 1942,	xlvi
<i>APPENDIX IV.</i>	
Re-registration of Births,	lii
Entries in Adopted Children Register,	lii
Searches and Extracts in General Registry Office,	lii
<i>APPENDIX V.</i>	
Alteration of Boundaries of Burghs, Registration Districts, &c., which became effective during 1942,	liv
<i>APPENDIX VI.</i>	
Registration of Still-births, 1942,	lv

APPENDED TABLES.

BIRTHS, DEATHS, AND MARRIAGES, 1942.

Table 1. Scotland, 1855 to 1942. Numbers,	lxxv
" 2. Do. Rates,	lxxvi
" 3. Scotland, 1932 to 1942. Quarterly Numbers and Rates,	lxxvii
" 4. Rates:—Counties and Large Burghs,	lxxviii
" 5. Rates, Illegit. Births, Still-births, Infant Mortality:—Small Burghs,	lxxx
" 6. Do. do. Landward Areas,	lxxxii
" 7. Birth-rates, Married and Unmarried Women, Counties and Large Burghs	lxxxiii
(For Births, Deaths and Marriages by Calendar Months, see Table 34.)	

MARRIAGES, 1941.

Table 8. Method of Celebration, 1855–1941,	lxxxv
" 9. Regular, Irregular and Civil Marriages,	lxxxvi
" 10. Church of Celebration,	lxxxvii
" 11. Civil Condition and Method of Signature	lxxxviii
" 12. Ages at Marriage, Counties and Large Burghs:—Men,	xc
" 13. Do. Do. Women,	xcii
AGES IN COMBINATION AT MARRIAGE:—	
" 14. Men and Women,	xciv
" 15. Bachelors and Spinsters,	xcv
" 16. Bachelors and Widows,	xcvi
" 17. Widowers and Spinsters,	xcvii
" 18. Widowers and Widows,	xcviii
" 18A. Divorced Men and Women (all Conditions),	xcix
" 18B. Men (all Conditions) and Divorced Women,	c

DEATHS, 1942.

Table 19.	Numbers in Age Groups :—Large Burghs, Small Burghs, Landward Areas, ...	ei
„ 20.	Numbers at each Year of Age by Condition as to Marriage, ...	cii
	Short List of Causes of Death :—	
„ 21.	Numbers and Rates (Civilian) by Sex and Age-group, ...	civ
„ 22.	Do. —Counties and Large Burghs, ...	cvii
„ 23.	Deaths by Cause and by Age-Group, Scotland, 1933-1942— Numbers, ...	cviii
„ 24.	Do. do. do. —Rates, ...	cix
„ 25.	Principal Epidemic and certain other Causes, 1855-1942— Numbers, ...	cx
„ 26.	Do. do. do. —Rates, ...	cxii
„ 27.	Maternal Death-rates—Counties and Large Burghs, ...	cxiii
„ 28.	Malignant Disease by Sex, Age and Organ affected, ...	cxiv
„ 29.	Suicide by Sex and Method, ...	cxvi
„ 30.	Poisons, Accidental and Suicidal. Deaths under Anæsthetics, ...	cxvii
	Deaths under One Year of Age.	
„ 31.	Selected Causes—by Sex, Legitimacy and Age (Days, Weeks, &c.), ...	cxviii
„ 32.	Do. by Month of Registration of Death, ...	cxix
„ 33.	Counties and Large Burghs, by Age (Days, Weeks, &c.), with Rates, ...	cxx

OTHER TABLES.

Table 34.	Meteorology, Births, Deaths, &c., by Month of Registration, ...	cxixii
„ 35.	Weekly Meteorology and Death-rates, ...	cxixiii
„ 36.	Vaccinations in Scotland, 1931-1941, ...	cxixiii
„ 37.	Deaths from Small-pox in Scotland, 1855-1941, with Vaccination particulars, 1864-1941, ...	cxixiv

ABSTRACTS.

General Registration Summary—Births, Deaths, and Marriages in the Counties and Large Burghs in 1942, with Vaccination particulars for 1941, ...	PAGE 2-3
---	-------------

CAUSES OF DEATH.

Detailed List.	
Scotland—Sex and Age, ...	4
Public Health Districts (Counties and Large Burghs.)—Both Sexes, ...	26
Scotland, by Month of Registration—Both Sexes, ...	46
Short List—Counties, Large Burghs and Unallocated Deaths (Service Deaths and Civilian War Casualties), by Sex and Age, ...	54

STATISTICS OF BURGHs AND COUNTY AREAS (Short List and Age).

In County of Aberdeen, ...	112	In County of Kirkcudbright, ...	127
Do. Angus, ...	113	Do. Lanark, ...	127
Do. Argyll, ...	114	Do. Midlothian, ...	129
Do. Ayr, ...	115	Do. Moray, ...	129
Do. Banff, ...	117	Do. Nairn, ...	130
Do. Berwick, ...	118	Do. Orkney, ...	131
Do. Bute, ...	119	Do. Peebles, ...	131
Do. Caithness, ...	119	Do. Perth, ...	131
Do. Clackmannan, ...	119	Do. Renfrew, ...	133
Do. Dunbarton, ...	120	Do. Ross and Cromarty, ...	133
Do. Dumfries, ...	121	Do. Roxburgh, ...	134
Do. East Lothian, ...	122	Do. Selkirk, ...	135
Do. Fife, ...	123	Do. Stirling, ...	135
Do. Inverness, ...	125	Do. Sutherland, ...	136
Do. Kincardine, ...	126	Do. West Lothian, ...	136
Do. Kinross, ...	127	Do. Wigtown, ...	137
		Do. Zetland, ...	137

METEOROLOGICAL ABSTRACTS, ...	138
-------------------------------	-----

REPORT

ON THE

VITAL STATISTICS of SCOTLAND for the YEAR 1942.

GENERAL REGISTRY OFFICE OF BIRTHS, &C.,

NEW REGISTER HOUSE,

EDINBURGH, 30th December 1944.

SIR,

In compliance with the requirements of the 7th Section of the Registration of Births, Deaths and Marriages (Scotland) Act, 1854, 17 & 18 Vict., c. 80, I beg to submit, for transmission to the Secretary of State, with a view to its being laid before Parliament, a Report on the Vital Statistics of Scotland for the year 1942.

The usual Appendices dealing respectively with (1) Vaccination, (2) Marriages, (3) the Weather, and (4) Still-births are also included.

I am, Sir,

Your obedient Servant,

J. G. KYD,

Registrar-General.

THE SECRETARY,

DEPARTMENT OF HEALTH FOR SCOTLAND.

REPORT.

SUMMARY.

THE year 1942 did not yield any dramatic vital statistics. The birth rate continues at a level slightly higher than that for the immediately preceding years but definitely lower than the rates experienced immediately prior to 1932 and only about two-thirds of the average rates experienced in the first fifteen years of this century. Although the fall in the birth rate which occurred in the years 1939 and 1940 has been arrested, the increased number of births in 1941 and 1942 is probably a direct consequence of the large number of marriages which took place in 1939 and 1940. There is, however, evidence that notwithstanding the increase in the number of births, the fertility of married women in 1942 shows a definite downward trend.

Illegitimate births show a slight but definite increase over the previous year but the number is considerably lower than the average obtaining in the years 1915-19.

The number of marriages is very nearly the same as in the previous year. Both these years show a considerable reduction on the number celebrated in 1940 but are still materially greater than the pre-war average.

The civilian death rate for the year is lower than for either of the two previous years and notwithstanding the withdrawal of a large number of healthy young people from civil life, the actual civilian rate of mortality compares not unfavourably with the total population death rate for years before the war. It would appear from this that the civilian population of the country is standing up well to the rigours of war.

Infant mortality was at a low level compared with the average of the rates of recent years.

In regard to individual causes of death it is found that the number of deaths from the principal epidemic diseases is very low, much the lowest number ever recorded from this group of causes. Deaths from tuberculosis are slightly less and from malignant disease slightly more, than in the previous year.

Violent deaths show a marked reduction from the figure of the previous year. This decline is mainly due to the fact that in 1942 there were many fewer civilian casualties due to enemy action than in 1941.

POPULATION.

The *civilian* population of Scotland in the year 1942 is estimated at 4,751,000. This represents a mean of the quarterly estimates and not, as was the usual custom until 1941, the population as at 30th June. Owing to considerable and somewhat irregular changes in population in the course of

TABLE A.—Population of Scotland and its Groups of Public Health Districts in 1942.

GROUP OF DISTRICTS.	Census 1931 (Resident).			Census 1921 (Enumerated).			Estimated Mean Population 1942 (Civilians).		
	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
Large Burghs	2,663,292	1,264,156	1,399,136	2,581,038	1,237,971	1,343,067	2,506,100	1,095,000	1,411,100
Small Burghs	731,924	340,045	391,879	776,821	357,197	419,624	2,244,900	1,022,400	1,222,500
Landward	1,447,764	721,322	726,442	1,524,638	752,474	772,164			
SCOTLAND	4,842,980	2,325,523	2,517,457	4,882,497	2,347,642	2,534,855	4,751,000	2,117,400	2,633,600

* Reliable estimates for Small Burghs and Landward Areas separately are not available for 1942.

the year, due to enlistments and other factors peculiar to war-time conditions, the mean population has certain advantages over the mid-year estimate. As in 1941, for the purpose of calculating birth-rates and marriage-rates there has been added to the civilian population the net number of men and women enlisting in the Forces. No information is available as to the number of members of the Forces (including Dominion and Allied) actually serving in Scotland. In the Report for 1941 reference was made to alterations in local populations following on local labour adjustments and evacuations following enemy action. The former continued to operate but some part of the evacuated population has returned. As in 1941 births and deaths among the evacuated populations were generally credited to the area of new residence, except where the latter was of a strictly temporary character, but it will be understood that this entails a measure of uncertainty in local population estimates and therefore in local rates based on such estimates. These estimates are based on the numbers as ascertained at the taking of the National Register on 29th September 1939, which included civilians only, and such numbers as have been notified for changes, including enlistments in the Forces, known to have taken place since that date. As removals are notified centrally only where a change of National Registration area is involved, i.e., for large burghs and counties exclusive of large burghs, it has not been found possible to make separate estimates for individual small burghs or landward areas of counties with sufficient accuracy to justify their publication or use. As in 1940 and 1941, deaths of persons serving in H.M. or Allied Forces have been excluded from all local death statistics and from all rates applicable to Scotland as a whole. Civilian deaths from enemy action have similarly been excluded from local statistics, as it was felt to be inadvisable to load local rates with such deaths, but the numbers and rates are included with those for Scotland as a whole. The exclusion, both from the deaths and from the population estimates, of members of the Forces, who generally consist of selected lives at an age in which deaths are normally comparatively few, has the effect of slightly raising the resulting death-rate, and the effect of this will tend to increase. Some allowance, although not altogether an adequate one, is made later (see page xiii).

The mean civilian population for the year is estimated at 4,751,000, of whom 2,117,400 were males and 2,633,600 females, which shows a decrease of about 68,000 (both sexes) compared with the estimate for 1941, mainly due to enlistments in the Forces. During the period July 1941 to June

TABLE B (1).—Birth-rate in Scotland, per 1000 Women aged 15-44, 1861-1931.

YEAR.	Births per 1000 Women aged 15-44.			Legitimate Births per 1000 Married Women aged under 45.		
	Rate.	Percentage of Rate for Preceding Period.	Percentage of Rate for 1860-62.	Rate.	Percentage of Rate for Preceding Period.	Percentage of Rate for 1860-62.
1860-62	144·6	...	100	316·0	...	100
1870-72	149·4	103·3	103·3	319·4	101·1	101·1
1880-82	145·8	97·6	100·8	311·5	97·5	98·6
1890-92	132·5	90·9	91·6	296·4	95·2	93·8
1900-02	121·9	92·0	84·3	271·8	91·7	86·0
1910-12	107·3	88·0	74·2	233·2	85·8	73·8
1920-22	105·1	97·9	72·7	226·7	97·2	71·7
1930-32	80·1	76·2	55·4	169·0	74·5	53·5

1942 there was an excess of births over civilian deaths amounting to 25,674, with a net inward balance of a few thousands from overseas. During the latter part of 1940 there was a considerable movement of population from England owing to war conditions there at that time, but in 1941 and 1942 there was a considerable "drift south," probably partly due to the return of some of those who had come north in 1940.

BIRTHS.

Numbers.—The number of living children whose births were registered in Scotland during the year 1942 was 90,697, of whom 46,415 were males and 44,282 females, as compared with 89,743 (both sexes) in 1941. This is the largest number registered in Scotland in any year since 1932 (91,000). (Still-births are specially dealt with in Appendix VI).

Rates.—The birth-rate for the year was 17·63 per thousand; this is 0·13 above that for the previous year and 0·16 above the average. It is the highest birth-rate registered in Scotland since 1938 (17·75) but is lower than all birth-rates registered up to that year, except in 1933. For many years prior to 1933 the birth-rate showed a steady decline, but in the years 1933 to 1938 this decline was interrupted and the rate moved between comparatively narrow limits, but in 1939 and 1940 each year showed a decided fall. This decline was largely recovered in 1941, and 1942 shows a still further, although rather smaller, increase. It is probable that this reversal of the downward trend of the birth-rate is associated with the increase of the marriage-rate both prior to and, to a much greater extent, during the present war. (See page ix) (Table 2).

The birth-rate for the year in the large burghs was 17·76 and in the counties 17·48. In the previous year these rates were 17·70 and 17·26. There is thus a slight increase in each, rather more marked, as in 1941, in the case of the counties. It was pointed out in the Report for 1941 that any evacuation of young married women from the towns to the counties would tend to

TABLE B (2).—Birth-rate in Scotland and its Groups of Public Health Districts in 1942.

GROUPS OF DISTRICTS.	Live Births.					Birth-rate per 1000 of Estimated Population.			Illegitimate Births per 100 Live Births.
	Total.	Legitimate.		Illegitimate.		Total.	Legitimate	Illegitimate.	
		Males.	Females.	Males.	Females.				
Large Burghs .	48,714	23,172	22,235	1,660	1,647	17·76	16·56	1·21	6·79
Small Burghs .	14,499	6,949	6,531	516	503	17·48	16·17	1·31	7·50
Landward .	27,484	13,024	12,331	1,094	1,035				
SCOTLAND .	90,697	43,145	41,097	3,270	3,185	17·63	16·38	1·25	7·12
	Still-births.					Rate per 1000 Births (including Still-births).			
	Total.	Legitimate.	Illegitimate.		Total.	Legitimate.	Illegitimate.		
Large Burghs .	2,038	1,855	183		40·2	39·2	52·4		
Small Burghs .	529	485	44		35·2	34·7	41·4		
Landward .	1,035	945	90		36·3	35·9	40·6		
SCOTLAND .	3,602	3,285	317		38·2	37·5	46·8		

increase the county birth-rate, even when allowance was made in the population estimates. As already indicated, births and deaths have been corrected for transfer to place of usual residence, if in Scotland, but war conditions have made it difficult to specify which is the usual residence in the case of evacuated population, and local rates should therefore be accepted with some caution. (*Table 4*).

Population estimates for small burghs and for landward areas are not available (see page vi) and the only local birth-rates published are those for large burghs and for counties, exclusive of large burghs,* and these will be found in *Table 4*. In the large burghs the birth-rate ranged from 24·2 in Port-Glasgow, 21·0 in Coatbridge and 20·9 in Airdrie to 15·6 in Perth, 15·4 in Kirkcaldy and 15·0 in Rutherglen. In the counties this rate ranged from 21·6 in Nairn, 21·1 in Caithness and 19·8 in West Lothian to 14·5 in Inverness and in Selkirk, 14·4 in Roxburgh and 13·0 in Peebles. (*Table 4*).

Masculinity of Births.—The sex-ratio among live-born children was 1,048 males per thousand females, as compared with 1,059 in 1941 and 1,050 in 1940. It is 7 below the five-years average.† As the effect of war-time on the masculinity of births attracts some attention, the following notes may be of interest. In the years 1914–1918 the average was 1,051, being about 9 above the average for the preceding years since 1901, but in 1919 it rose to 1,064, being fractionally lower than in 1889, but with that exception the highest since 1872. It fell to 1,043 in 1920, and in the fifteen years following that year the average was rather under 1,050, the highest ratio being 1,072 in 1933. In 1939 it rose to 1,060, a ratio which has not been equalled since that year, and it was (as previously indicated) 1,050 in 1940, 1,059 in 1941, 1,048 in 1942 and (provisionally) 1,051 in 1943. Thus the mean for the four war years, 1940–1943, is about 1,052, as against an average of about 1,050 for the years 1921 to 1939. Neither for the present war nor for the war of 1914–1918, therefore, has there been any appreciable increase in the masculinity of births compared with years of peace.

Monthly Birth-rates.—The monthly birth-rate ranged from 19·0 in April, 18·9 in June and 18·6 in May to 16·8 in January, 16·5 in September and 16·1 in November. From June to August the rates were all higher than in 1941 but compared with that year the rates for other months showed considerable variation. (*Table 34*).

* Except where otherwise specified, when rates for large burghs are quoted with those for counties, the latter are "exclusive of large burghs".

† For the purposes of this Report the averages quoted, except where otherwise specified, are for the five years 1937–41.

TABLE C.—Birth-rate per 1000 Women aged 15–44, 1942.

GROUPS OF DISTRICTS.	Estimated Number of Women aged 15–44.	Births.	Birth-rate per 1000 of Population.		Birth-rate per 1000 Women aged 15–44.	
		Number.	Rate.	Relative Quantity, Scotland being = 100.	Rate.	Relative Quantity, Scotland being = 100.
Large Burghs . . .	689,100	48,714	17·76	100·7	70·7	95·3
Small Burghs . . .	532,600	41,983	17·48	99·1	78·8	106·2
Landward . . .						
SCOTLAND . . .	1,221,700	90,697	17·63	100·0	74·2	100·0

Fertility Rates.—In Table 7 will be found for each of the 57 Public Health Areas the birth-rate per thousand females aged 15–44 and the legitimate birth-rate per thousand married females aged under 45. Table B (1) shows these rates for Scotland for each triennial period from 1861 to 1931. From the latter table it will be seen that there is little difference in the fall by either standard compared with the decline in the crude birth-rate. The rate of decline by each standard is increasing, although this is not so evident between 1911 and 1931. Similar rates are shown below for each year since 1931, but these rates, being dependent on age and conjugal estimates, do not have the authority of rates based on observations round a Census date. They are as follows:—

				Crude Birth- rate per 1000 Population.	Births per 1000 Women aged 15–44.	Legitimate births per 1000 Married Women aged under 45.
1931	19·0	79·8	168·3
1932	18·6	78·4	164·7
1933	17·6	74·5	155·5
1934	18·0	76·5	158·0
1935	17·8	74·9	154·2
1936	17·9	75·1	153·7
1937	17·6	73·7	150·0
1938	17·7	74·0	149·4
1939	17·4	72·1	142·7
1940	17·1	71·4	136·6
1941	17·5	73·5	138·1
1942	17·6	74·2	135·9

From this Table it will be observed that compared with 1931, the crude birth-rate had fallen by about 5 per cent. in 1934, but that the fall was somewhat checked between 1934 and 1939, in which period the decline was only about 3 per cent. It fell still farther in 1940 but there was a slight rise in 1941 and in 1942. The birth-rate per 1,000 women aged 15–44 followed generally the same course, the percentage decline between 1931 and 1939 being 9·6 as against 8·4 in the crude birth-rate, but the recovery between 1939 and 1942 was more marked in the former than in the latter, owing to the former rate being more sensitive to the effect of the rush of marriages at younger ages which began in the second half of 1939. The legitimate birth-rate per 1,000 married women aged under 45 showed between 1931 and 1939 a decline of about 15 per cent., as against about 9 per cent. for each of the other two rates, but in 1942, while the crude birth-rate is less than in 1931 by 7·4 per cent. and the birth-rate per 1,000 women aged 15 to 45 is less by only 7·0 per cent., the legitimate birth-rate per 1,000 married women aged under 45 has declined by 19·3 per cent. Between 1939 and 1942 this rate has declined by nearly 5 per cent., despite the fact that the great increase in the number of marriages has increased the proportion of the female married population who are at the younger and therefore more fertile ages. An allowance is made for this feature by estimating, from the birth-rates observed in each age-group in 1939, when the birth-rate may be considered as unaffected by war conditions, the number of legitimate births which would have occurred had the 1939 fertility rates still operated. It is then found that, expressing the expected births on the 1939 level as 1,000, the ratio of actual legitimate births to expected has fallen to 951 in 1940, 939 in 1941 and 919 in 1942. This comparison, however, is not quite a fair one, as it makes no allowance for the separation of husbands and wives owing to service and other war conditions. But even in 1939, when war conditions may be ignored, a similar

calculation indicates that this ratio had declined by nearly 20 per cent. since 1931.

In Table 7 there will be found for each of the Public Health Areas the local variations in this legitimate birth-rate per 1,000 married women aged under 45. As the numbers of young married women vary considerably from place to place, this is a more satisfactory index of local legitimate fertility rates. The total number of married women for Scotland as a whole is based on an independent estimate, but the local distribution of these women is based on the proportions as found in 1931. While corresponding local numbers were obtained at the taking of the National Register in 1939, the local distribution of married women was considerably affected by the evacuation and reception of mothers in that year, and no exact information is available as to the numbers who may have returned to their homes since that date. The 1931 local distribution has therefore been retained as the basis of the estimate. The rates based on these estimates may be regarded as approximately correct. In the large burghs the rate ranged from 186.6 in Port-Glasgow, 159.0 in Coatbridge and 156.4 in Arbroath to 116.1 in Aberdeen, 113.8 in Kirkealdy and 112.9 in Falkirk. In the counties it ranged from 201.7 in Ross and Cromarty, 198.0 in Caithness, and 195.5 in Zetland to 119.8 in Berwick, 117.5 in Selkirk and 104.5 in Peebles. In the large burghs as a whole this rate was 129.9 and in the counties it was 143.7, but in the eight northern and Highland counties (including Bute) this rate was 178, while in the four south-eastern counties (Berwick, Peebles, Selkirk and Roxburgh) it was 118. This latter contrast has been pointed out in previous Reports. (*Table 7*).

Multiple Births.—The total number of women giving birth to living children during the year was 89,610, of whom 88,532 or 98.80 per cent. gave birth to single children, 1,069 or 1.19 per cent. to twin children and 9 or 0.01 per cent. to triplet children. These births refer to living children only and cases of single birth include those of twin births in which only one child was born alive. In Appendix VI will be found an analysis of still-births registered in Scotland in 1942 in accordance with the provisions of the Still-Births (Scotland) Act, 1938, and this analysis includes further particulars regarding multiple births, whether living or still. The percentage of mothers who gave birth to two or more living children was 1.20, being the same as in 1941, which was equal to the lowest rate recorded in Scotland since 1906. From 1855 until about 1895 this rate tended to decrease, but it increased in the following 20 or 25 years. During the past 20 years the tendency has been towards decline, although even the low rate for 1942 and for 1941 is higher than in almost any year between 1876 and 1900. (*Tables 1 and 2*).

Illegitimate Births.—These numbered 6,455 (living children only) and constituted 7.12 per cent. of the total living births, as against 5,904 in 1941 and 5,091 in 1940, and rates of 6.58 in 1941 and 5.89 in 1940. In 1940 however, both number and rate were the lowest ever recorded in Scotland. Compared with the average the rate is 0.97 higher. In the large burghs it was 6.79 and in the counties 7.50 as against 6.24 and 6.97 in 1941. The increase is thus fairly well distributed between the two. Relating these births to the estimated number of unmarried women and widows in Scotland aged 15–44 (with an allowance for those in the Forces) the rate for Scotland was 10.7 per thousand, that for the large burghs being 9.7 and for the counties 12.0. Corresponding rates for 1941 were 9.6, 8.8 and 10.6 respectively. (*Tables 1, 2, 4 and 7*).

International Birth-rates.—Owing to war conditions these are available for only a very few countries, but the following have been observed:—

BIRTH-RATES PER 1000 POPULATION, 1942.

Southern Rhodesia	23·8*	United States of America	20·9
Canada	23·4	Australia	19·1
Northern Ireland	22·8	Scotland	17·6
Eire	22·3	England and Wales (pro-	
Tasmania	22·1	visional)	15·8
New Zealand	21·7	France	14·5

* European population only.

MARRIAGES.

Marriages registered in Scotland during the year numbered 47,514, which is 106 fewer than in the previous year and 6,008 fewer than in 1940, when the largest number of marriages ever registered in Scotland was recorded. The marriage-rate in 1942 was 9·24 per thousand, being 0·04 less than in 1941 and 1·37 less than in 1940. It is 1·59 above the pre-war average (1934-38). From 1931 to 1938 there was a practically uninterrupted increase in the Scottish annual marriage-rates, but this increase was intensified on the outbreak of war in September 1939. From that date until the end of 1940 the quarterly marriage-rate only once fell below 10 per thousand, being as high as 12·3 in the third quarter of the year 1940, but the rates were lower throughout 1941, and in 1942 the rates for all but the first quarter were lower than in 1941. The monthly marriage-rate ranged from 12·3 in January, 12·0 in June and 11·2 in April to 7·8 in October, 7·6 in November and 5·5 in May. Compared with the previous year these rates changed with remarkable steadiness from a well-marked increase at the beginning of the year to a marked decline in the later summer months. Thus the rate for January showed an excess of 2·2 per thousand over the corresponding rate for January 1941, but this excess diminished to one of 1·5 in February and 1·1 in March, while the rates for April were equal, there was a deficit of 0·1 in May, of 0·4 in June, and of 1·2 in July, 0·7 in August and 1·0 in September. That for October was less by 0·3, that for November greater by 0·3 and that for December less by 2·2. (*Tables 1, 2 and 34.*)

The marriage-rate in the large burghs was 10·85 per thousand and in the counties it was 7·39. As already indicated, these rates are uncorrected in any way for transfer to place of usual residence. The higher rate in the

TABLE D.—Marriages in Scotland and its Groups of Public Health Districts in 1942.

GROUPS OF DISTRICTS:	Marriages.	Marriage-rate per 1000 of Population.	
	Number.	Rate.	Relative Quantity, Scotland being = 100.
Large Burghs	29,763	10·85	117·4
Small Burghs	8,182	} 7·39	80·0
Landward	9,569		
SCOTLAND	47,514	9·24	100·0

large burghs may to some extent be due to a tendency to resort to these areas for the purpose of celebrating the marriage. This tendency was specially noticeable in former years in the case of irregular marriages by declaration. (Table 4.)

Civil Marriages.—The Marriage (Scotland) Act, 1939, which came into operation in July 1940, abolished irregular marriages by declaration, including what was popularly known as the “Gretna Green marriage” and “marriage before the Sheriff.” It instituted a new form of civil marriage, to be contracted in the office and presence of certain specially authorised Registrars after publication of notice. The total number of marriages in Scotland in 1942 was 47,514. Of these 41,763 were solemnised by a minister of religion, 41,338 being preceded by proclamation of banns or publication of notice and 425 being authorised by licence granted by the Sheriff in circumstances of emergency under a special provision of the new Act. Of the remainder, 5,736 were civil marriages, of which 4,732 were preceded by publication of notice and 1,004 by Sheriff’s licence. In addition to these marriages 14 were registered on production of a decree of declarator of the Court of Session and one on the authority of a Sheriff’s warrant (delayed registration). Civil marriages constituted 12·1 per cent. of all marriages registered in Scotland, this percentage being 16·1 for the large burghs and 5·3 for the counties.

The following are numbers of marriages registered in 1942 for large burghs and counties respectively:—

	Scotland.	Large Burghs.	Counties (exclusive of Large Burghs.)
All Marriages	47,514	29,763	17,751
Solemnised by a minister of religion:—			
Preceded by Banns or Publication of Notice	41,338	24,651	16,687
Authorised by Sheriff’s Licence	425	315	110
Irregular Marriages:—*			
Registered by Sheriff’s Warrant	1	1	—
Decree of Declarator (Court of Session)	14	5	9
Civil Marriages:—			
Preceded by Publication of Notice	4,732	3,840	892
Authorised by Sheriff’s Licence	1,004	951	53

* Marriage contracted on or before June 30, 1940.

Marriage-rates for various countries, so far as available, are as follows:—

MARRIAGE-RATES PER 1000 POPULATION, 1942.

United States of America	Northern Ireland	9·0
(1941)	England and Wales (pro-	
Australia	visional)	8·9
Canada	New Zealand	7·9
Tasmania	France	6·8
Scotland	Eire	5·9

Divorce.—By decrees pronounced in Scotland during the year 1942 1,021 marriages were terminated, 1,014 by divorce and 7 by decrees of nullity. Of the former 96 were of marriages registered outwith Scotland and of the latter one was so registered. As will be seen from Table E, the number of divorces has shown a steady increase since 1855. In the years 1855–1864 the average annual number was only 17, but the numbers increased, particularly during and following the war of 1914–18 until in 1925–34 they (including decrees of nullity) averaged 488 per annum, and they still further increased

to 788 in 1938 and 879 in 1939, the latter being the first full year in which the Divorce (Scotland) Act, 1938 was in operation. They declined to 740 in 1940, increased to 763 in 1941 and have now made a still greater increase to 1,021 in 1942.

DEATHS.

The total number of deaths registered during the year was 64,963. The civilian death-rate was 13·34 per thousand of the estimated civilian population.* As this crude rate is based on a population from which there has been withdrawn considerable numbers of men and of women at ages in which mortality is normally low, the resulting rate is higher than would be expected from a population of normal age distribution, and is not strictly comparable with those for pre-war years, and this non-comparability increases as men and women are withdrawn from civilian life. But despite this increasing handicap, the death-rate for 1942 is 1·40 less than in 1941 and 1·52 less than in 1940. If civilian war casualties, which numbered 82 in 1942 as against 1,905 in 1941 are excluded, the rate is 1·02 less than in 1941. Compared with the pre-war average (1935–39), for which the rates were based on total population, the rate for 1942 is 0·15 higher. Among males the death-rate was 15·24 per thousand and among females 11·81. The former is 1·51 below that for 1941 and the latter 1·30 below. Compared with the average the former is 0·27 above but the latter 0·96 below. For the third year in succession, the weather of the first quarter of the year was very severe, the mean temperature being less than the average by 4·2 in January, by 5·3 in February, and by 1·5 in March, with heavy snowstorms in January and in February. But despite this, the death-rate for the first quarter of the year was only 16·3, as against 19·3 for 1941 and 21·4 for 1940 and was only 0·4 above the average for that quarter in 1935–39. For the second and third quarters the rate was rather above the 1935–39 average, but for the fourth quarter it was below that average. (*Tables 1, 2 and 3.*)

Standardised Death-rates.—The effect of the withdrawal of men (and to a much smaller extent of women) of military age from the population is partly eliminated when the death-rate is standardised according to the composite population (totalling nearly 220 millions) as selected by the International Statistical Institute from various countries of Europe according to the Census nearest to 1900. Death-rates so standardised for Scotland are appended, but it must be pointed out that those for the years 1932 to 1942 are based on age estimates and therefore do not have the authority of rates based on ascertained Census populations, and that, while the rates for 1940 to 1942 correct for absence of men of military age, it is assumed that such persons were subject to ordinary rates of mortality, whereas they were selected lives and therefore, apart from war conditions, probably had rates of mortality lower than those in the same age-groups of the remaining

* All death-rates for 1942 are based on civilian deaths and civilian population.

TABLE E.—Number of Divorces in Scotland, 1855–1942, including Decrees of Nullity of Marriage.

<i>Years.</i>	<i>Annual Average.</i>	<i>Years.</i>	<i>Annual Number.</i>
1855–64	= 17	1935	= 498
1865–74	= 14	1936	= 642
1875–84	= 60	1937	= 649
1885–94	= 100	1938	= 788
1895–1904	= 159	1939	= 879
1905–14	= 222	1940	= 740
1915–24	= 458	1941	= 763
1925–34	= 488	1942	= 1021

civilian population. It follows, therefore, that the civilian death-rates, even when standardised for age and sex, may to a small extent overstate the death-rate strictly applicable to the entire population, including service population. Standardised rates are appended herewith:—

DEATH-RATES FOR SCOTLAND PER 1,000 POPULATION.

					Crude Death-rate.	Standardised Rate, International 1900.
1931	13·26	12·45
1932	13·53	12·65
1933	13·20	12·22
1934	12·92	11·98
1935	13·19	11·99
1936	13·44	12·14
1937	13·85	12·33
1938	12·61	11·13
1939	12·87	11·10
1940	14·86	12·46
1941	14·74	12·30
1942	13·34	10·70

From these rates it may be calculated that while the crude death-rate for 1942 was 0·6 per cent. above that for 1931, the standardised death-rate was 14·1 per cent. below, despite the increase in the number of deaths during 1942 due to civilian war casualties, black-out accidents and the severity of the weather in the early months of the year. If the death-rates are standardised separately for each sex to the 1900 standard population (both sexes) it is found that, for males, the standardised death-rate was 14·32 in 1940, 14·02 in 1941 and 12·26 in 1942, as against 13·74 in 1931, whereas the standardised female death-rate was 10·78 in 1940, 10·71 in 1941 and 9·27 in 1942, as against 11·28 in 1931. From 1931 to 1938 the standardised male rate never exceeded the female by more than 26 per cent., but in 1939 and following years this excess has always been 30 or over, being 32 per cent. in 1942. This increase may be partly due to the influence of the selective factor already mentioned.

LOCAL DEATH-RATES (STANDARDISED).

For local death-rates the standardising factor used is not the International 1900 standard but the age distribution of Scotland as a whole in 1931. The effect of this standardisation therefore is simply to adjust the death-rate to allow for differences between the local age and sex distribution in 1931 and that for Scotland in the same year. As the populations evacuated from certain of the large burghs at the outbreak of war had to a very large extent returned to their usual residence in the months following, the age distribution as ascertained from the National Register was considered unsuitable as a standardising factor, and the 1931 standardising factor has been retained. But the situation was again altered by evacuation from certain Clydeside towns in the course of 1941. For these towns, therefore, no standardised rate is published in this Report, as such a rate might be misleading. In the large burghs the crude death-rate was 13·97 per thousand and in the counties it was 12·60, but the influence of urbanisation is more evident from the standardised rates, which are respectively 14·91 and 11·71. This shows an excess of 27 per cent. in the rate for the large burghs, as against 28 in the previous year and about 20 per cent. in the years immediately preceding the outbreak of war, but before accepting this as an indication of any worsening of health conditions in the large burghs as compared with the counties during the war years it must be remembered that the age distribution of the local population

has been affected by war conditions, and is only imperfectly known and allowed for, while the allocation of the deaths of persons evacuated (see page vi) is also a disturbing factor. (*Table 4.*)

In the large towns individually (excluding those for which no standardised rate has been calculated) the published standardised rate ranged from 14·7 in Dundee, and 14·4 in Hamilton and in Paisley to 12·1 in Dunfermline, 11·8 in Dumfries and 11·2 in Inverness. In the counties it ranged from 13·3 in Lanark, 12·9 in Clackmannan and 12·7 in Fife and in West Lothian to 10·0 in Zetland, 9·8 in Kincardine and 9·3 in Nairn. As already indicated no population estimates or rates are available for small burghs or for county landward areas. (*Table 4.*)

The monthly death-rate ranged from 16·8 in February, 16·4 in March and 15·7 in January to 11·6 in October, and 10·8 in August and in September. When these rates are compared with those for the previous year, it is found that there is a decrease in every month, with the exception of trifling increases in October and in November, the greatest decreases being for January (4·0), for March (3·2) and for May (2·8). Compared with the high rates for 1940 the rate in January was 9·8 below and that for February 6·6 below. (*Table 34.*)

The following table gives the crude death-rates for a limited number of countries, so far as available, but it should be pointed out that some of these rates would be considerably modified if standardised for age and sex.

DEATH-RATES FOR 1000 POPULATION, 1942.

France	16·9	New Zealand	10·6
Eire	14·0	Australia	10·5
Scotland	13·3*	United States of America	10·4
Northern Ireland	13·3	Tasmania	10·1
England and Wales (pro-		Canada	9·7
visional)	11·6	Southern Rhodesia	9·3†
* Civilian.		† European population only.	

Age and Sex.—The death-rates in Scotland by separate sex and age groups show generally the differences usually found, viz., a rapid decline from the high rates in infancy to a minimum in age-group 10–14, with a gradual increase thereafter. In every age-group without exception the male death-rate is higher than the female, the percentage excess being smallest at 10–14 and rising to a maximum at 45–54. Table G(1) shows the civilian

TABLE F.—Deaths in Scotland and its Groups of Public Health Districts in 1942.

GROUPS OF DISTRICTS.	Deaths.		Civilian death-rate per 1000 of Population.	
	Registered Number.	Corrected for Transfers.	Corrected for Transfers.	Corrected for Transfers and Adjusted for Age and Sex Distribution, 1931.
Large Burghs	38,199	35,020	13·97	14·91
Small Burghs	8,864	10,202	} 12·60	11·71
Landward	17,900	18,088		
Unallocated	—	1,653	—	—
SCOTLAND	64,963	64,963*	13·34	13·34

* Civilian deaths numbered 63,392.

population estimates on which the rates have been calculated. They are based on the numbers as ascertained from the National Register, with allowances for enlistments, births, deaths, migration, etc., since that date. In Table G(2) there are shown the *civilian* death-rates by age and by sex for 1940, 1941 and 1942, with rates based on *total* population and *total* deaths for preceding years and groups of years back to 1911–15. In every age-group and for each sex the death-rate was lower than in the previous year. Compared with the rates for 1939, but excluding those at ages under one year, which are separately dealt with in the following paragraph, the death-rate is higher among males at ages between 15 and 45 and among females between 10 and 35. These increases remain even when allowance is made for deaths from violent causes. Those among males may be at least partly due to the influence of the selective factor which has already been mentioned, but this influence cannot have been so great among females as among males. Deaths in the various age-groups are summarised for large burghs, for small burghs and for landward areas of counties in Table 19, but as no reliable estimates are available for the age distribution of the population in local areas, no death-rates are shown for age groups. (*Tables 21, 23 and 24.*)

Infant Mortality.—Deaths of children aged under one year numbered 6,283 and as live births numbered 90,697, the infant mortality rate for the year was 69·3 per thousand births, that for males being 77·9 and for females 60·2. Compared with the rates for the previous year, that for both sexes is 13·4 below, that for males 15·4 below and that for females 11·4 below. The rate for both sexes combined is 6·6 below the average. With the exception of the rate for 1939 (68·5) it is the lowest on record for Scotland. This rate ranged from 93 in January and in February and 83 in March to 58 in August and in October and 57 in July. The rate for October is a very low one for that month. Compared with the rates for 1941, those for 1942 are lower for every calendar month except January, the decline being specially marked in March and in April, after which the difference diminished gradually until in September it was only 2, with an increase to 13 in December. Compared with the rates for 1939, the rate for 1942 is slightly higher in each month, with the exception of January, February, July and October. (*Tables 1, 2 and 34.*)

As is usually the case, this rate is greatest in the large burghs, being 78, as against 60 for the small burghs and 58 for the landward areas. In 1941 these three rates were respectively 94, 69 and 69, while the averages for the five preceding years (1937–1941) were 84, 65 and 65. Compared with the average, therefore, the decrease has been proportionately less marked in the large burghs than elsewhere. The landward areas of Scotland, however, are by no means uniformly rural in character. In the Central industrial belt of Scotland* they contain considerable areas which are distinctly urban, although not within the boundaries of a burgh. In the counties comprising

* See note, p. lv.

TABLE G (1).—Estimated Civilian Population of Scotland, by Age and Sex, 1942.

Age.	Both Sexes.	Males.	Females.	Age.	Both Sexes.	Males.	Females.
0	83,200	42,300	40,900	45–54	579,300	258,900	320,400
1–4	329,800	167,800	162,000	55–64	476,900	217,500	259,400
5–9	408,300	207,500	200,800	65–74	325,300	149,300	176,000
10–14	414,800	209,200	205,600	75 and over	130,800	50,100	80,700
15–24	679,700	276,200	403,500				
25–34	649,000	247,600	401,400				
35–44	673,900	291,000	382,900	All Ages	4,751,000	2,117,400	2,633,600

the East and West Central Divisions it was found at the Census of 1931 that 58·6 per cent. of the Landward population was enumerated in urban areas,† while in the Landward areas in counties north and south of this belt the percentage was only 3·7. If the infant mortalities are worked for the landward areas of these two groups of counties, it is found that for the Central and generally industrial area the infant mortality is 64 per thousand as against 49 in the Northern and Southern areas combined. It may also be said that the rate for the large burghs combined is largely influenced by the rate for Glasgow, in which about 40 per cent. of the births in the large burghs occur. If these are deducted from the large burghs we get the following infant mortality rate for 1942:—

Scotland	69	Landward	58
Large Burghs	78	Central	64
Glasgow	91	Northern and Southern	49
Other Large Burghs	69		
Small Burghs	60		

In individual large burghs this rate ranged from 104 in Greenock, 97 in Paisley and 91 in Glasgow to 56 in Edinburgh, 53 in Falkirk and 52 in Stirling. In the counties the rate ranged from 75 in Clackmannan and in Wigtown and 70 in Argy to 34 in Zetland, 33 in Orkney and 30 in Sutherland. (Table 4.)

Infant mortality rates for certain other countries are included in the following table:—

INFANT MORTALITY PER 1000 BIRTHS, 1942.

Northern Ireland	76	Tasmania	42
France	71	United States of America	40
Scotland	69	Australia	40
Eire	68	Southern Rhodesia	40*
Canada	54	New Zealand	29
England and Wales	49		

* European population only.

Legitimate and Illegitimate Mortality.—Among legitimate children

† Including burghs and areas which, although not within a burgh, were within a Lighting or Scavenging District, in each case of not less than 1000 population.

TABLE G (2).—Age-group Death-rates per 1000 of Population from 1911 to 1942.

YEARS.	MALES.												85 and over.	FEMALES.												85 and over.
	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	-1		1-	5-	10-	15-	25-	35-	45-	55-	65-	75-			
1911-15	140·0	18·5	3·7	2·4	4·1	5·6	8·8	16·2	33·5	67·4	162·7	..	111·2	17·5	3·7	2·6	3·8	5·5	8·3	12·9	26·4	54·3	147·0	..		
1916-20	110·8	15·5	3·6	2·4	4·5	6·2	8·5	16·2	34·3	69·1	170·2	..	85·4	14·7	3·6	2·7	4·3	6·0	7·8	12·6	25·9	49·8	149·5	..		
1921-25	109·1	15·1	2·9	1·9	3·2	4·6	6·9	12·0	26·8	61·9	144·5	289·7	82·6	13·7	2·7	1·9	3·2	4·5	6·3	10·1	21·5	49·2	118·7	252·6		
1926-30	103·8	11·8	2·7	1·9	3·1	4·2	7·0	11·9	25·9	62·4	143·2	303·8	79·0	10·2	2·4	1·7	2·9	4·1	5·9	10·0	20·6	43·4	118·6	271·4		
1931-35	96·2	9·8	2·6	1·6	2·9	3·8	6·3	11·8	24·3	59·7	140·7	289·8	74·1	8·3	2·2	1·5	2·8	3·7	5·2	9·1	19·4	47·0	117·4	260·6		
1936-40	90·7	6·8	2·2	1·5	2·8	3·5	6·0	12·4	25·4	60·9	147·2	349·9	69·0	6·1	1·9	1·2	2·6	3·2	4·6	8·7	18·8	47·5	116·9	282·3		
1931	100·5	10·1	2·6	1·7	3·0	3·9	6·3	11·6	24·5	60·4	140·8	293·8	74·4	9·5	2·3	1·4	2·9	3·7	5·3	9·2	19·5	47·0	118·6	266·2		
1932	100·4	10·6	2·7	1·6	3·0	3·8	6·6	11·6	24·1	60·1	142·1	273·7	80·0	9·7	2·3	1·7	2·9	4·0	5·5	9·4	19·8	47·7	119·7	268·5		
1933	94·1	8·5	2·4	1·7	3·0	4·0	6·4	12·2	24·9	59·8	139·4	290·5	73·6	7·4	2·1	1·5	2·8	3·7	5·3	9·1	19·4	47·8	117·9	257·1		
1934	93·5	9·8	2·9	1·6	2·8	3·8	6·1	11·6	24·0	57·3	135·7	275·7	73·0	8·3	2·5	1·5	2·8	3·6	5·0	8·9	19·2	45·0	110·9	246·6		
1935	92·3	7·2	2·4	1·7	2·7	3·5	6·1	11·8	24·2	61·0	145·5	314·5	69·6	6·4	2·0	1·4	2·7	3·4	5·1	9·0	19·3	47·4	119·9	265·0		
1936	98·6	7·9	2·4	1·5	2·8	3·5	6·1	12·6	24·6	61·2	145·4	318·6	75·6	7·3	1·9	1·2	2·6	3·2	4·9	9·2	18·9	47·8	117·4	263·5		
1937	96·2	7·2	2·2	1·5	2·8	3·8	6·3	12·8	25·8	63·0	150·3	351·2	73·5	6·6	1·9	1·2	2·7	3·4	4·9	9·1	19·5	50·0	121·2	288·6		
1938	81·6	7·0	1·9	1·4	2·5	3·2	5·6	11·6	23·8	57·0	137·7	319·9	65·7	6·2	1·9	1·3	2·5	3·0	4·4	8·3	18·2	45·2	108·6	261·0		
1939	82·1	4·8	1·9	1·4	2·5	3·2	5·6	12·0	25·2	59·5	146·1	356·2	61·5	4·1	1·7	1·1	2·3	3·0	4·3	8·5	17·8	45·6	114·9	281·2		
1940†	95·0	7·0	2·4	1·5	3·3	4·1	6·6	13·2	27·3	63·6	156·1	408·7	68·3	6·4	2·1	1·3	2·7	3·3	4·6	8·5	19·7	48·6	122·3	317·3		
1941†	100·5	6·5	2·5	1·7	3·7	4·9	6·8	13·3	26·6	58·4	161·1		75·8	6·6	2·0	1·6	3·2	3·5	4·0	8·5	18·0	45·3		122·3		
1942†	85·4	4·6	1·7	1·4	3·3	4·0	5·8	11·9	23·9	59·0	146·0		65·2	4·1	1·4	1·2	3·0	3·3	4·0	7·2	16·5	40·3		118·0		

† Civilians only.

the infant mortality rate was 66 per thousand, being 74 in the large burghs and 56 in the counties. In 1941 these rates were 80, 90 and 67 respectively. Among illegitimate children these rates were 115, 134 and 96, as against 129, 149 and 107 in 1941. The decline is therefore more marked among the legitimate than among the illegitimate children. Compared with the rate for all infants, the excess mortality among illegitimate children has been rather higher in the three years of war than in the three preceding years.

In Table 33 there will be found the infant deaths classified according to age in days, weeks and months, while in Tables 31 and 32, they are shown according to cause of death and according to month of registration. (See also page xxxv).

Neo-Natal Mortality.—Deaths at ages under one month are shown in Tables 31 and 33. In 1942 they numbered 3,179, representing a rate of 35·1 per thousand births. A table is appended showing this mortality since 1911.

NEO-NATAL MORTALITY PER 1000 BIRTHS.

	Deaths under 1 year.			Deaths under 1 month.		
	Total.	Legitimate.	Illegitimate.	Total.	Legitimate.	Illegitimate.
Average						
1911-15	112·8	—	—	43·0	—	—
1916-20	99·0	—	—	40·5	—	—
1921-25	91·8	—	—	38·2	—	—
1926-30	85·4	—	—	36·5	—	—
1931-35	80·8	—	—	36·8	—	—
1936	82·3	79·7	119·8	37·6	36·4	55·2
1937	80·3	77·6	121·6	33·3	36·9	58·7
1938	69·5	67·0	109·0	35·0	33·8	53·4
1939	68·5	66·8	95·7	36·6	35·7	51·2
1940	78·3	75·7	119·8	37·3	36·2	54·0
1936-40 (average)	75·8	73·3	113·3	36·9	35·8	54·5
1941	82·7	79·5	128·6	39·9	38·5	61·0
1942	69·3	65·8	115·1	35·1	33·4	56·5

From this table it may be calculated that while the infant death-rate at ages 1 to 11 months inclusive has fallen in every quinquennial period since 1911-15, the neo-natal rate, measured quinquennially actually increased although very slightly, between 1926 and 1940, and over the whole period of quinquennial review declined only from 43·0 to 36·9, as against a decline from 69·8 to 38·9 for ages 1 to 11 months. In 1941 the neo-natal rate rose to 39·9, being the highest on record for 20 years, but in 1942 it fell to 35·1, being the lowest ever recorded in Scotland, except 35·0 in 1938. The highest rate recorded since 1911 was 44·2 in 1915. These neo-natal rates appear to indicate a comparatively constant factor in the infant mortality problem. It is significant that the mortality in the first month of life is generally almost equal to (in 1942 it is greater than) the mortality in the eleven months following. It is also significant that it is approximately equal to the rates which have been recorded in recent years for all deaths under one year in several countries such as the Netherlands, Australia and New Zealand. (Note the infant mortality rate of only 29 recorded above for New Zealand for all deaths under one year in 1942.)

Since 1936 infant deaths have been, for certain purposes, separately classified according to legitimacy and this classification is shown in the table above.

It will be seen that the general excess of about 50 per cent. in the infant illegitimate rate compared with the legitimate is fairly well maintained in the neo-natal rates, but it has rather increased in 1941 and in 1942, being approximately 70 per cent. in 1942. It is still more marked in the post-natal (1 to 11 months) rate. The causes of death in the neo-natal group will be found in Table 31.

Centenarians.—Eleven deaths of reputed centenarians were registered during 1942, one of these being a male and ten females. The age was verified as being at least 100 years in the case of the male and of eight of the females. The male, whose age was verified, was aged 100, two of the females were also aged 100, two were aged 101 and 4 were aged 102. Since 1910, when this series of special investigations was commenced, 447 deaths have been registered as those of centenarians, 77 being of males and 370 of females. The age has been verified as being at least 100 years in 242 cases (32 males and 210 females), in 81 the evidence was rather against the claim, while in 124 cases no satisfactory evidence of age could be found. Since 1921 the age has been verified in fully 60 per cent. of the cases reported, the greatest age so verified being one of 109 years and 14 days in 1936. The greatest number registered in any one year was 19 in 1918.

CAUSE OF DEATH.

Certification.—Of the 64,963 deaths registered in 1942, 64,789, or 99·7 per cent., were certified as to cause by a registered medical practitioner, by an officer of the Forces or other similarly authorised person, or by Procurator-Fiscal's report, and 174, or 0·3 per cent., were uncertified. Up to the time of the outbreak of the present War the number of deaths uncertified as to cause declined almost continuously. In 1940 and in 1941 they increased to 223 and 218 but in 1942, as stated, they numbered only 174, being only 2 above the minimum recorded in 1939. As is usually the case, these deaths occurred principally in the northern and Highland counties. In Inverness they numbered 63, in Ross and Cromarty 62, in Argyll 15, in Zetland 10 and in Sutherland 5. Only 4 deaths were uncertified in the large burghs, as against 13 in 1941 and 7 in 1940. (*Pages 2-3.*)

The cause of death was specified in 63,868 cases, or 98·3 per cent. of the total deaths, while in 1,095, or 1·7 per cent., it was either ill-defined or not specified. Of the latter, 669 were ascribed to heart failure and 226 to other ill-defined causes, while in 200 cases no cause was specified, 164 of these

TABLE H.—Deaths from Uncertified Causes, 1881-1942.

Year.	Uncertified Causes.	Percentage of Uncertified to Total.	Year.	Uncertified Causes.	Percentage of Uncertified to Total.
1881-1890 . . .	6061	8·2	1934 . . .	225	0·4
1891-1900 . . .	3239	4·1	1935 . . .	230	0·4
1901-1910 . . .	1839	2·4	1936 . . .	213	0·3
1911-1920 . . .	1239	1·7	1937 . . .	199	0·3
1921-1930 . . .	499	0·8	1938 . . .	181	0·3
1931-1940 . . .	235	0·4	1939 . . .	172	0·3
1931 . . .	333	0·5	1940 . . .	223	0·3
1932 . . .	303	0·5	1941 . . .	218	0·3
1933 . . .	272	0·4	1942 . . .	174	0·3

being described as sudden. The percentage ill-defined or not specified was rather higher than in 1941 (1·6 per cent.), and considerably higher than in 1939 and 1940 (1·3).

Principal Epidemic Diseases.—This group now consists of typhoid and paratyphoid fevers, cerebro-spinal fever, scarlet fever, whooping-cough, diphtheria, influenza and measles, thus differing slightly from the list as constituted from 1931 to 1940, but it corresponds more closely with that in use prior to 1931. Deaths in the group as now constituted numbered 1,058, the equivalent civilian death-rate being 22 per 100,000, as against 50 in the previous year and an average of 56 for the five preceding years.* The principal reason for this death-rate being so low is that deaths from *influenza*, which in years in which they are numerous may exceed in number those from all the other epidemic causes, were in 1942 fewer than in any previous year for which comparable figures are available. (For years previous to 1921 the numbers are not comparable.) In 1942 these deaths numbered 308, or 6 per 100,000, as against 705 in 1941. Since 1921 the number has never fallen below 500 except in 1938 (396). Since 1921 the number has been as high as 3,435 in 1929 and 3,706 in 1922. The deaths in 1942 are less than 10 per cent. of the deaths in those years. Of the 308 deaths from *influenza*, 107 were associated with pneumonia, 50 with some other respiratory complication, generally bronchitis, and 100 with non-respiratory cause, while in only 51 cases was there no specified complication. Of the total number of deaths, 165 were registered in January, February and March. Next in importance in the epidemic group to deaths from *influenza* come those from *diphtheria*, which numbered 290, a death-rate also of 6 per 100,000. This number is the lowest on record for Scotland, the previous lowest being 356 in 1933 and in 1931. They are 227 fewer than in 1941 and less than half of the number (676) in 1940. The rate is 4 below the average. Deaths from *cerebro-spinal fever* numbered 180, as against 332 in 1941 and 482 in 1940. But with these exceptions the total is the highest recorded since 1933 (219). The monthly numbers ranged from 26 in March and 25 in February to 8 in October and in December. Deaths from *measles* numbered 144, being 41 more than in 1941 but 66 below the average. There was a slight excess from May to July and August. Deaths from *whooping-cough* numbered 92. This is much the smallest number ever registered in Scotland from this cause, being 628 less than in 1941 and less than half of the smallest previously recorded number (197 in 1940). In 1921–25 these deaths averaged 1,447 annually, in 1926–1930 they fell to 791, in 1931–1935 to 626, and in 1936–1940 to 388. Up to the early years of this century they averaged over 2,000 per annum. Deaths from *scarlet fever* numbered 24, this also being the lowest number on record. In 1934 these deaths numbered 345, but since then they have declined without interruption to 35 in 1940, 26 in 1941 and now 24 in 1942. Deaths from *typhoid fever* numbered 20, while no death was registered as due to *paratyphoid fever*. With the single exception of 16 deaths in 1937, this is the smallest number ever recorded for these joint causes. (Tables 21–26, page 46.)

Small-pox.—Until 1942 only two deaths (1930) had been registered in Scotland since 1921, and on account of its rarity it is no longer included with the principal epidemic diseases and indeed no longer shown separately in the detailed list of causes of death. But the year 1942 witnessed an outbreak of smallpox which was responsible for 25 deaths, 12 of males and 13 of females. The first case occurred on board a ship arriving in the West of Scotland. Seven deaths occurred in or were credited to Glasgow, 8 to Fife

* In this section of the Report comparisons within brackets, except where otherwise specified, are with the corresponding number for the previous year.

County, 6 to Edinburgh and 1 each to the Counties of Ayr, Lanark and East Lothian, while one Service death occurred elsewhere. The individual ages of the deceased are shown in Table J (2). The youngest were a girl aged 3 and two boys aged 12 and 13 respectively. Fourteen of the deceased were aged 25 years or over.

Tuberculosis.—Deaths from all forms of tuberculosis numbered 3,998, being 177 fewer than in 1941 but 238 above the average. Up to the end of last century these deaths averaged over 10,000 per annum, but this average declined to 5,678 in 1921–1925, 4,663 in 1926–1930, and 3,917 in 1931–1935. The following four years (1936–1939) showed a comparatively small decline, and in 1940 the number rose to 4,003 and in 1941 to 4,175. Thus, while there has been a slight improvement in 1942, the number is distinctly above the record low numbers of 3,432 in 1938 and 3,526 in 1939. The equivalent annual civilian death-rate in 1942 is 82 per 100,000, being 3 less than in the previous year but 6 above the average. But it must again be pointed out that these rates are based on a civilian population, from which large numbers of healthy young people have been withdrawn to the Forces and the death-rate among those who are left is bound to be artificially raised to some extent. The monthly number ranged from 414 in April and 393 in March to 274 in October and 260 in September. The male death-rate was 91 (5 below that for 1941) and the female rate 74 (1 below). Death-rates by sex in each age-group will be found in Table 21. Compared with the rates found in 1939 the most marked increases are found in the age-groups between 15 and 35 (probably partly due, especially among males, to the selective factor already mentioned) with comparatively little significant change above 35, but there is a considerable increase in the case of each sex among children under five years of age. The rates for non-respiratory forms, which constitute the greater part of the deaths at these ages are shown below for the past six years:—

DEATH-RATES PER 100,000 FROM NON-RESPIRATORY FORMS OF TUBERCULOSIS.

MALES.				FEMALES.		
	Under One year.	1–4	5–9	Under One year.	1–4	5–9
1937 ...	105	65	24	80	50	17
1938 ...	73	63	26	78	50	24
1939 ...	78	53	20	67	40	23
1940 ...	109	77	23	72	62	19
1941 ...	100	69	26	75	77	23
1942 ...	92	65	27	88	63	21

From this it will be seen that, if we compare the three war years with the three preceding years, there is a fairly marked increase in the rate in the case of males aged under five and in the case of females aged 1 to 4.

Deaths from respiratory forms of tuberculosis numbered 3,043, of which 1,561 were of males and 1,482 of females, the three corresponding civilian rates being 62, 70 and 56 respectively. In 1941 the corresponding rates were 63, 73 and 55. Deaths from other forms of tuberculosis numbered 955, of which 473 were of males and 482 of females. The equivalent annual civilian death-rates are 20, 21 and 18 respectively, as against 21, 23 and 20 in 1941. Comparing the age-group death-rates with those for 1939 (last pre-war year) the most marked increases are found at ages under 25, although there is little change in the female rates at ages between 5 and 15.

Mortality from all forms of tuberculosis was 106 in the large burghs and 55 in the counties, showing a slight decrease as compared with the rates for

1941 (110 and 57). In the individual large burghs this rate ranged from 148 in Greenock, 140 in Glasgow and 125 in Clydebank and in Dumbarton, to 41 in Falkirk, 35 in Dunfermline and 32 in Kirkcaldy. In the counties this rate ranged from 107 in Kinross, 81 in Renfrew and 72 in Lanark and in Sutherland, to 29 in East Lothian, 28 in Berwick, 23 in Nairn and 21 in Peebles. (*Tables 4, 21-26.*)

Other Infective and Parasitic Diseases.—Deaths from syphilitic and parasymphilitic diseases, now grouped together, numbered 306, being 44 more than in 1941. They included 96 from aneurysm of aorta (20 more), 76 from general paralysis of the insane (2 more), 30 from locomotor ataxia (2 more) and 104 from syphilis, congenital or undefined (20 more). Of the last named 26 were of infants under one year of age, as against 21 in 1941. Details of these deaths since 1855 are shown on Table J (1), the figures previously shown in Tables 25 and 26 being no longer appropriate.

Other deaths in this group included 25 from erysipelas (5 more than in 1941). Apart from this slight increase, these deaths have been declining rapidly for several years, having numbered 204 in 1934. Deaths from septicaemia numbered 119 (15 more). Deaths from dysentery numbered 56. These deaths have shown a fairly steady increase in recent years, from 11 in 1933, and 12 in 1935 to 48 in 1941 and to 56 in 1942. Those from acute poliomyelitis and polioencephalitis number 10. Last year's total of 24 was exceptional, being equal to the highest number registered for many years past. Deaths from lethargic encephalitis numbered 82 (22 fewer). This is the lowest number recorded since 1934 (80). Only 6 of these 82 cases were specified as acute. Deaths from small-pox are separately reported on page xx. (*Pages xx, 4 to 8.*)

Malignant Disease.—Deaths from this group of diseases numbered 8,557 and are equal to a civilian death-rate of 179 per 100,000. This rate is 5 above that for 1941 and 20 above the mean of the rates for the five years 1935-1939. But, as pointed out in previous Reports for the war years, this increase is certainly partly explained by (1) the gradual ageing of the population and (2) the withdrawal from the civilian population to the Forces of men and women at an age at which mortality from cancer is low. This means that the civilian population left contains an increased proportion at the ages in which mortality from cancer is high, and this is reflected in the crude death-rate, which has increased from 161 in 1939 to 179 in 1942, as specified above. As a higher proportion of males than of females have been

TABLE J (1).—Deaths from Syphilitic and Para-syphilitic Diseases, 1855-1942.

	Total.	Syphilis.	General Paralysis of the Insane.	Locomotor Ataxia (Tabes Dorsalis).	Aneurysm of Aorta.
<i>Annual Averages.</i>					
1855-1860	-	87	-	-	-
1861-1870	-	157	-	-	-
1871-1880	-	210	-	-	-
1881-1890	-	237	-	-	-
1891-1900	-	203	-	-	-
1901-1910	-	218	220	70	-
1911-1920	-	202	248	76	-
1921-1930	-	141	191	71	-
1931-1940	-	88	116	56	-
1940	299	61	108	44	86
1941	262	84	74	28	76
1942	306	104	76	30	96

NOTE:—The symbol - indicates the number is not available.

withdrawn from civil life, this is seen in the rise of the respective crude rates by sex, the male having increased from 156 in 1939 to 193 in 1942, while the female rate shows the comparatively moderate increase of from 165 in 1939 to 168 in 1942. When the death-rate (both sexes) is standardised to the population of Scotland as at the Census of 1931 it is found that the rate for 1942 so standardised is 149, the same as in the previous year, so that while the crude rate has increased by 5, the standardised rate has not altered. The male death-rate similarly standardised is 162 as compared with 159 in 1941 while the female death-rate standardised is 138 as compared with 140. The former is therefore slightly up while the latter is slightly down.

The crude and standardised rates since 1931 are as follows:—

DEATH-RATE PER 100,000 OF POPULATION FROM MALIGNANT DISEASE.

Year.	Crude.	Standardised to Scotland 1931.	Effect of Standardisation.
1931	148	148	—
1932	153	151	- 2
1933	153	151	- 2
1934	153	149	- 4
1935	157	152	- 5
1936	159	151	- 8
1937	157	147	-10
1938	162	151	-11
1939	161	148	-13
1940	170	149	-21
1941	174	149	-25
1942	179	149	-30

It will be observed that the excess of the crude death-rate over the standardised rate has increased from 25 in 1941 to 30 in 1942. But when the rates are standardised for each sex separately it is found that, although that for both sexes is almost stationary since 1931 the male standardised rate has increased by 12 while the female rate has declined by 9. The respective rates since 1931 are as follows:—

DEATH-RATES FROM MALIGNANT DISEASE PER 100,000.

Year.	MALES.		FEMALES.	
	Crude.	Standardised.	Crude.	Standardised.
1931	140	150	155	147
1932	145	153	160	150
1933	147	155	159	147
1934	148	154	158	146
1935	152	158	162	148
1936	155	158	163	146
1937	151	152	163	144
1938	152	153	170	150
1939	156	155	165	143
1940	175	158	165	141
1941	184	159	166	140
1942	193	162	168	138

These rates by sex still further emphasise the effect of standardisation and show that the withdrawal from the civilian population of personnel in the services makes crude rates for the period 1940–42 more especially among males, completely incomparable with those for preceding periods. It will be observed that the standardised rate among males was rising slightly even before the outbreak of war, the rate being at a maximum in 1935 and 1936.

But to eliminate the possible effect of the uncertainty of rates based on population estimates made so long after the taking of the Census in 1931, the actual numbers have been tabulated for individual years by ages and it is found that the increase in numbers is quite definitely greater among males than among females. Thus, comparing the numbers for the three years 1940-42 with those for 1931-33, it is found that the average annual numerical increase is 643 among males against 390 among females. In all decennial age-groups over 35, with the single exception of 55-64, the increase in the number of deaths among males is greater than among females, this increase being specially marked at 45-54 (where the number of female deaths actually declined) and at 65-74. Comparing the average annual numbers for 1937-39 with those for 1940-42, there is an increase in the latter among males in every age-group of any consequence. Although this increase is fairly spread among the various sites, it is greatest in the case of cancer of the lung, deaths from which have increased from an average of 298 in 1937-39 to 420 in 1940-42. This may be at least partly due to change in diagnosis.

It would appear, therefore, that there has been in very recent years a definite increase in the male death-rate from cancer, possibly due to increasingly accurate diagnosis, and a less marked increase in the female death-rate, the latter being more than accounted for when allowance is made for altered age incidence of the female population.

In fully half of the Scottish deaths from cancer the site was in some part of the digestive system, this including the stomach, intestine, rectum, liver and œsophagus. These deaths in all numbered 4,741 (2,473 males and 2,268 females), being 133 fewer than in 1941, when a notably large increase was recorded. The location was in some part of the respiratory system in 868 cases (616 of males and 252 of females), being 155 more than in 1941. Although the number of such deaths has been increasing very steadily for several years, this is much the largest numerical increase which has occurred since 1931, when they were first formed into a separate group in the detailed list of causes. The lung, bronchus or pleura was specified in the case of 494 males and of 186 females, as against 117 and 72 in 1931, and 412 and 159 in 1941. The larynx was specified in the case of 78 males and 39 females (62 and 22 in 1941) and the mediastinum in 44 cases of males and 27 of females (37 and 21 in 1941). Deaths from cancer of the buccal cavity numbered 405 (305 of males and 100 of females) as against 357 and 96 in 1941. In 1940 the number (412) was very similar to that for 1942, this being a fair average for the period 1931-1940, when the variation from year to year was within comparatively narrow limits. Cancer of the breast accounted for 724 deaths, of which 6 were of males. This total is 7 less than in 1941. These deaths have shown a moderate increase since 1931, although 776 were registered in 1938. Deaths from cancer of the uterus numbered 526, as against 522 in 1941. In this case also the increase from year to year is generally fairly steady, but moderate. Cancer of other female genital organs numbered 229, as compared with 205 in 1941. Deaths from cancer of the male genital organs numbered 263 (of which 219 were of the prostate), as against 256 in 1941. Those from cancer of the urinary system numbered 293, 184 being of males and 109 of females, those of brain and nervous system 77 (51 of males and 26 of females), those of the skin 115 (54 of males and 61 of females), while those of other and unspecified organs numbered 316 (167 of males and 149 of females).

Diabetes.—Deaths from this cause numbered 639, as compared with 675 in 1941 and 731 in 1940. Owing to change in classification of deaths from more than one cause, which came into operation in 1941, these numbers are not comparable with those for preceding years, although the number quoted

for 1940 has been adjusted so as to be comparable with those for the years following. But deaths in 1940, possibly partly due to the very severe weather conditions during the early months of the year, were exceptionally numerous, and the deaths in 1941 were 56 fewer than in 1940, while those in 1942 were 36 fewer than in 1941. This latter decrease was entirely among males, there being a slight increase (451 to 457) among females, especially at ages under 45. Among males there was also an increase under 45 years of age, but it was more than counterbalanced by decreases at the higher ages, especially between 45 and 65, in which age period deaths in 1942 numbered only 35, as against 74 in 1941. (*Tables 21 and 23.*)

Other General Diseases.—In addition to the foregoing there were 103 deaths from acute rheumatism and 126 from chronic rheumatism. The former include 85 deaths from acute rheumatic heart conditions and are 18 fewer than in 1941. The latter are 47 fewer than in 1941. Deaths from exophthalmic goitre numbered 75 and are 3 more than in 1941, and from other diseases of the thyroid and parathyroid 43 (16 fewer). Deaths from pernicious anæmia numbered 350 (32 fewer) and from other forms of anæmia 132 (3 more). Deaths from leukæmia and aleukæmia numbered 129 as against 137 in 1941. The diseases summarised under Nos. 26, 32, 38, 42, 44a, c, d, 66 and 71 are shown in detail in Table J (2).

Diseases of the Nervous System.—Deaths in this group numbered 8,525 as against 8,840 in 1941 and 9,106 in 1940. In the Report for 1940 it was pointed out that the number had been steadily decreasing from 1932 to 1938 but had thereafter increased to a maximum in 1940. There has therefore been a substantial decline since that year. Practically 80 per cent. of these deaths are due to cerebral hæmorrhage, embolism, thrombosis and softening, which numbered 6,788, as against 6,928 in 1941 and 7,168 in 1940. Deaths ascribed to cerebral embolism or thrombosis form an increasing proportion of these deaths in recent years, although this proportion has diminished in 1942. Deaths from meningitis (not cerebro-spinal nor tuberculous) showed a large decline since 1941, 169 as against 204. These deaths have been declining very steadily for many years past and this is the smallest number recorded since at least 1921. Those from cerebral abscess and other forms of encephalitis numbered 79 (85 in 1941). Deaths from convulsions (under five years) increased from 162 in 1938 to 233 in 1940 and to 285 in 1941, but this has been followed by a large decline to 196 in 1942. Other causes in this group include 190 from epilepsy, 106 from paralysis agitans and 175 from disseminated sclerosis. (*Pages 12 and 13.*)

Diseases of the Circulatory System.—Deaths in this group of diseases numbered 16,548 as against 17,528 in 1941. They increased steadily year after year with scarcely a break from 10,766 in 1931 to a maximum of 17,965 in 1940, but since then they have declined to the numbers already stated. These numbers are largely governed by those from heart disease, which constitute about 90 per cent. of the total. They numbered 15,069 as against 16,200 in 1941 and 16,326 in 1940. Deaths from all forms of myocarditis, acute or chronic, numbered 9,019 (9,967 in 1941), including 3,667 from chronic myocarditis and other forms of myocardial degeneration (4,231 in 1941), 2,372 from myocarditis of unspecified nature (2,884), 2,724 from cardio-vascular degeneration (2,524) and only 144 from acute myocarditis (172). Deaths from acute endocarditis numbered 101 (122) and those from all other forms of valvular heart disease 2,128 (2,258). On the other hand, deaths from diseases of the coronary arteries, including angina pectoris, continue to increase, numbering 2,878 as against 2,803 in 1941. These deaths, which in 1931 numbered only 823, have shown an increase in every

year since that date. In all probability this is largely due to an increasing tendency to specify coronary embolism or thrombosis as the cause of death. In order to ascertain how far the increase in deaths from angina pectoris was due to coronary disease, separate figures have been tabulated for the past two years and those certified as due to angina pectoris have been returned to the certifiers to ask whether coronary disease was actually present, and this was found to be so in the very great majority of cases, so that of the deaths in 1942 there were 2,755 certified as due to coronary disease and only 123 as due to angina pectoris without coronary disease. The great majority of these deaths were of males, these numbering 1,761 as against 1,117 among females. The ratio of males to females, which is 3 to 1 at ages under 55, gradually diminishes to 2 to 1 at 55-64, to 3 to 2 at 65-74 and to approximate equality at ages over 75. Deaths from other or undefined forms of heart disease numbered 943 as compared with 1,050 in 1941. Such deaths

TABLE J (2). (*Ages at death in brackets.*)

<i>Long List No.</i>	<i>Males.</i>	<i>Females.</i>	<i>Total.</i>
26. <i>Other bacterial diseases (incl. 3-5, 7, 23, 25).</i>			
Abortus fever	(34, 34)	(76, 72)	4
Anthrax (malignant pustule)	(56)	...	1
Bacillus necrophorus	(36)	...	1
Ophthalmia neonatorum	(7 days)	1
	4	3	7
32. <i>Other spirochaetal diseases (31).</i>			
Infective jaundice	(10, 13, 38, 42, 47, 48, 51)	(56)	8
Vincent's angina	(61)	1
Spirochaetosis ictero-haemorrhagica (Weil's disease)	(57, 62)	...	2
	9	2	11
38. <i>Other diseases due to viruses (34).</i>			
Small-pox	(12, 13, 21, 22, 23, 23, 25, 39, 40, 42, 56, 71)	(3, 20, 20, 22, 22, 30, 37, 50, 57, 58, 59, 67, 26)	25
Varicella	(8 mos.)	1
Herpes zoster	(74, 85)	(71, 86, 90)	5
	14	17	31
42. <i>Diseases due to helminths (40, 41).</i>			
Hydatid cyst of liver	(62)	1
	...	1	1
44d. <i>Other infective or parasitic diseases (a, c).</i>			
Epidemic parotitis	(75, 76)	2
Chancre	(19)	...	1
	1	2	3
66. <i>Other general diseases (60).</i>			
Osteomalacia	(61)	(64)	2
"Pink" disease	(3 wks., 10 mos., 10 mos., 10 mos.)	(7 mos.)	5
Ideopathic steatorrhœa	(1, 50, 56, 77)	(11 mos., 52)	6
Acidosis	(2 yrs.)	...	1
Diabetes insipidus	(37, 90)	2
Hæmochromatosis	(29)	1
Toxæmia	(4 mos.)	1
	10	8	18
71. <i>Other vitamin deficiency diseases (67, 68, 69).</i>			
Scurvy	(1, 67, 70, 73)	...	4
Beri-beri	(65)	...	1
Pellagra	(53, 62)	2
General vitamin deficiency	(71)	(68)	2
	6	3	9

tend to decrease, owing probably to more definite diagnosis. Other deaths in this group include 880 from arterio-sclerosis (795 in 1941), 207 from gangrene (215), 187 from high blood pressure, not otherwise specified (143) and 25 from aneurysm (heart and aorta excepted) (24). (*Table 23, pages 14 and 15.*)

Diseases of the Respiratory System.—For the third year in succession the weather of the first three months of the year was of a severe character. (See Appendix III.) The mean temperature for the quarter was slightly higher than in 1941 but slightly lower than in 1940. The temperature in January was 3° or 4° higher than in the two preceding Januaries but February was the coldest February in the present century. Despite these conditions the deaths from diseases of the respiratory system were in marked contrast to those experienced in the two preceding years, numbering 6,190 as against 7,681 in 1941 and 9,555 in 1940. In the years 1921 to 1930 this number exceeded 10,000 on seven occasions, and from 1931 to 1940 exceeded 9,000 on five occasions. The number for 1942 is the lowest since 1921, figures for earlier years not being quite comparable. In this great decline the principal part is that due to the decrease in deaths from pneumonia. These deaths in 1921–1930 averaged 5,804 per annum, but in 1931–1940 they declined to 4,430 per annum, in 1941 to 3,573 and in 1942 to 2,782. In 1929 they numbered 7,143. The decline in the number of deaths from bronchitis is not so pronounced. In 1921–1930 the annual average was 4,068 and in 1931–1940 it was 3,223 as compared with 3,092 in 1941 and 2,439 in 1942. In 1922 they numbered 5,127. These reductions are not appreciably affected if there is added, as in Tables 25 and 26, the deaths in which influenza was associated with the causes named. Other causes of death in this group included 318 from congestion of lung, 60 from pulmonary embolism, thrombosis, &c., 286 from asthma and 141 from pleurisy. Compared with the corresponding numbers for 1940 and 1941, the decline in the numbers of deaths in 1942 is most conspicuous in the first quarter of the year, but there was a decline in every quarter, with the single exception that in the third quarter the number for 1941 was slightly less.

Attention has been called in previous issues of this Report to the part played by tuberculosis and by diseases of the respiratory system in producing the high death-rates experienced in the large burghs as compared with those for the counties. The death-rates per 100,000 in the large burghs and in the counties respectively in 1942 were—all causes 1,397 and 1,260, tuberculosis, 106 and 56, diseases of the respiratory system, 153 and 103, all other causes 1,138 and 1,101. The elimination of the rates from these two groups of causes thus reduces the excess death-rate in the large burghs by three-fourths. (*Tables 21–26.*)

Diseases of the Digestive System.—Deaths in this group, exclusive of those from malignant disease or from tuberculosis, numbered 3,174 as against 3,536 in 1941. In the Report for that year it was noted that that year's total showed a check to the steady decline which had been observed for several years in the numbers of deaths ascribed to this group of causes, but this decline has now been resumed, for the total for 1942 is the lowest recorded for at least 20 years. As previously pointed out, a considerable part of this decline is probably due to changes in diagnosis, there being a considerable rise in the corresponding period in deaths certified as due to malignant disease of the digestive organs. The rise in 1941 was principally due to increases in deaths from diarrhoea and ulceration of intestines, and there was in 1942 a decrease in deaths from these causes, those from diarrhoea under two years of age declining from 836 in 1941 to 821 in 1942, from diarrhoea over two years from 234 to 181 and from ulceration of intes-

tines from 84 to 51. Out of the 1,053 deaths from these three causes registered in Scotland 408 were in Glasgow. As in the previous year, deaths from diarrhoea under two years were fairly evenly distributed throughout the months of the year, with only a moderate excess in the later summer months. The monthly numbers ranged from 96 in August, 94 in September, 75 in October and 73 in June and in November, to 50 in January and 49 in February. There was also a considerable decline in deaths from ulceration of the stomach and duodenum, from 746 in 1941 to 587 in 1942, but those from appendicitis increased from 258 to 291, being the first increase observed for some years. Deaths from hernia and intestinal obstruction declined from 508 to 462 and diseases of the liver from 472 to 437, the latter including 124 from cirrhosis of the liver (145 in 1941), 90 from biliary calculi (same as in 1941) and 160 from cholecystitis and other diseases of the liver and gall bladder (193). (*Page 16.*)

Diseases of the Genito-Urinary System.—These collectively number 2,550 (2,498 in 1941). They are subject to comparatively little variation from year to year. Those from diseases of the kidney numbered 1,620 (1598 in 1941). Deaths from urinary calculus and conditions affecting the bladder and urethra numbered 222 (218), and from diseases of the male reproductive organs 639 (604), the latter including 635 from diseases of the prostate. In 1939 these numbered 450, but since then they have increased to 536 in 1940, to 596 in 1941 and now to 635 in 1942. In 1921–1930 they averaged 311 and in 1931–1940 this average was 442. Diseases of the female reproductive organs (exclusive of tumours, malignant or non-malignant, numbered 69, as against 78 in 1941. (*Page 18.*)

Diseases of Pregnancy and Childbirth.—Deaths from this group numbered 382, being the smallest comparable number on record for Scotland. Although only two below the corresponding number for 1940, the rate per 1,000 live births is appreciably below the rate for 1940. Of these deaths 161 were due to sepsis, as against 158 in 1941 and 129 in 1940, and 221 to other puerperal causes as against 281 in 1941 and 255 in 1940. The deaths in 1942 due to sepsis include 44 from post-abortive sepsis and 33 from puerperal embolism and thrombo-phlebitis.

The maternal mortality from all causes combined was 4·21 per thousand live births, that from sepsis being 1·77 and from other causes 2·44. The rates per 1,000 live births from 1931 onwards are shown below.

Year.	All Puerperal Causes.			Puerperal Sepsis.*	Other Puerperal Causes.
1931	5·91	2·57	3·34
1932	6·33	3·08	3·25
1933	5·92	2·67	3·25
1934	6·20	3·13	3·07
1935	6·30	2·98	3·32
<i>Average 1931-35</i>	6·13	2·89	3·25
1936	5·56	2·52	3·04
1937	4·83	2·03	2·80
1938	4·87	2·06	2·81
1939	4·49	1·45	3·04
1940	4·39	1·54	2·85
<i>Average 1936-40</i>	4·83	1·92	2·91
1941	4·89	1·76	3·13
1942	4·21	1·77	2·44

* Including puerperal embolism, thrombosis.

From the above it will be seen that the rates from puerperal sepsis in 1941 and 1942 are appreciably above those for 1939 and 1940 but that the rate from other puerperal causes is considerably below the corresponding rates for previous years.

Deaths from all conditions associated with pregnancy numbered 135 as against 168 in 1941 and 153 in 1940. Those associated with childbirth numbered 247 as compared with 271 in 1941 and 231 in 1940. Deaths from haemorrhage of pregnancy numbered 13, as against 27 in 1941 and 17 in 1940 and those from haemorrhage of childbirth 40, against 46 and 48. Deaths from eclampsia, albuminuria and nephritis of pregnancy numbered 28, as compared with 47 in 1941 and 33 in 1940. Where these conditions were puerperal the number for 1942 was 33, as against 23 and 30. Deaths from post-abortive sepsis (already included with sepsis) numbered 44, as against 32 in 1941 and 27 in 1940 and an average of 32 in 1931–1940. Deaths from abortion not specified as septic numbered only 10, as compared with 13 both in 1941 and in 1940. The average for 1931–1940 was also 13. Ten deaths were ascribed to uncontrollable vomiting, as compared with 12 in 1941 and 26 in 1940. (*Page 19.*)

The maternal mortality in the large burghs was 4·6 per 1,000 live births, in the small burghs 3·0 and in the landward districts 4·0, as against 5·0, 4·3 and 5·1 respectively in 1941. From puerperal sepsis alone these three rates were 2·2, 1·2 and 1·3, as against 1·9, 1·4 and 1·7. In Table 27 will be found corresponding rates for each county and large burgh, but owing to the small numbers involved these rates may not always be statistically significant. (*Table 27.*)

Still-births registered in Scotland in 1942 numbered 3,602, and if these are included in the calculation the maternal mortality per thousand total

TABLE K (1).—Deaths associated with Pregnancy and Parturition but not classified as Puerperal, 1942.

Short List No.	CAUSE OF DEATH.	All Ages.	Ages.						
			15–19	20–24	25–29	30–34	35–39	40–44	45 and over.
2	Cerebro-spinal fever	2	—	—	1	1	—	—	—
3	Scarlet fever	1	—	—	—	1	—	—	—
6	Tuberculosis of respiratory system	7	—	3	1	2	1	—	—
7	Other forms of tuberculosis	4	1	1	—	—	1	1	—
9	Influenza	1	—	—	1	—	—	—	—
11	Other infect. or parasitic dis.	1	—	—	1	—	—	—	—
12	Cancer	2	—	—	—	2	—	—	—
14	Acute rheumatism	2	—	1	—	—	—	1	—
15	Diabetes mellitus	1	—	—	—	1	—	—	—
16	Other general diseases	5	—	—	1	3	—	1	—
18	Cerebral hæmorrhage, &c	1	—	1	—	—	—	—	—
19	Other dis. of nervous system	3	—	—	3	—	—	—	—
20	Heart disease	21	—	1	6	6	5	3	—
21	Other circulatory diseases	1	—	—	—	1	—	—	—
22	Bronchitis	3	—	—	—	1	2	—	—
23	Pneumonia	11	1	2	3	3	1	1	—
24	Other respiratory diseases	3	—	—	1	1	1	—	—
26	Diarrhœa	2	—	1	—	—	1	—	—
27	Appendicitis	1	—	—	—	1	—	—	—
29	Other diseases of liver	1	—	—	—	1	—	—	—
30	Other digestive diseases	1	—	—	—	—	1	—	—
31	Chronic nephritis	4	—	1	1	—	1	1	—
40	Violence	1	—	—	—	—	1	—	—
	TOTAL	79	2	11	19	24	15	8	—

births, live and still is 4.05, that from sepsis being 1.71 and that from other puerperal causes 2.34.

In addition to the deaths classified as due to puerperal conditions, there were 79 deaths in which it was stated that death had occurred during pregnancy or within four weeks thereafter, but in which the puerperal condition was not stated as the primary cause of death. These causes are shown in detail in Table K(1). The number in 1942 is 22 less than in 1941. Adding these deaths to those classified as due to puerperal conditions we have a total of 461 deaths in which pregnancy or parturition was present, although in the great majority of the supplementary cases that condition was not mentioned as even contributing to the cause of death. Included in this supplementary list are 21 deaths from heart disease, 11 from pneumonia, 11 from tuberculosis, 6 from diseases, other than pneumonia, of the respiratory system and 4 from chronic nephritis.

Table K(2) shows the mortality rates by age groups from all puerperal causes combined (but not including those referred to in the preceding paragraph), from puerperal sepsis and from other puerperal causes. Owing to war conditions the ages of mothers of children born in Scotland in 1942 have not yet been classified, the latest figures available being those for 1941, and these, with the corresponding numbers for still-births, have been used to estimate the ages of mothers giving birth to children in 1942. The maternal mortality rates show on the whole the usual steady increase with advancing

TABLE K (2).—Deaths from Puerperal Causes per 1000 Confinements (including Still-births) in Scotland according to age of Mother.

	Age of Mother.							
	All ages.	Under 20	20-24	25-29	30-34	35-39	40-44	45-49
<i>1942.</i>								
All puerperal causes	4.21	2.64	3.24	3.24	4.57	6.84	8.69	4.18
Puerperal sepsis	1.77	0.72	1.62	1.37	2.04	2.50	3.26	—
Other puerperal causes	2.44	1.92	1.62	1.87	2.53	4.34	5.43	4.18
<i>1941.</i>								
All puerperal causes	4.70	1.46	2.66	4.08	5.80	7.51	14.05	—
Puerperal sepsis	1.69	0.21	0.95	1.44	1.91	3.30	3.78	—
Other puerperal causes	3.01	1.25	1.71	2.64	3.89	4.21	10.27	—
<i>1940.</i>								
All puerperal causes	4.26	1.99	2.83	3.05	5.31	6.83	10.86	16.39
Puerperal sepsis	1.11	0.44	0.68	0.86	1.26	2.34	2.00	—
Other puerperal causes	3.15	1.55	2.15	2.19	4.05	4.49	8.86	16.39
<i>1935-39.</i>								
All puerperal causes	5.23	3.87	3.43	4.16	5.59	8.73	12.23	12.13*
Puerperal sepsis	1.83	1.71	1.37	1.43	1.97	3.07	2.91	—
Post-abortion sepsis	0.39	0.34	0.18	0.33	0.51	0.66	0.76	—
Sepsis (not post-abortion) . . .	1.44	1.37	1.19	1.10	1.46	2.41	2.15	—
Other puerperal causes	3.40	2.16	2.06	2.73	3.62	5.66	9.32	—
Abortion, non-septic	0.17	0.04	0.07	0.10	0.25	0.28	0.70	—
Toxæmias, other acc. of preg. . .	0.53	0.34	0.37	0.50	0.61	0.71	1.11	—
Placenta prævia	0.21	0.04	0.07	0.11	0.21	0.60	0.82	—
Accidental hæmorrhage	0.20	—	0.06	0.11	0.32	0.38	0.87	—
Other puerperal hæmorrhage . .	0.42	0.04	0.23	0.39	0.53	0.62	1.05	—
Puerperal albuminuria	0.79	1.25	0.72	0.66	0.61	1.05	1.81	—
Puerp. phleg. alba dolens, emb. .	0.39	0.09	0.14	0.27	0.40	0.95	1.11	—
Other accidents of childbirth . .	0.61	0.30	0.31	0.51	0.64	1.03	1.75	—
Oth. or unspec. puerp. conditions	0.07	0.04	0.09	0.08	0.04	0.03	0.12	—

* Numbers for individual causes are too small for calculation of significant rates.

age of mother. Thus it advanced from 2.64 per thousand births at ages under 20 to 3.24 at ages 20–24 and 25–29, to 4.57 at 30–34, to 6.84 at 35–39 and to 8.69 at 40–44. The lower rate at 45–49 is based on very small numbers. Compared with the rates for 1941, those for ages under 25 are rather higher but they are lower than in the pre-war years 1935–1939. For all higher age groups (25–44) the rates are lower than in 1941 and than in the five pre-war years. Compared with the rates for 1941 those from sepsis are generally higher at the younger ages, but are lower at ages 35 and over, but compared with those for 1940 they are higher in every age group.

Diseases of Skin and Cellular Tissue.—These deaths numbered 219, being 15 fewer than in 1941. They included 121 from cellulitis and acute abscess. (*Page 21.*)

Diseases of the Organs of Locomotion.—These accounted for 118 deaths, being 9 more than in 1941. Of them 75 were ascribed to osteomyelitis or periostitis, being 18 more than in 1941. (*Page 21.*)

Malformations.—Deaths in this group (all ages) numbered 731, as against 709 in 1941. They continue to increase. Between 1921 and 1930 they averaged slightly over 500 per annum, but between 1931 and 1935 this average increased to 537 and between 1936 and 1940 to 600, while as already indicated they further increased to 709 in 1941 and to 731 in 1942. The numbers for these two years are about 100 more than any number previously registered. The equivalent annual death-rate per 1,000 births is 8.06 in 1942 as against 7.90 in 1941. Of these deaths 90 were due to hydrocephalus (69 in 1941), 198 to spina bifida or meningocele (192), 213 to congenital malformation of heart (209) and 230 (239) to other malformations. (*Table L and page 20.*)

These numbers refer to number of deaths from congenital causes, irrespective of the age at death. Thus of the 731 deaths at all ages, 646 were those of infants, 33 of children aged between 1 and 5, 17 of children aged between 5 and 10, 6 of children aged between 10 and 15, while 12 were of persons aged 15 to 24 and 17 of persons aged 25 years or over. They are naturally mainly dependent on the numbers of children born in the period immediately preceding and there is appended a table showing for each of the principal headings, and also for certain Diseases of Early Infancy, the number for the past 12 years per 1,000 births registered in the corresponding period. This rate was 8.06 in 1942, as compared with 7.90 in 1941,

TABLE L.—Deaths from Congenital Malformations in 1942.

	Both Sexes.	Males.	Females.	Under 1 day.	1–6 days.	1 week.	2 weeks.	3 weeks and under 1 month.	1–2 months.	3–5 months.	6–8 months.	9–11 months.	1–4 years.	5–9 years.	10–14 years.	15–24 years.	25 years and over.
Congenital Hydrocephalus . .	90	44	46	10	20	2	4	3	10	14	6	5	8	4	..	12	2
Spina Bifida, Meningocele . .	198	92	106	26	47	34	20	18	27	10	7	3	5	..	1
Congenital Heart Disease . .	213	123	90	21	58	12	9	12	33	21	11	7	10	7	1	7	4
Congenital Pyloric Stenosis . .	61	50	11	4	46	9	1	..	1
Other Congenital Defects . .	169	109	60	23	55	14	6	5	12	11	3	3	9	6	3	3	11
TOTAL . .	731	418	313	85	180	62	39	42	128	65	27	18	33	17	6	12	17

6·87 in 1936–40 and 6·01 in 1931–35. If deaths at ages over one year are deducted, the rate for 1942 would be 7·12 and that for 1941 would be 6·81.

	1931–35	1936–40	1941	1942
Congenital Malformations (all ages)	6·01	6·87	7·90	8·06
Hydrocephalus	0·66	0·70	0·77	0·99
Spina Bifida, Meningocele	1·65	1·89	2·14	2·18
Congenital Heart Disease	1·98	2·26	2·33	2·35
Other Congenital Defects	1·73	2·02	2·66	2·54
Diseases of Early Infancy	32·50	30·61	32·61	28·28
Debility	9·02	7·09	6·66	5·41
Premature Birth	18·23	16·79	17·92	14·96
Injury at Birth	2·19	3·22	3·91	3·58
Asphyxia at Birth }	3·07	3·50	2·08	1·80
Other specified causes }			2·04	2·52
Total	38·51	37·48	40·51	36·34

These rates will further illustrate the changes which have taken place and to which attention has been drawn in the preceding paragraph.

Diseases of Early Infancy.—Deaths from these causes collectively numbered 2,565 as compared with 2,927 in 1941. Those from congenital debility numbered 491 (598 in 1941), from premature birth 1,357 (1,608) from injury at birth 325 (351) and from asphyxia at birth or atelectasis 163 (187). The increase in the number of deaths attributed in former years to injury at birth has been commented upon in previous issues of this Report, but the deaths for 1942 show a fair decrease. (*Pages 22 and 23.*)

Senility.—Deaths from this cause numbered 2,070, as against 2,315 in 1941. These numbers tend to decline with increasing accuracy of certification and this is much the smallest number on record for Scotland under this heading. The previous minimum was 2,304 in 1938. (*Page 23.*)

Violence.—Deaths from violent causes numbered 4,405, as compared with 6,627 in 1941, but included in the latter there were 1,905 deaths of civilians from war operations. The last named numbered only 82 in 1942. Excluding these civilian war casualties the civilian death-rate from violent causes was 67 per 100,000, compared with 75 in 1941 and 72 in 1940. The number of deaths from all violent causes, except war casualties, was 3,542 as compared with 3,975 in 1941 and 3,713 in 1940.

Deaths from war operations included those of 781 males on service, and of only 82 civilians, of whom 52 were males and 30 females. Deaths of civilians are in strong contrast to those for 1941, when 1,043 males and 862 females lost their lives, practically all through direct enemy action. The service deaths include not only those of men on service from wounds received in action, but deaths resulting from all service operations, including air accidents. Civilian deaths include a small number of deaths of civilians from drowning when believed to be due to enemy action (the number of such deaths being probably incomplete) and accidental deaths for which defence measures were responsible.

Transport Accidents.—Deaths from all forms of transport accidents numbered 1,260, as against 1,469 in 1941 and 1,294 in 1940. They included 107 from railway accidents (106 in 1941), 879 from accidents with motor vehicles

(1,023 in 1941 and 888 in 1940), 112 from other road transport accidents (127 in 1941), 152 from accidents in connection with water transport (same as in 1941), 105 of these being due to drowning (92), and 10 from air transport accidents (civilian only) as against 61 in 1941. In pre-war years deaths from motor accidents averaged little more than 600 per annum. Of the 112 deaths from "other road transport accidents," 79 were in connection with tramways (67 in 1941), 24 in connection with cycles (39) and 9 with other forms of road transport.

In recent issues of this Report attention has been drawn to the increase in the number of persons killed on the roads since the outbreak of war, and especially to the month of occurrence and the age distribution of those killed. In the years 1939 to 1942 deaths from road accidents numbered 4,077 as compared with 1,361 in 1937 and 1938, an increase of 50 per cent. in the annual average. The increase is slight for the four months May to August (probably diminished by the decline in pleasure motoring) but is very marked for the period January to April and still more so for September to December which appears to indicate that "black-out" conditions may be the chief factor in the increase. When the deaths are classified according to age it is found that the factor of increase generally rises with age, being 18 per cent. in the case of children under 15, 30 per cent. between 15 and 35, 83 per cent. between 35 and 55, and 81 per cent. at higher ages. The decennial age-group in which the factor of increase is greatest is 45-54, in which age-group it is 114 per cent. The increase (all ages) is 58 per cent. for males and 24 per cent. for females. These results may be summarised as follows:—

DEATHS FROM ROAD TRANSPORT ACCIDENTS.

				All Ages	Under 15	15-34	35-54	55 and over
MALES	1937-38	1,040	252	337	195	256
	1939-42	3,279	603	875	760	1,041
Factor of increase per annum				1.58	1.20	1.30	1.95	2.03
FEMALES	1937-38	321	116	47	49	109
	1939-42	798	262	125	132	279
Factor of increase per annum				1.24	1.13	1.33	1.35	1.28

It will thus be seen that the greater part of this increase has been among men aged 35 and over and that it has been rather greater among boys than among girls.

Other principal causes of death among those from violence, with corresponding numbers for 1941, include 126 from accidents in mines and quarries

TABLE M.—Supplementary Table of Road Transport Deaths, 1942.

ACCIDENTS ASSOCIATED WITH		All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	Not stated.
Motor vehicles	M.	695	1	48	72	29	91	118	79	78	68	72	38	1	..
	F.	184	..	27	35	11	26	7	14	14	11	21	17	1	..
Tramways	M.	56	..	2	2	1	..	2	2	8	12	15	12
	F.	23	1	1	3	3	4	3	5	3	..
Cycles	M.	21	1	..	5	3	3	5	3	1
	F.	3	1	..	1	1
Other road transport	M.	9	1	2	1	4	1
	F.
TOTAL	M.	781	1	50	70	32	97	123	84	91	87	89	50	1	..
	F.	210	..	27	35	11	28	8	18	18	15	24	22	4	..

(130), 34 from accidents with machinery (42), 231 from accidental burns, including 21 from conflagration (265 and 29), 115 from mechanical suffocation (131), of which 95 cases were of infants, 278 cases of accidental drowning (344) or 383 if those are included which are mentioned above in connection with water transport, 783 from accidental fall, or other crushing accident (883), these including minor accidents, such as a fall at home which has ended fatally, 13 from weather agencies, all due to exposure, and 17 due to electricity (lightning excepted). Deaths from homicide numbered 41 as compared with 22 in 1941 and 19 in 1940. An unusual feature of the death statistics for 1942 was the occurrence of no fewer than 21 deaths stated to have followed on vaccination during the course of or following the outbreak of smallpox already mentioned (page xx). These numbered 21 in all, 12 being of males and 9 of females. In 13 of the cases the cause of death which followed vaccination was stated to be encephalitis. Six of the 21 deaths were of children of under one year, eleven others were of children aged 1 to 9, two others were of young people aged between 15 and 20 and only two were of adults. (*Tables 23–26, pages 21–23*).

Suicide.—These numbered 377 as compared with 405 in 1941. This is the smallest number recorded in Scotland in any year since 1925, when the number was 372. Of these 377 deaths 250 were of males and 127 of females, as against 266 and 139 in 1941. Suicidal deaths by poisoning numbered 169, compared with 189 in 1941 and 240 in 1940. Of these 169 deaths, 123 were due to coal gas poisoning, 30 to lysol and allied preparations, and 16 to other forms, as against 132, 33 and 24 in 1941. The number of deaths from gas poisoning believed to be suicidal continues to decrease, being again the smallest for many years, but the number presumably accidental has increased somewhat since the outbreak of war. The total number of deaths from coal gas poisoning, however, suicidal and accidental, has declined by about 25 per cent. since 1938 and 1939. Suicidal deaths from gunshot wounds numbered 85, being practically the same as in 1941 (81). Deaths by hanging numbered 36 (43 in 1941), from cuts and stabs 33 (24), by precipitation 24 (28), by drowning 23 (32) and by other means 7 (8). (*Table 29*.)

Deaths from all forms of poisoning (not suicidal) numbered 120 and included 2 from food poisoning, 80 from accidental absorption of poisonous vapours and 38 by other forms of acute accidental poisoning. The last named included 22 deaths from poisoning by methyl alcohol. Deaths from coal gas poisoning, excluding those understood to be probably suicidal, numbered 64 as against 70 in 1941, 55 in 1940 and 35 in 1939. A full list of the poisons used will be found in Table 30. In addition to these deaths there were 116 in which death occurred during or after the administration of anæsthetic for therapeutic purposes, and in which the anæsthetic may or

TABLE N.—Accidents with Motor, Tramways and other Road Transport Vehicles, 1921–1942.

Average No. per annum.				No. per annum			
	Motor Vehicles.	Tramway Vehicles.	Other Road Transport (incl. Cycles).		Motor Vehicles.	Tramway Vehicles.	Other Road Transport (incl. Cycles).
1921-25	238	17	38	1935	555	24	59
1926-30	559	17	39	1936	564	26	63
1931-35	631	24	49	1937	608	20	65
1936-40	692	46	53	1938	593	22	53
	No. per annum.			1939	805	66	40
1932	648	30	60	1940	888	94	43
1933	662	18	41	1941	1023	67	60
1934	662	20	49	1942	879	79	33

may not have been a contributory cause. In 21 cases the anæsthetic specified was nitrous oxide and ether (31 in 1941), in 16 it was ether alone (26), in 12 ethyl chloride and ether (19), in 10 it was chloroform alone (15) and in 10 it was chloroform and ether (15) while in 16 it was nitrous oxide alone (10). Ether was specified, either alone or in combination, in 60 cases (97 in 1941) nitrous oxide in 40 cases (46), chloroform in 23 cases (36) and ethyl chloride in 15 cases (28). (*Table 30.*)

Relative Frequency of Causes of Death.—Table O shows in order of frequency the causes of death to which were ascribed at least 1 per cent. of all deaths in 1942, together with the corresponding figures for the previous year. This list includes 77·24 per cent. of the deaths registered in 1942. In the case of all the causes specified, the order of frequency is exactly the same as in 1941. But within this order there are some striking changes in the proportion of deaths to the total. Thus deaths from violent causes have declined from 9·13 per cent. of the total in 1941 to 6·78 in 1942, the difference being due to the number of civilian deaths from war casualties in 1941. Deaths from pneumonia and bronchitis combined numbered 8·03 per cent. of the total, as against 9·18 in 1941. On the other hand the percentage of deaths from heart disease increased from 22·33 to 23·20, that from cancer from 11·63 to 13·17, that from cerebral hæmorrhage and allied conditions from 10·11 to 11·00 and that from all forms of tuberculosis from 5·76 to 6·15.

Infant Deaths.—Table P (1) shows for recent years the infant mortality by sex at various periods of the first year of life. As previously indicated the mortality among male children was 77·9 per thousand male births and among female children 60·2 per thousand, as against 93·3 and 71·6 respectively in 1941. Compared with 1931–35 and also with 1936–40, there is little improvement in either sex at ages under three months, but at ages 6–11 months the rate in the case of each sex is practically half of what it was in 1931–35. Compared with the rates for 1941 there is a decline in practically every group. The ratio of the male to the female death-rate is very similar to those prevailing in recent years and the excess of the male rate is specially marked at ages between one and three months. This appears to be a constant factor.

Causes of Death.—In Table 31 will be found an analysis of deaths at age periods under one year classified according to cause of death. Of the 6,283 children who died before attaining the age of one year, 1,086 did not survive one day and 1,041 others did not survive one week. Rather more than half of the total did not survive one month. The changes in the number of

TABLE O.—Relative Frequency of Causes of Death.

<i>Causes of Death.</i>	1942.		1941.	
	<i>Number.</i>	<i>Per cent. of Total.</i>	<i>Number.</i>	<i>Per cent. of Total.</i>
Heart disease	15,069	23·20	16,200	22·33
Cancer	8,557	13·17	8,436	11·63
Cerebral hæmorrhage, &c.	7,149	11·00	7,334	10·11
Violence	4,405	6·78	6,627	9·13
Tuberculosis (all forms)	3,998	6·15	4,175	5·76
Congenital debility, &c.	3,296	5·07	3,636	5·01
Pneumonia	2,782	4·28	3,573	4·92
Bronchitis	2,439	3·75	3,092	4·26
All nephritis	1,443	2·22	1,431	1·97
Diarrhoea (all ages)	1,053	1·62	1,154	1·59
	50,191	77·24	55,658	76·71

deaths from congenital malformations (all ages), from premature birth and from injury at birth have already been referred to (see page xxxi). Compared with the numbers for 1941 there are few cases of increase, the only one of note being an increase from 611 in 1941 to 646 in 1942 in the number of deaths under one year from congenital malformations. The decreases in the numbers from congenital debility, from premature birth and from injury at birth have already been mentioned (page xxxii). Although there is only a small decrease in the numbers stated to have died from injury at birth, the fact that there has been a decrease is notable, in view of the almost uninterrupted series of increases which have been recorded year after year for over 20 years. Considerable decreases are also observed in deaths from whooping-cough, which among children aged under one year numbered 57, as against 383 in 1941, from pneumonia 997 (1,268), from bronchitis 212 (265), from convulsions 179 (250) and from cerebro-spinal fever 49 (78). (*Table 31.*)

Month of Registration.—Table 32 shows a classification of infant deaths by selected causes according to calendar month of registration. The numbers in individual months ranged from 684 in January, 651 in March and 625 in February to 454 in July, 440 in August and 428 in September. Compared with the corresponding number for 1941 there was a decline in every month, specially marked in the case of March and April, in which months deaths were specially numerous in 1941. The excess in the early months of the year is largely due to deaths from diseases of the respiratory system. Practically one-third of the deaths from this group of causes occurred in January and in February. Deaths from diarrhoea, as in the case of such deaths at all ages, were specially numerous in August, September and October, but the incidence in the later summer months which used to be so prominent a feature in the death-rate from this cause, is now of only moderate dimensions. (*Table 32.*)

Deaths of Illegitimate Children.—These have been separately classified since 1936 and differences in rates (all causes) have already been referred to on page xviii. From the rates there quoted it will be seen that there is an excess mortality among illegitimate children over all children of about 65 per cent. for all causes. This excess is greatest in the deaths from syphilis, 12 of the 26 deaths from which were of illegitimate children. In the Report

TABLE P (1).—Deaths under One Year per 1000 Births in Scotland, 1922–1942.

YEAR.	MALES.						FEMALES					
	Under 1 year.	Under 1 week.	1 week and under 1 month.	1 month and under 3 months.	3 months and under 6 months.	6 months and under 12 months.	Under 1 year.	Under 1 week.	1 week and under 1 month.	1 month and under 3 months.	3 months and under 6 months.	6 months and under 12 months.
1922–25	103·7	42·6		16·0	16·6	28·5	80·0	32·7		11·8	12·6	23·0
1926–30	96·0	41·1		14·9	16·5	23·5	74·4	31·8		10·6	12·1	19·9
1931	93·2	27·5	12·6	13·9	15·9	23·3	69·9	21·7	9·6	9·9	10·4	18·4
1932	94·6	26·8	13·4	15·4	17·0	22·1	77·3	20·7	11·1	12·3	13·8	19·4
1933	89·3	28·8	12·0	14·8	14·2	19·5	72·4	23·3	10·9	10·0	11·4	16·7
1934	86·9	27·7	12·2	14·3	14·0	18·7	68·0	21·4	10·8	9·5	11·1	15·0
1935	86·9	28·8	14·6	13·2	13·6	16·7	66·2	20·7	12·8	9·1	10·1	13·6
1931–35	90·3	27·9	13·0	14·3	15·0	20·1	70·8	21·6	11·0	10·2	11·4	16·6
1936	92·2	28·4	14·1	15·9	15·2	18·7	71·9	21·3	11·2	10·7	13·0	15·8
1937	89·6	28·2	14·2	15·0	16·2	16·0	70·5	22·0	12·0	10·8	11·5	14·2
1938	76·6	26·6	11·4	13·4	12·2	13·0	62·1	21·9	10·0	8·9	9·1	12·1
1939	77·4	29·7	12·4	12·1	11·7	11·6	59·1	22·8	8·0	8·8	9·7	9·8
1940	90·3	29·5	13·1	15·0	15·7	17·0	65·7	21·2	10·4	10·5	11·8	1·8
1936–40	85·2	28·5	13·0	14·3	14·2	15·3	65·9	21·8	10·3	9·9	11·0	12·8
1941	93·3	29·0	16·0	17·4	17·0	14·0	71·6	22·5	12·2	12·6	10·9	13·4
1942	77·9	27·0	12·9	14·1	13·1	10·8	60·2	19·8	10·3	10·0	11·4	8·8

for 1941 attention was drawn to the comparatively small number of deaths, both in that year and in 1936–40, of illegitimate children from tuberculosis, but in 1942 14 of the 98 deaths of infants from tuberculosis were of illegitimate children, which is about double the number which might have been expected had the mortality rates been similar. There is a similar excess in the case of deaths from diseases of the digestive system, predominantly from diarrhoea, and a still greater excess in the case of deaths from mechanical suffocation. There is also an excess, but less marked, in the case of deaths from congenital debility and from premature birth, but in the case of diseases of the respiratory system and of injury at birth the excess is comparatively small. In no case was the actual number of illegitimate deaths less than the expected, but in the case of deaths from the principal epidemic diseases the difference was very small. (*Table 31.*)

In Table 33 will be found infant deaths classified by ages under one year for each large burgh and county, with equivalent rates per 1,000 births. Some of these rates, being based on small numbers, may not be statistically significant. (*Table 33.*)

Children under Five Years.—Deaths from certain causes are shown in Table P(2). Excluding deaths of children aged under one year (already dealt with) deaths at ages 1 to 4 inclusive numbered 1,429 as against 2,186 in 1941. The death-rate (see Table 24) was 4·3 per thousand, as against 6·5 in 1941. The rate for 1942 is the lowest on record for Scotland, the previous lowest being 4·5 in 1939. Deaths from whooping-cough numbered only 32, and are 278 fewer than in 1941, those from diphtheria were 153 (112 fewer). Deaths from measles numbered 76 (28 more) and those from tuberculosis 258 (38 fewer). Deaths from pneumonia and bronchitis numbered 249, being 102 fewer than in 1941, from meningitis (not tuberculous) 33 (16 fewer), from convulsions 17 (18 fewer) and from diseases of the digestive system 120 (34 fewer). Other changes were of minor importance.

TABLE P (2).—Number of Deaths from Selected Causes among Children aged under Five Years in 1942.

Deaths from	Total aged under 5 years.	Under 1 year.	Total aged 1-4 years.	1 year.	2 years.	3 years.	4 years.
Scarlet fever	9	2	7	5	2
Whooping-cough	89	57	32	24	4	2	2
Diphtheria	163	10	153	24	28	42	59
Erysipelas	5	4	1	1
Tubercular meningitis . .	217	49	168	78	41	24	25
Abdominal tuberculosis . .	33	15	18	8	8	1	1
Other tuberculous diseases .	106	34	72	25	17	20	10
Measles	130	54	76	47	13	11	5
Meningitis (not tuberculous)	89	56	33	15	9	7	2
Convulsions	196	179	17	12	3	2	...
Bronchitis	254	212	42	29	8	2	3
Pneumonia (all forms) . .	1,204	997	207	136	35	21	15
Digestive diseases	960	840	120	57	20	22	21
Congenital causes	3,244	3,211	33	22	4	2	5
Other causes	1,013	563	450	130	118	108	94
TOTAL	7,712	6,283	1,429	613	310	264	242

APPENDIX I.

SEVENTY-EIGHTH ANNUAL REPORT ON THE VACCINATION OF CHILDREN IN SCOTLAND (1941).

This report deals with the vaccination of children born in Scotland during the year 1941 who in the ordinary course should have been vaccinated during that year or during the first half of 1942.

Children whose births were shown in the Vaccination Returns numbered 89,748, of whom 6,116 died before vaccination and it is the 83,632 survivors who more especially are accounted for here. (*Table 36.*)

Children certified as either successfully vaccinated or as insusceptible on account of previous uncertified successful vaccination numbered 45,422, or 54·31 per cent. of the survivors, and those certified as insusceptible for other reasons numbered 1,073 or 1·28 per cent., while 37,137, or 44·41 per cent. were reported as not vaccinated or as unaccounted for, the great majority of these being cases in which statutory declarations of Conscientious Objection on the part of the parents were lodged. (*Table 36.*)

Vaccinated children numbered 45,422, of whom 239 were certified as having been vaccinated on a previous occasion, although no certificate had been received. The percentage successfully vaccinated is, as stated above, 54·31, being 7·11 more than in the previous year and 11·08 more than in 1939. This is the highest percentage registered since 1929 (54·78). The percentage for the previous year (1940) also showed a considerable increase, but it is possible that the considerable increase in vaccination which followed on the outbreak of small-pox in the early summer of 1942 may have had some influence on the 1941 percentage, although the period within which the vaccination of children born in 1941 should have been vaccinated had almost come to an end by that time. On pages 2 and 3 will be found the relative figures for each large burgh and county exclusive of large burghs. In the large burghs this percentage ranged from 82·4 in Aberdeen, 70·1 in Edinburgh and 69·8 in Perth to 32·6 in Clydebank, 30·1 in Dumbarton and 28·9 in Greenock. In Glasgow this percentage was 55·5 and in Dundee 37·2. In the counties it ranged from 81·1 in Kirkeudbright, 77·7 in Kincardine and 77·6 in Perth to 35·8 in Caithness, 32·5 in Orkney and 10·4 in Zetland. In fourteen of the large burghs and in eleven of the counties fewer than one half of the children were successfully vaccinated. In the case of the latter these counties were mainly among the industrial counties or in the north and north-west.

Certificates of Constitutional Insusceptibility.—These numbered 1,073 (56 fewer than in the previous year), the percentage of survivors being 1·28 (1·39 in 1940). This percentage exceeded 2 in the counties of Berwick, Clackmannan, Dumfries and Wigtown, and in Glasgow, Perth, Rutherglen and Arbroath. The percentage in 1940 was also over 2 in the case of the three last-named burghs. (*Pages 2 and 3.*)

Declarations of Conscientious Objection.—Certificates to this effect were lodged in 31,267 cases, representing 37·39 per cent. of the survivors. In 1938 this percentage was the highest on record for Scotland, but since then there has been a steady decline, the percentage being 48·42 in 1939, 43·40 in 1940, and now 37·39 in 1941. In the large burghs this rate ranged from 64·6 in Dumbarton, 64·1 in Greenock and 59·2 in Dundee and in Hamilton

to 23·7 in Stirling, 21·2 in Perth and 12·0 in Aberdeen. In Glasgow this percentage was 33·7 and in Edinburgh 24·4. In the counties it ranged from 87·9 in Zetland, 62·8 in Orkney and 54·8 in Lanark to 16·7 in Perth, 16·6 in Moray, 13·7 in Kincardine and 12·6 in Kirkeudbright. (*Tables 36 and pages 2 and 3.*)

Certificates of Postponement on medical grounds numbered 1,284, or 1·54 per cent. of the survivors. The percentage in 1940 was the highest since 1929. That for 1941 is the lowest since 1882.

Unaccounted for.—In 4,586 cases (5·48 per cent. of the survivors) children were reported as removed from the district or being otherwise unaccounted for. With the exception of the rate for the previous year (5·76), this is the highest since 1914. (*Table 36.*)

APPENDIX II.

ADDITIONAL STATISTICS REGARDING MARRIAGES REGISTERED
IN SCOTLAND DURING THE YEAR 1941.

A preliminary statement regarding the marriages registered in Scotland during the year 1941 was incorporated in the Eighty-Seventh Annual Report of the Registrar-General dealing with the detailed statistics of the registered births and deaths of that year, but as full details of the registered marriages were not available at the time when the report was prepared the statement was necessarily restricted and dealt only with the number of marriages registered in 1941 and the marriage-rates. It is now supplemented by this detailed report on these marriages, including a statistical account of the method of proclamation, the church of celebration, the ages and conjugal conditions of those marrying and the method of signing the marriage schedules, by writing or by mark.

In the Eighty-Seventh Annual Report it was stated that the number of marriages registered in Scotland in 1941 was 47,716 but after complete examination of the registers the corrected number is found to be 47,620, the marriage-rate being 9·28 per thousand as against 10·61 in 1940. The increase which followed the outbreak of war in the autumn of 1939 has thus not been maintained. (*Table 8.*)

Ecclesiastical, Civil and Irregular Marriages.—The Marriage (Scotland) Act, 1939, which came into operation on 1st July 1940, made an important change in the marriage law of Scotland. It abolished irregular marriages by declaration, including what was often known as the “Gretna Green marriage,” and “marriage before the Sheriff,” and instituted a new form of civil marriage to be contracted in the office and presence of certain specially-authorized Registrars after publication of notice. These civil marriages numbered 5,394 in 1941 as against 2,531 in the second six months of 1940.

TABLE Q.—Ecclesiastical Marriages in Scotland in 1941, following Proclamation of Banns, Publication of Notice at Registrar's Office, or Licence granted by Sheriff.

Church of Celebration.	Number.					Percentage of Total for each Church, &c.				Per- centage of Total Ecclesi- astical Mar- riages.
	Total.	Banns.	Publi- cation of Notice	Banns and Publi- cation.	Licence granted by Sheriff.	Banns.	Publi- cation of Notice.	Banns and Publi- cation.	Licence granted by Sheriff.	
Church of Scotland	30,017	27,516	1,895	452	154	91·7	6·3	1·5	0·5	71·1
United Free Church	505	389	109	6	1	77·0	21·6	1·2	0·2	1·2
Free	326	195	114	13	4	59·8	35·0	4·0	1·2	0·8
Roman Catholic	6,2·2	1,459	4,641	125	57	23·2	73·9	2·0	0·9	14·9
Scottish Episcopal	1,705	1,107	520	37	41	64·9	30·5	2·2	2·4	4·0
Congregational	1,297	912	354	18	13	70·3	27·3	1·4	1·0	3·1
Baptist	631	426	184	13	8	67·5	29·2	2·1	1·3	1·5
Methodist	497	349	140	7	1	70·2	28·2	1·4	0·2	1·2
Jews	112	8	101	3	—	7·1	90·2	2·7	—	0·3
All other Ecclesiastical Marriages	846	413	389	34	10	48·8	46·0	4·0	1·2	1·9
All Ecclesiastical Mar- riages	42,218	32,774	8,447	708	289	77·6	20·0	1·7	0·7	100·0

Of the 47,620 marriages registered, 42,218, or 88·7 per cent. were solemnised by a minister of religion after proclamation of banns, publication of notice or Sheriff's licence, 5,394, or 11·3 per cent., were civil marriages in terms of the Act of 1939, while 8 were irregular. In the previous year irregular and civil marriages combined constituted 11·85 per cent. of the total, this being considerably below the percentage of 16·6 for irregular marriages alone in 1939 and below the average of 13·4 for 1935–39. The percentage of irregular marriages increased steadily until the war of 1914–18, when it rose considerably, but thereafter there was a steady decline until 1935, when the percentage was 11·5, after which it again rose steadily until 1939. The percentage of these marriages without a religious ceremony was 15·0 in the large burghs in 1941 (16·3 in 1940 and 23·3 in 1939), while in the counties it was 5·0 in 1941, as against 3·7 both in 1940 and in 1939. This percentage ranged in the large burghs from 28·5 in Dunfermline, 28·4 in Perth and 25·0 in Dundee to 4·1 in Coatbridge and in Airdrie and 2·7 in Port-Glasgow. In Glasgow it was 14·6, in Edinburgh 20·4 and in Aberdeen 12·2. In the counties it ranged from 14·1 in Moray, 12·1 in Kinross and 9·3 in Nairn to 3·0 in Kirkcudbright, 2·3 in Ayr and 2·2 in Stirling. Of the eight irregular marriages seven were registered on production of Extract Decree of Declarator while the remaining one was by Warrant of the Sheriff (delayed registration). Of the 5,394 civil marriages registered 4,465 were preceded by publication of notice at the Registrar's office, while 929 were authorised by the Sheriff under a provision of the Act of 1939 whereby publication of notice may be dispensed with in certain circumstances of emergency. (*Tables R. 8 and 9.*)

Method of Publication.—Of the ecclesiastical marriages (i.e. those with a religious ceremony) 32,774 (77·6 per cent.) were solemnised after proclamation of banns in respect of both parties, 8,447 (20·0 per cent.) after publication of notice in each case, 708 (1·7 per cent.) after proclamation of banns for one and publication of notice for the other party, while 289 (0·7 per cent.) were authorised by the Sheriff under the special provisions of the Act of 1939.

In the case of ecclesiastical marriages, 71·5 per cent. of those in the

TABLE R.—Ecclesiastical and Civil Marriages in 1941.

	Number.			Percentage of Total Marriages.			Percentage of Ecclesiastical Marriages.
	SCOTLAND.	Large Burghs.	Other Districts.	SCOTLAND.	Large Burghs.	Other Districts.	SCOTLAND.
Ecclesiastical Marriages—							
Church of Scotland . . .	30,017	16,850	13,167	63·0	56·3	74·4	71·1
United Free Church . . .	505	288	217	1·1	1·0	1·2	1·2
Free Church	326	137	189	0·7	0·5	1·1	0·8
Roman Catholic Church .	6,282	4,491	1,791	13·2	15·0	10·1	14·9
Scottish Episcopal Ch. . .	1,705	1,138	567	3·6	3·8	3·2	4·0
Congregational Church . .	1,297	975	322	2·7	3·3	1·8	3·1
Baptist Church	631	427	204	1·3	1·4	1·2	1·5
Methodist Church	497	407	90	1·0	1·4	0·5	1·2
Jews	112	102	10	0·2	0·3	0·1	0·3
All other Ecclesiastical Marriages	846	605	241	1·8	2·0	1·4	1·9
Civil Marriages	5,394	4,500	894	11·3	15·0	5·1	...
Irregular Marriages . . .	8	4	4	0·0	0·0	0·0	...
Total Marriages	47,620	29,924	17,696	100·0	100·0	100·0	100·0

large burghs were after banns alone, 26·0 per cent. after publication alone, 1·7 per cent. after banns and publication and 0·8 per cent. were authorised by Sheriff's licence. In the counties 86·9 per cent. of these marriages were after banns alone, 10·9 per cent. after publication of notice alone, 1·7 per cent. after banns and publication and 0·5 per cent. by Sheriff's licence. At least 98 per cent. of such marriages were after banns in the case of marriages in Caithness, Kirkcudbright, Orkney, Wigtown and Zetland.

Table Q. shows the frequency and the denomination of those married after banns and publication respectively. Marriage after banns was most frequent in the Church of Scotland (91·7 per cent. of all Church of Scotland marriages), in the United Free Church (77·0), in the Congregational Church (70·3) and in the Methodist Church (70·2), while marriage after publication of notice was relatively most common among the Jews (90·2) and in the Roman Catholic Church (73·9).

Church of Celebration.—Of the 42,218 ecclesiastical marriages, 30,017 or 71·1 per cent., were celebrated according to the forms of the Church of Scotland, 6,282, or 14·9 per cent., of the Roman Catholic Church, 1,705, or 4·0 per cent., of the Scottish Episcopal Church, 1,297 or 3·1 per cent., of the Congregational Church, 631 of the Baptist Church, 505 of the United Free Church, 497 of the Methodist Church, 326 of the Free Church, 216 of the Christian Brethren, 132 of the Salvation Army, and 112 according to the forms of the Jews. (*Tables R and S.*)

From Table 8 it will be seen that, apart from the variations due to those for irregular (and civil) marriages, there has been little change from year to year in the proportion of marriages according to the forms of the principal churches. Compared with 1938, the last complete pre-war year, while all marriages increased by 23 per cent., Church of Scotland marriages increased by 25 per cent., Roman Catholic by 32 per cent., Scottish Episcopal by 65 per cent., and those according to other religious forms by 23 per cent., while non-ecclesiastical marriages have declined by about 1·5 per cent. The increase in the numbers according to the Roman Catholic and Scottish Episcopal forms is probably at least partly due to the presence of troops from England, from other parts of the British Empire and from allied countries.

The local distribution according to the forms of the leading churches, also numbers and proportion of non-ecclesiastical marriages, is shown in Table 10. Church of Scotland marriages constituted 63·0 per cent. of all marriages

TABLE S.—Marriages in Scotland in 1941 by Denominations, &c. in Order of Frequency.

1. Church of Scotland	30,017	17. Foursquare Gospel Church	25
2. Roman Catholic Church	6,282	18. Apostolic Church	24
3. Scottish Episcopal "	1,705	19. New Free Ch., Glasgow	23
4. Congregational "	1,297	20. Reformed Presbyterian Ch.	22
5. Baptist "	631	21. Church of England	22
6. United Free "	505	22. Presbyterian Ch. of Eng.	15
7. Methodist "	497	23. Wesleyan Reform Union	13
8. Free "	326	24. Church of God	11
9. Christian Brethren	216	25. Other Religious Forms	112
10. Salvation Army	132		
11. Jews	112		
12. Free Presbyterian Church	66	All Religious Forms	42,218
13. Unitarians	51	Civil Marriages	5,394
14. Original Secession Church	46	Irregular Marriages	8
15. Church of the Nazarene	43		
16. Church of Christ	25	All Marriages	47,620

in Scotland, this proportion being 56·3 per cent. in the large burghs and 74·4 per cent. in the counties. In the large burghs this proportion was 74·6 in Arbroath, 74·1 in Kilmarnock, 69·8 in Falkirk and 69·2 in Rutherglen, while in the counties it exceeded 85 per cent. in Berwick (88·3), in Kirkcudbright (88·0), in Kincardine (87·3), in Perth (85·4) and in Dumfries (85·1). Roman Catholic marriages constituted 13·2 per cent. of all Scottish marriages, this percentage being 15·0 in the large burghs and 10·1 in the counties. It was 33·9 in Port-Glasgow, 33·7 in Coatbridge, and 30·3 in Airdrie. In the counties it was 21·6 in Lanark, 18·6 in Dunbarton and 16·7 in Renfrew. Although Free Church marriages constituted only 0·7 per cent. of all Scottish marriages this percentage amounted to 29·2 in Ross and Cromarty, 12·9 in Sutherland and 12·3 in Inverness. (*Table 10.*)

Conjugal Condition of those Marrying.—Of the 47,620 males marrying during the year, 44,568, or 93·6 per cent., were bachelors, 2,521 or 5·3 per cent. were widowers while 531, or 1·1 per cent., had been divorced. Of the same number of females 45,633, or 95·8 per cent., were spinsters, 1,516, or 3·2 per cent., were widows while 471, or 1·0 per cent., had been divorced. The combinations of the various conjugal conditions are shown in the following table:—

	Spinsters.	Widows.	Divorced Women.	All Women.
Bachelors	43,448	797	323	44,568
Widowers	1,761	660	100	2,521
Divorced men . . .	424	59	48	531
All Men	45,633	1,516	471	47,620

From the above table it may be deduced that 97·5 per cent. of the bachelors married spinsters, while 1·8 per cent. married widows, as against 1·3 in 1940, that 69·8 per cent. of the widowers married spinsters, while 26·2 per cent. married widows (24·9 in 1940) and 4·0 per cent. married women who had been divorced; that of all males who had been divorced 79·9 per cent. married spinsters, 11·1 per cent. married widows and 9·0 per cent. married women who had also been divorced (7·4 in 1940). Of all spinsters marrying 95·2 per cent. married bachelors and 3·9 per cent. married widowers (3·4 in 1940); among widows 52·6 per cent. married bachelors (49·3 in 1940), 43·5 per cent. married widowers (46·0 in 1940) and 3·9 per cent. married men who had been divorced; among women who had been divorced 68·6 per cent. married bachelors, 21·2 per cent. married widowers and 10·2 per cent. married men who had also been divorced (7·6 in 1940). The percentage of men marrying who have been divorced has increased from 0·9 in 1940 to 1·1 in 1941, while in the case of women the percentage has increased from 0·9 to 1·0. The number of cases in which each party had been divorced has increased from 38 in 1940 to 48 in 1941. (*Table 11.*)

The accompanying table shows the civil conditions of those marrying as compared with those for previous years. In the Report for 1940 comment was made on the decline in the proportion of widowed persons re-marrying, both males and females. This decline has been going on for many years, having been almost continuous in the case of males, but interrupted in the case of females by a rise during and following the war of 1914–18, probably due to the number of casualties among young married men. For the first time for several years the proportions for 1941 show quite a marked rise, although in the case of males all that has happened has been a recovery from the very low proportion of 1940 to a figure only slightly below that for years immediately preceding. In the case of females, however, the proportion

is the highest since 1934. The percentages, partly summarised, for the whole period of registration in Scotland, are reproduced herewith:—

ALL MARRIAGES.		Percentage of Males marrying who were			Percentage of Females marrying who were			Not stated (either Spouse).
		Bachelors.	Widowers.	Divorced.*	Spinsters.	Widows.	Divorced.*	
1855-1860	100·0	84·3	11·2	...	90·1	5·4	...	4·5
1861-1870	100·0	87·3	11·5	...	93·6	5·2	...	1·2
1871-1880	100·0	87·8	12·0	...	93·5	6·3	...	0·2
1881-1890	100·0	88·6	11·4	...	94·2	5·8	...	0·0
1891-1900	100·0	90·1	9·9	...	94·6	5·3	...	0·0
1901-1910	100·0	91·4	8·5	...	95·0	4·9	...	0·0
1911-1920	100·0	91·7	8·3	...	93·4	6·6	...	0·0
1921-1930	100·0	92·6	7·4	...	95·2	4·8	...	0·0
1931-1940	100·0	93·4	5·9	0·7	96·3	3·0	0·7	0·0
1931	100·0	92·9	7·1	...	96·4	3·6	...	0·0
1932	100·0	93·5	6·5	...	96·6	3·4	...	0·0
1933	100·0	92·9	6·5	0·6	96·1	3·2	0·7	0·0
1934	100·0	93·1	6·3	0·6	96·1	3·3	0·6	0·0
1935	100·0	93·4	5·9	0·7	96·6	2·8	0·6	0·0
1936	100·0	93·4	5·9	0·7	96·3	2·9	0·8	0·0
1937	100·0	93·2	5·9	0·9	96·1	3·0	0·9	0·0
1938	100·0	93·4	5·6	1·0	96·0	3·0	1·0	0·0
1939	100·0	93·6	5·4	1·0	96·2	2·8	1·0	0·0
1940	100·0	94·4	4·7	0·9	96·6	2·5	0·9	0·0
1941	100·0	93·6	5·3	1·1	95·8	3·2	1·0	0·0

* Previous to 1933 classified as Bachelors and Spinsters respectively.

The marriages of persons previously divorced have been separately tabulated in Scotland only since 1933, and the accompanying table shows the numbers since that year, by sex, with the number of cases of divorce for each year since 1932 and the proportion of divorced men and women re-marrying expressed as a percentage of the divorces in the year preceding. The numbers of men and of women re-marrying are approximately equal (3,232 men and 3,163 women), being 57·1 and 55·9 per cent. respectively of the number of divorces one year earlier. While in recent years the number of divorced persons re-marrying has practically doubled, when allowance is made for the increase in the number of persons divorced and therefore eligible for re-marrying, the rate of increase is much less, and this is especially so in the case of divorced females re-marrying.

Year.	Divorces.		Re-marriage of Divorced Persons.		Divorced Persons Re-married compared with Divorces in previous year.	
			Males.	Females.	Males.	Females.
1932	...	488
1933	...	510	203	253	41·6	51·8
1934	...	468	240	238	47·1	46·7
1935	...	498	258	244	55·1	52·1
1933-35					47·8	50·1
1936	...	642	274	288	55·0	57·8
1937	...	649	346	347	53·9	54·0
1938	...	788	387	362	59·6	55·8
1936-38					56·3	55·7
1939	...	879	480	460	60·9	58·4
1940	...	740	513	500	58·4	56·9
1941	...	763	531	471	71·8	63·6
1939-41					63·3	59·5

Method of Signature.—Of the 95,240 persons marrying during the year, only 50 (21 men and 29 women) signed the marriage schedule by mark. This number is 18 less than in 1940, when the smallest number registered up to that year was recorded. Prior to 1870 the number averaged over 7,000 per annum, but thereafter it steadily diminished. Since 1935 the annual number has always been less than 100. Prior to 1880 the number of females signing by mark exceeded that of males by 2 to 1, but the sex totals are now approximately equal, with the number of males occasionally (as in 1940) in excess (*Table 8.*)

From *Table T* it will be observed that the percentage who sign by mark in each age group increases considerably after passing the age of 40, but the number aged 60 and over is only half of the number in 1940 and only one third of those in 1939. It should be noted that those signing by mark include a certain number of blind persons.

From *Table U* it will be seen that of the 50 persons who signed by mark, 22 were married according to the forms of the Church of Scotland and 21 according to those of the Roman Catholic Church, while one case occurred among the irregular marriages.

Ages of those Marrying.—The average age of all men marrying in 1941 was 29·1 and of all women 26·1. Among men this number was 29·7 in 1938, 29·3 in 1939 and 29·0 in 1940. Among women it was 26·7 in 1938, 26·4 in 1939 and 26·1 in 1940. In each case, therefore, the average age has declined since 1938 by rather more than half a year, but there is practically no difference between 1940 and 1941. There is little difference between large burghs and counties in this respect, the average ages for the two areas being 29·2 and 28·8 for males and 26·2 and 25·8 for females. (*Tables 12 and 13.*)

The average ages arranged according to the conjugal condition of those marrying are set forth below in tabular form:—

Averages ages of—				Spinsters.	Widows.	Divorced Women.	All Women.
Bachelors marrying	.	.	.	27·6	37·3	34·2	27·9
Widowers marrying	.	.	.	45·6	54·1	48·2	47·9
Divorced men marrying	.	.	.	39·5	43·8	41·0	40·1
All men marrying	.	.	.	28·4	44·9	37·9	29·1

Average ages of—				Bachelors.	Widowers.	Divorced Men.	All Men.
Spinsters marrying	.	.	.	24·9	36·0	31·2	25·4
Widows marrying	.	.	.	37·6	48·5	41·6	42·5
Divorced women marrying	.	.	.	34·0	41·7	38·2	36·0
All women marrying	.	.	.	25·2	39·5	33·0	26·1

Compared with the corresponding ages for 1940 these ages show no very striking change.

TABLE T.—Ages of Persons Marrying who Signed by Mark in 1941.

Age Group.	Numbers.			Percentage who signed by Mark in each Age Group.		
	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
Under 20	1	—	1	0·01	—	0·01
20-29	19	6	13	0·03	0·02	0·04
30-39	9	4	5	0·05	0·04	0·07
40-49	10	5	5	0·23	0·20	0·28
50-59	4	4	—	0·26	0·38	—
60 and over	7	2	5	1·00	0·38	2·86
All Ages	50	21	29	0·05	0·04	0·06

The lowering of the average age at marriage is related to the great increase in the number of marriages since the outbreak of the present war. From the annual tables it may be seen that while in 1938 (the last complete pre-war year) males married in the age-groups under 20 and 20-24 formed respectively 2.1 and 25.9 per cent. of the total males married in that year, in 1941 these percentages had risen to 3.5 and 30.8. In other words, the percentage aged under 25 years has risen from 28.0 to 34.3. Among females these percentages have risen from 12.6 and 36.7 (in all 49.3) in 1938 to 14.1 and 41.1 (in all 55.2) in 1941, but the percentage increase is not so great among females as it is among males. It may be seen that at ages under 20 the increase in the proportion has risen practically steadily among males, but to a lesser extent and not so steadily among females. Between 20 and 25 the increase is steady and marked among males, but among females there was no increase in 1939 but a marked increase thereafter. These increases in the ratios to all ages are naturally balanced by decreases at higher ages.

The influence of war-time is shown in another way in Table V. In this table the marriages for the three years 1939 to 1941 (1939 being largely dominated by the war situation and the events immediately preceding) are contrasted with the corresponding figures for the three years, 1936 to 1938, immediately preceding the war. The difference between the two totals may be taken as some indication of the effect of the war situation on the age at marriage. Marriages at all ages increased by 28 per cent., but the increase at the early ages was considerably more marked among males than among females. Thus while marriages among males aged under 20 increased by 96 per cent, among females the rate was only 53 per cent. At age 20 the two percentages were respectively 101 and 75, and at ages 21 to 24 inclusive they were 34 and 25. At 25 to 34 the percentage increases fell to 22 and 18, but at ages 35 to 44 there was rather a notable rise in this ratio of increase, which was 28 in the case of males and 26 in the case of females. At ages over 45 the percentage increase among females (18) was rather greater than among males (14). Although the great bulk of the increase was thus among young people, the spread is rather greater than might have been expected and this especially in view of the increases at ages 35 to 44, appears to indicate the effect on the marriage-rate not only of enlistments in the Forces, but also of the general improvement in employment and earnings among the civilian population. It may therefore indicate not merely marriages accelerated, but also the celebration of marriages postponed. For the "excess" marri-

TABLE U.—Church, &c., of Celebration of Persons Marrying who Signed by Mark in 1941.

Church, &c.	Entries in which Mark was used by			Persons using Mark.		
	Man only.	Woman only.	Both.	Men.	Women.	Total.
Church of Scotland . . .	3	15	2	5	17	22
Roman Catholic Church . .	12	5	2	14	7	21
Congregational "	1	1	1
Methodist " . . .	1	1	...	1
Episcopal "	1	1	1
Jews
Other Religious Forms	3	3	3
Irregular Marriages . . .	1	1	...	1
Civil Marriages
TOTAL . . .	17	25	4	21	29	50

ages, i.e., the difference between the two three-yearly periods, the average age among the males was approximately 27·5 and among females 24·8, being in each case about 2 years below the pre-war average.

Average Age at Marriage in 1941.—In the large burghs this ranged among males from 30·7 in Inverness, 30·1 in Perth, 29·5 in Glasgow and 29·4 in Edinburgh to 27·7 in Airdrie, 27·5 in Port-Glasgow and 27·3 in Greenock. In the counties it ranged from 34·2 in Inverness, 32·3 in Ross and Cromarty and 31·7 in Sutherland to 28·1 in Midlothian and in Roxburgh, 27·4 in West Lothian and 27·3 in East Lothian. Among females the average age in the large burghs ranged from 27·0 in Inverness, 26·9 in Perth and 26·4 in Glasgow and in Edinburgh to 25·1 in Coatbridge, 25·0 in Greenock and in Airdrie and 24·5 in Port-Glasgow. In the counties it ranged from 29·4 in Inverness and 28·4 in Nairn and in Ross and Cromarty to 24·8 in Caithness, 24·7 in East Lothian and 24·3 in West Lothian. (*Tables 12 and 13.*)

For all marriages the average excess of the bridegroom's age over that of the bride was 3·0 years, 0·1 more than in 1940. In the case of bachelors and spinsters this excess was 2·7 years (2·6 in 1940), in the case of widowers and spinsters 9·6 years (9·3), in the case of widowers and widows it was 5·6 (5·2) but in the case of bachelors marrying widows the bride's age was in excess by 0·3 year (0·8 in 1940). Where a divorced man married a spinster the bridegroom's age was in excess by 8·3 years.

The youngest bridegrooms of the year were 5 aged 16, and 70 aged 17, all of whom were bachelors and married spinsters, 10 of the latter being aged 16 and 17 aged 17. The youngest brides were 255 aged 16, 251 of whom married bachelors whose ages ranged between 16 and 35 while four married widowers aged between 25 and 35. (*Tables 14–18B.*)

The oldest men marrying were four aged over 80, three of whom married spinsters and one married a widow. In three of the cases the bride was aged 60 years or over. The oldest women marrying were two widows aged over 75, one of whom married a bachelor and the other a widower. One bachelor aged over 45 married a spinster of 17, a widower of over 65 married a spinster of 19 and another widower of over 70 married a spinster aged 22. (*Tables 14–18B.*)

TABLE V.—Excess in Number of Marriages in 1939 to 1941 compared with those in 1936 to 1938, classified by Sex and by Age-groups.

Age.	Males Married.				Females Married.			
	1936-38.	1939-41.	Increase in 1939-41.		1936-38.	1939-41.	Increase in 1939-41.	
			No.	Percent.			No.	Percent.
16	10	15	5	50	683	739	56	8
17	126	166	40	32	2,199	2,780	581	26
18	604	990	386	64	4,548	6,149	1,601	35
19	1,441	3,096	1,655	115	5,683	10,393	4,710	83
20	2,709	5,452	2,743	101	6,976	12,215	5,239	75
21-24	27,715	37,164	9,449	34	36,283	45,430	9,147	25
25-29	42,566	52,437	9,871	23	33,026	39,375	6,349	19
30-34	21,409	25,528	4,119	19	14,166	16,207	2,041	14
35-39	8,405	10,752	2,347	28	5,665	7,130	1,465	26
40-44	3,624	4,576	952	26	2,588	3,256	668	26
45-49	2,207	2,679	472	21	1,473	1,817	344	23
50 and over	4,130	4,523	393	10	1,656	1,887	231	14
All ages	114,946	147,378	32,432	28	114,946	147,378	32,432	28
Average age	29·7	29·2	27·5	...	26·8	26·3	24·8	...

APPENDIX III.

REPORT ON THE WEATHER IN SCOTLAND FOR THE YEAR ENDING 31st DECEMBER 1942.

Supplied by the Meteorological Office, Edinburgh.

The descriptive account of the weather which was given in the "Quarterly Returns" for some years had to be suspended after December 1941. Only brief summaries of each month's weather have been included in the "Quarterly Returns" for 1942. The present report, for the whole year, is of a general character as to the text, and to it are appended tables summarizing the statistics of the various stations. (*Pages 139-143.*)

General.—The outstanding features of the year are indicated in the course of the report. The most notable were:—

1. The intense cold and considerable snowfall of the first quarter.
2. The brilliantly sunny April and May.
3. The long spring drought during the latter half of April and the first part of May.
4. The excessive wetness of the summer and early autumn.

Pressure and Winds.—For the year as a whole barometric pressure was 0.02 inch above normal. The monthly pressure means were above normal from January to April, in June and November, and below normal in all other months. The greatest departures from normal were in February and November, when the mean pressures of 30.134 and 30.220 inches were 0.262 and 0.370 inch above their respective normals. In no other month was the departure from normal so much as 0.2 inch.

There was a marked excess of winds from East or South-east in January and also from March to May. In February winds from some Northerly point were more prevalent than usual. In other months winds from the South-westerly quadrant predominated. There were fewer gales than usual, the months of greatest gale frequency being January (15 days) and December (21 days). July was windy for a summer month but apart from this February to August was a relatively quiet period.

Noteworthy Gales.—A southerly gale on January 12th was severe along the western seaboard where the wind rose to a mean speed of 50 miles per hour with gusts up to 70 miles per hour. January 25th-27th was a period of strong south-easterly gales. Mean wind speeds of 65 miles per hour were recorded off the east coast and gusts exceeded 80 miles per hour at the Bell Rock. The only severe gale in February was on the 12th-13th when gusts reached 70 miles per hour in Shetland. In a widespread gale on October 9th-10th the mean speed attained to 60 miles per hour in Shetland with gusts up to 85 miles per hour on both days. Gales on October 14th-15th and November 15th also produced gusts up to 85 miles per hour in Shetland. In December gales occurred most frequently along the west and north-west coasts. On the 9th, 13th and 14th, mean hourly velocities between 55 and 60 miles per hour were recorded in the Outer Hebrides with gusts exceeding

80 miles per hour on the 9th and 13th. In a widespread Northerly gale on December 29th, a mean velocity 55 miles per hour was recorded in Shetland; gusts reached 80 miles per hour in both Orkney and Shetland.

Temperature.—For the third year in succession, mean temperature for the country as a whole was slightly below normal, the net deficit being 0.4° F. Of the individual months, January to March, July and November had mean temperatures below normal, the other months showing an excess over the normal. January was unusually cold although the frosts were less intense than in the Januaries of 1940 and 1941. The month ranks next to these two remarkable months as the third coldest January of the century. February was actually colder than January. At no time during this month did temperature rise to 50° F. anywhere in Scotland, a condition which has not been recorded in any other February for at least 80 years. March also was very cold, especially between the 6th and 12th, when some places had their greatest frost of the year. A spell of warm weather in mid-April brought the mean temperature of that month well above normal. Mean temperatures in May and June were not very different from normal. There was an unusually large temperature range in June, this month having an exceptionally warm spell from 3rd to 6th and a period—roughly from 8th to 16th—when day and night temperatures were very low at times. July was cool, especially in the west and north. There were several cool days in August but on the whole it was a warm month, especially between 27th and 29th when shade temperatures rose to 80° F. or slightly above in the Borders. The first part of September was mainly mild but the latter half was definitely cool. October was mild until the last week when sharp frosts were experienced in the south-western counties and in Aberdeenshire. November was cooler than usual. The year closed with the mildest December over the country as a whole since 1934. At Nairn it was the mildest for at least 40 years. The lowest temperature of the year -3° F., was registered on March 8th at Braemar. Ground minima of -6° F. and -2° F. were recorded at Braemar on March 8th and 12th respectively. The highest shade temperatures of the year were 82° F. at Peebles on June 5th and at Ruthwell on August 28th.

Rainfall.—Over Scotland as a whole the general rainfall of the year represents 102 per cent. of normal. Broadly speaking, more than the average occurred in the west and extreme north and less than the average in the east. More than 120 per cent. of the normal precipitation was measured in an area covering part of western Argyll, Jura and part of Islay. Less than 80 per cent. fell locally in East Lothian and Roxburghshire; at a few places in East Lothian it was the driest year since the beginning of the century but over most of south-east Scotland 1933 was a little drier. Of the months, January was very wet, except over the north-western counties and the Grampians. February, March and April were all appreciably drier than usual, March being the driest of the three. Nearly all April's rain fell in the first ten days, the last three weeks being practically rainless. This dry period continued well into May, a few places in the south-west recording 34 days "absolute drought" from April 11th to May 14th. At other places the long drought was broken only by showers on April 22nd or 23rd. The latter half of May was wet everywhere. June was a dry month except north-west of the Great Glen and in Shetland. The four months, July to October, were all much wetter than usual and each had an excessive number of rain days. Over the country as a whole, September, with 155 per cent. of the normal, was the wettest month of the year in relation to average though precipitation was actually greater in amount during January and October. November was the driest month of the year, the general rainfall being only 34 per cent. of

normal. Aberdeen had its driest November since observations were started in 1871 and over Scotland as a whole, apart from 1937, it was the driest November on record. December was excessively wet in the west but rain totals were markedly deficient in East and South-east Scotland.

Snow.—Snowstorms were of frequent occurrence and often of extreme severity during January, February and the first week of March. A blizzard raged on January 19th and 20th and the heavy drifting which followed seriously interfered with road and rail traffic. Trains had to be dug out of snow drifts both in northern and southern areas. West Linton had two feet of undrifted snow and depths of 12 to 18 inches were reported from practically the whole of the southern counties. In the snowstorms of early February the north-east suffered most. Many Aberdeenshire villages were completely isolated for several days. Conditions were severe also in the south and on some roads near Kelso, Roxburghshire, snow drifts were 18 feet deep. Widespread and heavy falls occurred during the first week of March. Perth had 9 to 10 inches of undrifted snow and Balmoral about the same depth. In Glen Lyon drifts were 8 feet deep at the end of the first week. Snow fell on Ben Nevis between June 8th and 13th and there was a good deal on the Cairngorms and in Wester Ross during this period. Snow or sleet fell on high ground during the last week of September. Slight falls occurred generally on the hills in October. There were frequent snow showers at the beginning and again near the end of December.

Thunder.—Thunder was reported on 61 days, considerably fewer than in any recent year. May and July had the highest frequencies with 13 and 12 thunderstorms respectively. There was only one day with thunder in November and two days each in February and June. On July 3rd a fairly heavy storm was reported at Lerwick, an unusual occurrence in Shetland. A house at Largs was struck by lightning on September 23rd and a monument at Banff was damaged on the night of October 28th–29th.

Flooding.—No reports of flooding were received.

Sunshine.—In the north the year was a dull one but sunshine aggregates were up to average in the west and slightly in excess of average in east Scotland. Over the country as a whole the total of bright sunshine represents 99 per cent. of the average. In relation to average the dullest months were January, June and August. Edinburgh had its dullest January since 1917. The lack of sunshine both in June and August was most marked along the west coast and in the Hebrides. Stornoway had the dullest June and the dullest August since observations began there in 1881. On the other hand April and May were notably sunny. It was the sunniest April for many years; for example Kirkwall, Nairn and Kilmarnock had the largest totals of sunshine since records began in 1880, 1907 and 1908 respectively while in Edinburgh it was the sunniest April since 1917. May also was brilliantly sunny in all districts except Shetland many stations registering more than 250 hours sunshine in the month. Of the remaining months February was about average but March was very dull. In July records were poor in the north-west but above average elsewhere. September was sunny in the east and about average or slightly better than average in the south and south-west. October was dull except in Shetland and locally in East Scotland. November was fine; over Scotland as a whole it was the sunniest November since 1930. Aggregates in December were mostly about average. Leuchars with 1577 hours' sunshine in 1942 had much the best aggregate in Scotland, Arbroath taking second place with 1488 hours followed by St. Andrews 1470 hours, Longforgan 1463 hours and Dunbar 1454 hours.

Fog.—Fog was of frequent occurrence in the first quarter, being reported in one place or other on 27 days in January, 25 in February and 28 in March. The only other month with so many as 20 days fog was November. There was less coastal fog than usual during the summer but it was thick and rather persistent at St. Abb's Head on June 5th and at Sumburgh, Shetland on June 6th. Fog developed frequently over the Clyde area during December.

Aurora.—Aurora was observed in each month except June and July. It was seen most frequently in April (18 nights) and October (16 nights). There were no outstandingly brilliant displays, the best being those observed on February 23rd, April 4th, September 11th, October 2nd and 28th. The aurora of October 28th was seen as far south as Linlithgow and Stranraer.

(For Statistical Tables, see page 139.)

APPENDIX IV.

RE-REGISTRATION OF BIRTHS.

(REGISTRATION OF BIRTHS, &C. (SCOTLAND) AMENDMENT) ACT, 1934.

This Act, which came into force on 1st January 1935, provides that the Registrar-General may authorise re-registration of the births of persons born illegitimate who have been legitimated by the subsequent marriage of their parents, and also of persons the original entry of whose birth is affected by any matter contained in the Register of Corrected Entries respecting status or paternity.

The number of re-registrations authorised in each year was as follows:—

<i>Year.</i>					<i>No.</i>
1935	1,259
1936	1,063
1937	1,048
1938	979
1939	1,069
1940	1,191
1941	716
1942	742

ADOPTED CHILDREN REGISTER.

ADOPTION OF CHILDREN (SCOTLAND) ACT, 1930.

This enactment provides for the legal adoption of children in Scotland by Order of the Court, and for the registration of such adoptions in an Adopted Children Register kept at the General Registry Office, Edinburgh. This Register is open for search and extract purposes under the same conditions as are the Registers of Births, Deaths and Marriages, and an Extract from the Adopted Children Register is evidence of adoption, and also of the date of birth of the child if such date is recorded in the relative entry. The Act came into operation on 1st October 1930, and the following Table shows the number of Adoptions recorded in each year:

<i>Year.</i>			<i>No.</i>	<i>Year.</i>			<i>No.</i>
1930	3	1937	820
1931	347	1938	812
1932	492	1939	1,100
1933	437	1940	1,424
1934	602	1941	1,222
1935	683	1942	1,563
1936	704				

SEARCHES AND EXTRACTS.

The principal records maintained in the General Registry Office, Edinburgh, are the duplicate Registers of Births, Deaths and Marriages for every Registration District in Scotland, kept under the provisions of the Scottish Registration Acts, 1854–1938, and the Parochial Registers of Births and Baptisms, Proclamations of Banns and Marriages, and Deaths and Burials kept prior to 1855 in the respective parishes under the administration of the Church

of Scotland. The earlier Census records in the custody of the Registrar-General, including those relating to the decennial censuses from 1841 to 1871 inclusive, have also been made available for search and extract purposes under prescribed conditions.

The following Table shows the number of searches made and extracts issued during each of the past ten years:—

YEAR.	Total Searches.	Official Searches.	Paid Searches.	Extracts.	Total Fees received.		
					£	s.	d.
1931 . .	40,355	28,184	12,171	8,907	1,727	15	7
1932 . .	35,188	22,608	12,580	8,930	1,751	3	4
1933 . .	33,199	20,535	12,664	8,767	1,739	4	0
1934 . .	32,817	19,823	12,994	8,505	1,750	0	2
1935 . .	34,725	21,084	13,641	9,528	1,885	1	1
1936 . .	30,734	16,341	14,393	9,192	2,057	8	10
1937 . .	37,107	21,338	15,769	10,929	2,184	11	5
1938 . .	39,360	22,432	16,928	12,419	2,348	17	8
1939 . .	40,064	24,964	15,100	13,048	2,179	11	7
1940 . .	67,233	53,355	13,878	13,044	2,099	14	2
1941 . .	47,275	35,090	12,185	11,656	1,861	5	6
1942 . .	46,636	33,454	13,182	12,734	2,006	19	8

Of the 33,454 official searches made in 1942, 13,996 (including 925 searches in the Census Returns) were for the purposes of Widows, &c. Contributory Pensions Acts, 1,420 (including 131 Census searches) for those of the Old Age Pensions Acts, 14,564 for Defence Forces, and 3,474 for other public purposes. The number of Extracts shown for 1942 includes 1,554 Abbreviated Certificates of Birth issued under Section 4 of the Registration (Scotland) Amendment Act, 1934.

APPENDIX V.

ALTERATIONS OF BOUNDARIES OF BURGHS, LANDWARD AREAS
OF COUNTIES, COUNTIES, CIVIL PARISHES AND REGISTRATION DISTRICTS
REPORTED TO THE REGISTRAR-GENERAL AS BECOMING EFFECTIVE IN 1942.

Area.	Nature of Alteration.	Population at Census 1931.					
		Before Alteration.			After Alteration.		
		Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
I. BURGHS - - -	None.	—	—	—	—	—	—
II. LANDWARD AREAS - -	None.	—	—	—	—	—	—
III. COUNTIES - - -	None.	—	—	—	—	—	—
IV. CIVIL PARISHES -	None.	—	—	—	—	—	—
V. REGISTRATION DISTRICTS—							
665 (1) Dalmeny-	Districts united under name of Dalmeny and Queensferry. Part of Civil Parish of Abercorn annexed.	1,433	691	742	—	—	—
665 (2) Queensferry		1,798	863	935	—	—	—
665 Dalmeny & Queensferry - - -	See above.	—	—	—	3,249	1,563	1,686
661 Abercorn - - -	See above.	7 75	389	386	757	380	377
613 (1) Sorn- - -	Part of District transferred to District of Catrine.	1,120	567	553	1,064	536	528
(2) Catrine - - -		2,249	1,038	1,211	2,305	1,069	1,236

APPENDIX VI.

REGISTRATION OF STILL-BIRTHS.

The total number of still-births registered during the year 1942 was 3,602, and with 90,697 live births registered during the same period, these still-births are therefore equivalent to a rate of 38·2 per 1,000 total births, live and still, as compared with 39·6 in 1941, 42·1 in 1940 and 42·2 in 1939, the first year in which still-births were registered in Scotland. There has thus been a steady reduction in this rate, and provisional figures for 1943 indicate that this reduction has continued.

The geographical distribution of these live and still-births, together with the rates per 1,000 total births, are shown in Table S.B.(1). In the aggregate of large burghs this rate was 40·2 and in counties exclusive of large burghs it was 35·9, an urban excess of 12 per cent. In 1941 this excess was 14 per cent., but both in 1939 and in 1940 the rates were almost identical. This indicates that the decline is in the counties rather than in the large burghs. Comparing the rates for 1942 with those for 1939, while the rate for Scotland has declined by 9·5 per cent., in the large burghs it has declined by only 4·5 per cent., but in the counties by 15·5 per cent.

As in previous years the rates for individual Public Health areas show wide variations, but owing to the comparatively small numbers involved, the rates are not very stable from year to year. Thus while Arbroath had in 1941 the lowest rate (17) for any large burgh, in 1942 it had the highest rate (57), followed by Perth (50) and by Greenock and Kilmarnock (47), while a rate of 45 was recorded both for Dundee and for Motherwell and Wishaw. The lowest rates were in Dunfermline (24) and in Aberdeen and in Rutherglen (30). In the counties the highest rates were 43 in Kincardine, in East Lothian and in West Lothian, 42 in Fife and 41 in Dunbarton and in Lanark. All of these except the first-named are, it will be observed, situated in the central industrial belt. Ten rates of under 30 were recorded in the counties, the lowest being 20 in Peebles, 21 in Banff, in Selkirk and in Sutherland, and 24 in Nairn.

In Table S.B. (A) will be found the still-birth rates aggregated for the four geographical Divisions of Scotland, and these show the usual feature of an excess in the industrial East and West Central Divisions, but more particularly in the latter, over the rates for the less industrial Divisions of the

TABLE S.B.(A).—*Still-birth Rates per 1000 Total Births by Divisions.*

DIVISION.*	Total.	Large Burghs.	Counties (excluding Large Burghs).
Northern	33·7	35·8	32·9
East Central . . .	38·0	35·9	40·5
West Central . . .	40·8	42·6	37·0
Southern	30·5	36·0	29·8
SCOTLAND	38·2	40·2	35·9

* The East Central Division consists of the Counties of Fife, Clackmannan, Stirling, West Lothian, Midlothian and East Lothian, with the City of Dundee; the West Central Division consists of the Counties of Lanark, Dunbarton, Renfrew and Ayr; while the Northern Division includes all counties north and west of these two divisions, and the Southern Division all counties south and east.

North and South. This excess, however, is largely due to the high rates in the large burghs of the West Central Division, for the rates in the large burghs of the Northern, East Central and Southern Divisions were almost identical in 1942. But when the influence of the large burghs is eliminated in the county rates, the differences between the industrial Central Divisions and the more rural Northern and Southern Divisions stand out more clearly, the rates being 40·5 in the East Central, 37·0 in the West Central, 32·9 in the Northern and 29·8 in the Southern. In previous years (i.e. 1939–1941) the rate in the West Central has exceeded that in the East Central but for 1942 it is decidedly less. It is worthy of note that in the East Central Division the rate for the large burghs is distinctly less than that for the counties. These figures appear to indicate that the relation which exists between infant mortality, especially in the latter portion of the first year of life, and industrial conditions applies also, although probably in a lesser degree, to the still-birth rate.

Still-births and Neo-natal Deaths.—On account of the paucity of numbers it is not always possible to demonstrate any significant geographical distribution of ante- and neo-natal deaths from numbers based on the observations of a single year, but Table S.B. (1a) shows rates based on the combined numbers for the years 1940–42, the neo-natal deaths being the number of deaths in each area at ages under one month. The table shows the rates per 1,000 total births, live and still, of still-births, of neo-natal deaths and of the two combined. For Scotland as a whole it is found that out of every thousand children born, living or still, after the twenty-eighth week of pregnancy 75·8 died before birth or within one month of birth, as compared with 77·7 in the three-yearly period 1939–1941. The rates for individual years since 1939, when still-births were first registered in Scotland, are shown below:—

DEATH-RATES PER 1,000 TOTAL BIRTHS, LIVE AND STILL.

Year.	Still- Births.	Neo natal Deaths.	Total.
1939 ...	42·2	35·0	77·3
1940 ...	42·1	35·7	77·8
1941 ...	39·6	38·4	77·9
1942 ...	38·2	33·7	71·9

It has already been pointed out (page xviii) that the neo-natal mortality represents what has been a very constant factor in the past ten years at any rate, and so far the still-birth rate in Scotland has moved within comparatively narrow limits. Similarly this table indicates that local differences in this combined rate are on the whole much less than in the case of infant mortality for all ages under one year, as the latter is weighted by deaths at ages between one and twelve months, which are more liable to be affected by local conditions. Thus while in the same three years the infant mortality rate for the large burghs has been on an average about 32 per cent. higher than in the counties, the above combined rate is 80·2 for the large burghs and 70·6 for the counties, an excess in the large burghs of only 14 per cent., the still-birth rate being 9 per cent. higher and the neo-natal rate 19 per cent. higher, whereas in the case of children aged 1 to 11 months the rate per thousand living births is 45 per cent. higher in the large burghs than in the counties.

In the large burghs individually the above combined triennial rate (still-births and neo-natal deaths) ranged from 93 in Paisley, 86 in Glasgow and 85 in Inverness to 70 in Motherwell and Wishaw, 69 in Falkirk and 67 in Edinburgh. In Dundee it was 83 and in Aberdeen 73. In the counties it ranged from 80 in Clackmannan, in Dunbarton and in Lanark to 56 in Orkney,

55 in Bute and in Selkirk and 54 in Kirkeudbright. In the Divisions the rate was highest in the West Central, 81.4, followed by 72.8 in the East Central, 67.4 in the Southern and 67.0 in the Northern.

Age of Mother and Number of Previous Children.—Table S.B. (2) shows still-births classified according to age of mother and (in the case of legitimate children) according to the number of previous children born to the mother. Among legitimate births the rates increase progressively from 27 in the case of mothers under 20 and 28 in the case of those aged 20–24, to 64 at ages 40–44 and 115 at ages over 45, the rate for all ages of mother being 37.5. In the case of illegitimate births the rate for all ages of mother is 46.8 and the rate increases with advancing age of mother as in the case of legitimate births, but at a fairly consistently higher level, except between 25 and 35, when the excess is not so great. The rate for legitimate births at ages under 20 is higher than in 1941 (19) but the latter rate was very low and the number of births involved is comparatively small. As the age distribution of the live births in 1942 is not yet available, the rates are based on an estimated age and parity distribution of these births.

TABLE S.B.(B).—*Still-births per 1000 Total Births, 1942.*

Age of Mother.	Children of all Married Mothers.	Primiparæ (first births).	Multiparæ (one or more previous births).
Under 20 . . .	27	29	16
20 – . . .	28	33	20
25 – . . .	31	39	26
30 – . . .	41	58	35
35 – . . .	55	79	49
40 and over . . .	68	72	67
All Ages . . .	38	42	35

From the distribution of still-births by age and parity as shown in Table S.B. (2), abridged rates specific for each factor have been calculated, and from these it would appear that parity as well as age has a definite influence on the liability to still-birth. From Table S.B. (B) it will be seen that in the case of primiparous (first) births the still-birth rate is 42 per 1,000 total births while for all other orders of birth it is 35. This excess holds good, in varying degree, for each age-group. In the case of first births, as stated, the rate was 42 per 1,000, but as will be seen in Table S.B. (2), this rate was 27 in the case of second births, 31 in the case of third, 35 in the case of fourth, 38 in the case of fifth and 44 in the case of sixth, while it was 58 where the number of previous children was 7 to 9, and 78 where they numbered 10 and over. This excess is, of course, partly due to the greater age of the mother in the higher birth frequencies, but when this is eliminated and frequencies are summarised as in Table S.B. (C), it is found that after the birth of the first child, the tendency to still-birth increases both with increasing age of the mother and with greater frequency of previous births. Although this is not always apparent in the case of births for a single year, owing to paucity of numbers, the cumulative experience of the four years 1939 to 1942 shows that these two factors are constant up to at least age 40.

Multiple Births.—In Table S.B. (3) will be found a detailed analysis of multiple births in which at least one child was still-born. All statistics

referring to multiple births published in Tables 1 and 2 of these reports include only cases of children born alive. Thus the birth of two children, one of whom was still-born, is there counted as a single birth, while a case of two living children and one still-birth is counted as a twin birth. In an earlier part of this Report it was indicated that 1,069 mothers

TABLE S.B.(C).—*Still-births (Legitimate) per 1000 Total Children born, by Age of Mother and Number of Previous Children, 1942.*

Number of previous Children.	All Ages.	Age of Mother.					
		Under 20.	20-24.	25-29.	30-34.	35-39.	40 and over.
None	42	29	33	39	58	79	72
1-3	30	16	20	25	32	46	59
4-6	42	...	24	25	41	46	70
7-9	58	60	42	59	68
10 and over	78	33	80	82
TOTAL	38	27	28	31	41	55	68

No rate has been calculated where the number of observations, live-births and still, is less than 50.

gave birth to living twin children and 9 to living triplet children, but if still-born children are included it is found (Table S.B. (D)) that there were 105 additional cases of the birth of twins in which one child was still-born (the other being included as a single birth in Table 1) and 26 in which both were still-born. In addition to the nine cases of the birth of living triplets, there was one in which all three were still-born.

Adding the number of still-births to the live-births it is found that the total number of children born was 94,299 (90,697 being living-born and 3,602 still-born), the total number of confinements being 93,079. Of these confinements, 91,869 resulted in a single birth, 1,200 in a twin birth and 10 in a triplet birth. Out of 2,400 twin children born, 157 were still-born, a rate of 65 per 1,000 twin children, as compared with 38 for all children and with a rate of 77 for twin children in 1941. The total confinements according to plurality or otherwise are summarised as follows:—

TABLE S.B.(D).—*Multiple Births, 1942.*

Number of Children born.	Confinements.	Living-born Children.	Still-born Children.
1 living	88,427	88,427	...
1 still-born	3,442	...	3,442
2 living	1,069	2,138	...
1 living, 1 still-born	105	105	105
2 still-born	26	...	52
3 living	9	27	...
2 living, 1 still-born
3 still-born	1	...	3
TOTAL	93,079	90,697	3,602

Certification.—Of the 3,602 still-births registered the cause of death was certified in 3,480 cases by a medical practitioner and in 113 cases by a certified midwife. In four cases registration followed receipt of a Schedule of Result of Precognition by the Procurator Fiscal and in only five cases was it necessary for a statutory declaration to be made by the informant that the child was not born alive. The percentages certified by a medical practitioner and by a midwife were 96·6 and 3·1 respectively, as compared with 96·1 and 3·7 in 1941. In 1939, the first year of registration of still-births in Scotland, these two percentages were 94·4 and 5·3 respectively.

Principal Causes of Still-birth.—The causes of still-birth, shown separately for sex of child and for age of mother, are dealt with in detail in Table S.B. 4 and rates per thousand total births are given in Table S.B. (E) in summarised form. Of the 3,602 still-births, 982 were due to difficult labour, 638 to foetal defects, 486 to ante-partum hæmorrhage, 398 to toxæmias in the mother, 113 to general diseases in the mother, 395 to other causes and in 590 cases the cause was ill-defined or unknown. The last-named group includes only 16·4 per cent. of the total, compared with 20·4 in 1941, 32·5 in 1940 and 33·0 in 1939. This is a very notable reduction. In the case of all the other groups there is no very significant change compared with the numbers for the previous year, such increases as are observed being probably largely due to the better certification of still-births formerly included in the ill-defined or unknown group.

In the group including general diseases of the mother 32 were ascribed to syphilis, the same number as in the previous year. Those due to toxæmias numbered 398, as against 372 in 1941, but within this group there were some major differences, for while deaths from toxæmia (undefined) declined from 124 in 1941 to 72 in 1942, those from eclampsia or pre-eclampsia increased from 162 to 218. Among the 486 due to ante-partum hæmorrhage those due to placenta prævia numbered 161 (170 in 1941), those from accidental hæmorrhage numbered 252 (216) and those from other ante-partum hæmorrhage 73 (95). Of the 638 cases in the foetal defects group, 280 were attributed to anencephalus (237 in 1941), 134 to hydrocephalus (132), 81 to multiple malformations (66) and 58 to spina bifida (45). In practically all of these cases the increase since 1939 has been still more striking. This is also the case with torsion of the cord (135 in 1942 as compared with 96 in 1939) and placental infarct, diseases, &c. (114 and 87).

Of the 982 deaths from difficult labour, 375 were due to abnormal presen-

TABLE S.B.(E).—*Still-births per 1000 Total Births by Age and Disease Groups, 1942.*

Age of Mother.	All causes.	General diseases of Mother.	Toxæmias.	Ante-partum hæmorrhage.	Foetal defects.	Difficult labour.	Other defined causes.	Ill-defined or unknown causes.
Under 20	31	0·5	3·7	3·0	5·6	9·1	2·6	6·3
20–	30	1·0	2·7	3·9	5·6	8·0	3·2	5·2
25–	31	0·9	3·1	4·2	5·7	8·7	3·6	5·1
30–	41	1·2	5·6	5·4	7·3	11·3	4·9	5·5
35–	55	2·0	6·1	8·5	9·2	14·9	5·5	9·1
40 and over	69	2·1	7·6	9·5	11·2	18·3	7·1	13·3
All Ages	38	1·2	4·2	5·2	6·8	10·4	4·2	6·3

tation of foetus (309 in 1941), 229 to prolapse of cord (224), 90 to prolonged labour (185), 70 to malformation of pelvis (43) and 69 to uterine inertia (25). There were also 85 cases of injury at birth, including cerebral hæmorrhage, as compared with 107 in 1941, 65 in 1940 and 72 in 1939. Deaths after birth of children from this cause practically doubled between 1931 and 1940 and if the deaths of live-born children are added to the still-births, we get a total of 387 in 1939, 387 in 1940, 458 in 1941 and 410 in 1942.

In the case of ill-defined or unknown causes, the most spectacular decline is in the case of those from asphyxia, which numbered only 56, as compared with 157 in 1941, 362 in 1940 and 341 in 1939. This is largely due to the fact that on inquiry many of the certifiers have been able to supply further information as to the cause of the asphyxia, and the same reason applies to the reduction in the number in which the cause was certified as due to premature birth, the numbers having declined from 355 in 1940 to 160 in 1941 and to 142 in 1942. For the principal cause groups the rates per 1,000 births according to age of mother are given in Table S.B. (E).

In all separate cause groups the rates are decidedly higher in infants born to older than to younger mothers, but the extent of increase at the higher ages varies, being specially marked in the groups comprising general diseases of the mother (in which numbers are comparatively small), ante-partum hæmorrhage and "other defined diseases," in which they are about three times as high in the older as in the younger, while in the case of toxæmias, foetal defects, and difficult labour they are twice as high.

Sex-Ratio.—The ratio of male to female still-births for groups of causes is given below:—

	1942.	1941.	1940.	1939.
General diseases of mother ...	1.13	1.72	1.77	1.08
Toxæmias	1.36	1.58	1.39	1.18
Ante-partum hæmorrhage ...	1.26	1.36	1.24	1.41
Foetal defects	0.57	0.63	0.69	0.64
Difficult labour	1.61	1.56	1.72	1.68
Other defined causes	1.23	1.49	1.28	1.19
Ill-defined and unknown causes	1.37	1.28	1.28	1.27
All causes	<u>1.19</u>	<u>1.27</u>	<u>1.26</u>	<u>1.23</u>

From all causes there are 19 per cent. more male than female births among the still-births and with the usual excess of about 5 per cent among the live births it is clear that still-birth is relatively more common in male foetuses, but this excess is lower in 1942 than in any of the three preceding years, for which alone the numbers are available for Scotland, the relative proportions of male to female still-births having been 1.23 in 1939, 1.26 in 1940, 1.27 in 1941 and 1.19 in 1942. In the individual cause groups the sex ratios vary widely. In the case of general diseases of the mother the numbers are comparatively small and subject to wide variations from year to year, but the ratio was high for difficult labour (1.61), for toxæmias (1.36), and for ante-partum hæmorrhage (1.26). Congenital defects, on the other hand, show a very low ratio (0.57), i.e., an excess of female still-births. These ratios follow generally those found in previous years and appear to indicate a fairly stable condition. There is no obvious relation between this ratio and age of mother, except for a certain tendency taking the numbers for 1939 to 1942, for it to

be below the average where the mother is aged between 20 and 25, and to be above the average when the age is over 40.

Causes of Still-birth by Parity.—For the cause groups enumerated, the following table compares the rates for primiparæ and multiparæ respectively.

TABLE S.B.(F).—*Still-birth rates per 1000 total Births among Married Mothers.*

	All Married Mothers.	Primiparæ.	Multiparæ.
General diseases of mother . . .	1·2	1·1	1·2
Toxæmias	4·2	6·2	2·9
Ante-partum hæmorrhage . . .	5·2	4·4	5·7
Fœtal defects	6·8	6·6	6·9
Difficult labour	10·2	13·1	8·3
Other defined causes	4·3	4·8	4·0
Ill defined or unknown causes .	5·8	6·0	5·7
ALL CAUSES	38	42	35

From the above it will be seen that the death-rate is considerably higher among primiparæ in the case of deaths from toxæmias and from difficult labour, while the reverse is the case with deaths from ante-partum hæmorrhage. In the case of the last-named the excess ratio among the primiparæ is rather less than in previous years, but for the two first-named the ratios are generally similar.

Month of Registration.—Table S.B. (6) shows still-births classified by cause of death and by month of registration. The rate from all causes ranges from 44 in February, 42 in January and in March, and 41 in December to 35 in July, in August and in November. There is thus evidence of a seasonal variation similar in character, though not so marked, to that found in the case of the general death-rate. Aggregating the figures for the four quarters, the rates are shown below for the main cause groups:—

TABLE S.B.(G).—*Rates per 1000 Total Births.*

	All causes.	General diseases.	Toxæmias.	Ante-partum hæmorrhage.	Fœtal defects.	Difficult labour.	Other defined causes.	Ill-defined or unknown causes.
1st Quarter	42	1·4	5·6	5·6	7·2	11·6	4·6	6·6
2nd Quarter	37	1·3	4·1	4·8	6·3	10·6	4·3	5·6
3rd Quarter	36	1·0	3·5	5·5	6·5	9·5	3·3	6·3
4th Quarter	38	1·1	3·7	4·7	7·1	10·0	4·6	6·6
YEAR	38	1·2	4·2	5·2	6·8	10·4	4·2	6·3

The highest rates, both for all causes and for each individual group, were recorded in the first quarter of the year, with a slight tendency for the rate to rise in the fourth quarter. Other variations are of small significance.

Changes in cause of Fœtal Death.—These causes have now been classified for four years and any changes in that time may now be reviewed. The principal difference is in the ill-defined group, in which the deaths have fallen from 1,263 in 1939 to 1,235 in 1940, 755 in 1941 and 590 in 1942. This decrease, however, must be regarded not so much as an actual decline in the number of such deaths but as the result of fuller realisation on the part of medical attendants of what is required for the purpose. Naturally, this has resulted in a relative increase in the numbers ascribed to defined causes, and this will account for some part of any increases observed in such cases. The greatest rate of increase in the interval is in those ascribed to General Diseases of the Mother, which numbered 113 in 1942, as compared with 125 in 1941 and only 77 in 1939. But the numbers are relatively small and probably more subject to fluctuation than is the case in the other groups. In 1942 32 of these cases were ascribed to syphilis, as against the same number in 1941 and 20 in 1939. Toxæmias show a general increase in the four years (398 against 342), deaths from “toxæmia” (undefined) having declined from 168 in 1939 to 72 in 1942, while on the other hand those from eclampsia and pre-eclampsia have increased from 97 to 218, probably due to improved diagnosis. Deaths from hæmorrhage, which numbered 486 in 1942, show little change over the four years, either in total numbers or in individual lines. Deaths from fœtal defects (638 in 1942) show a steady increase since 1939 (529).

Cases of hydrocephalus have shown a steady increase from 106 to 134, while those of anencephalus have increased from 192 to 280. On the other hand those from undefined malformation have declined from 44 to 14. Although not included in this group, deaths from torsion of the cord have increased from 96 to 135 and those from placental infarct or other placental disease from 87 to 114. Deaths from difficult labour show a moderate but steady increase from 863 to 982 (961 in 1941). Cases of abnormal presentation have increased from 284 in 1939 to 375 in 1942 (309 in 1941) and those from prolapse of the cord from 185 to 229. Cases of uterine inertia have increased from 11 in 1939 and in 1940 to 25 in 1941 and 69 in 1942 and those of multiple pregnancy (not in this group) from 18 in 1939 to 72 in 1942, the increase being probably in each case due to altered certification. On the other hand deaths from “prolonged labour” have declined from 178 in 1939 and in 1940 and 185 in 1941 to 90 in 1942. As already indicated, cases of ill-defined or unknown causes have shown a large decline, the 1939 and 1942 totals respectively for the principal individual lines being as follows, prematurity, 286 and 142, asphyxia 341 and 56, macerated fœtus 175 and 125 and “cause unknown” 362 and 164.

Relative Importance of Still-births and of Early Infant Deaths.—

Attention is again drawn in the table below to the numerical importance of these deaths compared with some (all ages) which tend to command public attention. The table shows the average number in the three years 1940–42 of deaths from ante- and post-natal causes alone with the corresponding numbers from certain defined diseases. While the former are less than half of the number (all ages) from heart disease, 17 per cent. fewer than those from cancer and slightly fewer than those from cerebral hæmorrhage and allied conditions, they number rather more than those from bronchitis and pneumonia combined, about 75 per cent. more than deaths from all forms of tuberculosis, three times as many as all accidental deaths, almost seven times as many as all deaths from road accidents, about seven times as

many as those from scarlet fever, whooping cough, diphtheria and measles combined, and 17 times as many as all maternal deaths. These comparisons are substantially the same as were shown in the Report for 1941.

TABLE S.B.(H).—Average number of Deaths per annum in Scotland from certain causes, 1940–1942.

Cause of Death.	Average Number per annum.	Cause of Death.	Average Number per annum.
Scarlet fever	28	Congenital Defects (under one year)—	
Whooping-cough	336	Hydrocephalus	61
Diphtheria	494	Spina bifida, Meningocele	172
Tuberculosis, Respiratory	3,066	Congenital heart disease	177
„ Other forms	993	Other congenital defects	183
Measles	170	Diseases peculiar to first year of life—	
Malignant disease	8,418	Congenital debility	559
Cerebral hæmorrhage, Apoplexy, Embolism, &c.	7,214	Premature birth	1,463
Heart disease	15,924	Injury at birth	333
Bronchitis and Pneumonia—		Other diseases peculiar to first year	363
Total	6,814	Still-births	3,700
Under 15 years	1,907		
Puerperal causes	400		
Accidental deaths—			
Road Transport	1,055		
Other accidental deaths	2,277	TOTAL, Ante-natal and congen. causes	<u>7,011</u>

TABLE S.B. (1).—No. of Still-Births in Counties and Large Burghs of Scotland, 1942.

COUNTIES AND LARGE BURGHS.	Living Births.	Still-Births.		Still-Births per 1000 Total Births (Living and Still).	COUNTIES AND LARGE BURGHS.	Living Births.	Still-Births.		Still-Births per 1000 Total Births (Living and Still).
		Total.	Illegitimate.				Total.	Illegitimate.	
SCOTLAND . .	90,697	3,602	317	38·2	KINROSS Co. . .	123	5	1	39
LARGE BURGHS . .	48,714	2,038	184	40·2	KIRKCUDBRIGHT Co. .	577	17	1	29
COUNTIES (exclusive of Large Burghs). .	41,983	1,564	133	35·9	LANARK Co. . .	30,733	1,366	109	43
ABERDEEN Co. . .	5,732	200	29	34	Airdrie Burgh . .	624	23	...	36
Aberdeen Burgh . .	2,904	91	11	30	Coatbridge Burgh . .	976	39	2	38
Remainder of County	2,828	109	18	37	Glasgow Burgh . .	20,618	941	86	44
ANGUS Co. . .	4,420	191	19	41	Hamilton Burgh . .	832	34	2	39
Arbroath Burgh . .	361	22	3	57	Motherwell and Wishaw Burgh . .	1,292	61	1	45
Dundee Burgh . .	2,770	132	12	45	Rutherglen Burgh . .	394	12	1	30
Remainder of County	1,289	37	4	28	Remainder of County	5,997	256	17	41
ARGYLL Co. . .	1,093	35	3	31	MIDLOTHIAN Co. . .	8,971	314	22	34
AYR Co. . .	5,863	212	13	35	Edinburgh Burgh . .	7,386	255	21	33
Ayr Burgh . .	774	33	2	41	Remainder of County	1,585	59	1	36
Kilmarnock Burgh . .	692	34	2	47	MORAY Co. . .	902	36	2	38
Remainder of County	4,397	145	9	32	NAIRN Co. . .	202	5	1	24
BANFF Co. . .	1,016	22	4	21	ORKNEY Co. . .	484	17	2	34
BERWICK Co. . .	396	11	1	27	PEEBLES Co. . .	200	4	...	20
BUTE Co. . .	366	15	...	39	PERTH Co. . .	2,064	77	16	36
CAITHNESS Co. . .	549	19	1	33	Perth Burgh . .	613	32	6	50
CLACKMANNAN Co. . .	644	23	4	34	Remainder of County	1,451	45	10	30
DUNBARTON Co. . .	2,569	106	11	40	RENFREW Co. . .	5,878	234	16	38
Clydebank Burgh . .	583	25	4	41	Greenock Burgh . .	1,590	78	10	47
Dumbarton Burgh . .	480	16	2	32	Paisley Burgh . .	1,663	67	6	39
Remainder of County	1,506	65	5	41	Port-Glasgow Burgh . .	502	16	...	31
DUMFRIES Co. . .	1,632	53	8	31	Remainder of County	2,123	73	...	33
Dumfries Burgh . .	535	20	4	36	ROSS AND CROMARTY Co. . .	1,143	44	2	37
Remainder of County	1,097	33	4	29	ROXBURGH Co. . .	678	22	1	31
EAST LoTHIAN Co. . .	896	40	4	43	SELKIRK Co. . .	320	7	...	21
FIFE Co. . .	5,226	208	19	38	STIRLING Co. . .	3,176	130	9	39
Dunfermline Burgh . .	770	19	2	24	Falkirk Burgh . .	606	23	1	37
Kirkcaldy Burgh . .	736	24	2	32	Stirling Burgh . .	503	23	1	44
Remainder of County	3,720	165	15	42	Remainder of County	2,067	84	7	39
INVERNESS Co. . .	1,401	45	5	31	SUTHERLAND Co. . .	235	5	2	21
Inverness Burgh . .	510	18	3	34	WEST LoTHIAN Co. . .	1,660	75	6	43
Remainder of County	891	27	2	29	WIGTOWN Co. . .	678	27	3	38
KINCARDINE Co. . .	493	22	2	43	ZETLAND Co. . .	377	15	1	38

TABLE S.B. (1a).—Still-Birth Rate and Neo-Natal Death-Rate per 1000 Total Births, Live and Still, 1940-1942.

	RATES PER 1000 TOTAL BIRTHS.				RATES PER 1000 TOTAL BIRTHS.		
	Still- Births.	Neo- Natal Deaths	Com- bined Rates.		Still- Births.	Neo- Natal Deaths.	Com- bined Rates.
SCOTLAND	39·9	35·9	75·8				
LARGE BURGHS	41·5	38·7	80·2	Peebles	36	23	59
COUNTIES (exclusive of Large Burghs)	38·0	32·5	70·6	Perth	32	31	63
				Renfrew	39	30	69
NORTHERN DIVISION	35·1	31·8	67·0	Ross and Cromarty .	37	29	66
EAST CENTRAL do.	39·9	32·9	72·8	Roxburgh	42	30	72
WEST CENTRAL do.	42·2	39·2	81·4	Selkirk	25	30	55
SOUTHERN do.	34·5	32·9	67·4	Stirling	40	33	73
COUNTIES— <i>ex Large Burghs.</i>				Sutherland	41	25	66
Aberdeen	35	30	65	West Lothian . . .	42	34	76
Angus	31	30	61	Wigtown	33	38	71
Argyll	41	25	66	Zetland	41	17	58
Ayr	38	32	70				
Banff	40	25	65	LARGE BURGHS—			
Berwick	31	35	66	Glasgow	44	42	86
Bute	28	28	55	Edinburgh	37	31	67
Caithness	32	31	62	Dundee	47	36	83
Clackmannan . . .	42	38	80	Aberdeen	34	39	73
Dunbarton	45	35	80	Paisley	42	51	93
Dumfries	39	33	71	Greenock	42	39	82
East Lothian . . .	40	31	71	Motherwell & Wishaw	39	31	70
Fife	38	34	73	Clydebank	39	34	74
Inverness	33	31	64	Kirkcaldy	42	35	77
Kincardine	38	39	77	Coatbridge	45	34	79
Kinross	32	30	62	Kilmarnock	40	42	82
Kirkcudbright . .	26	28	54	Hamilton	43	37	80
Lanark	42	38	80	Ayr	47	32	79
Midlothian	40	33	73	Falkirk	41	27	69
Moray	31	33	63	Dunfermline . . .	39	36	75
Nairn	27	36	63	Perth	44	34	78
Orkney	32	24	56	Airdrie	38	38	77
				Rutherglen	35	42	76
				Dumfries	36	39	74
				Stirling	39	32	72
				Inverness	42	44	85
				Dumbarton	36	38	75
				Port Glasgow . . .	33	40	74
				Arbroath	39	40	79

TABLE S.B. (2).—Still-Births by Age of Mother and number of Previous Children, 1942.

NUMBER OF PREVIOUS CHILDREN (PRESENT OR ANY PREVIOUS HUSBAND).	AGE OF MOTHER.										
	All Ages.	*Rate per 1000 Births.	Under 20.	20-	25-	30-	35-	40-	45-	50 and over.	Not stated.
None	1,450	42	77	420	428	317	168	30	1	...	9
1	529	27	5	108	164	143	85	22	2
2	363	31	1	35	105	110	90	20	2
3	265	35	1	14	79	86	63	21	1
4	189	38	...	5	27	76	53	25	2	1	...
5	140	44	22	44	50	23	1
6	104	49	7	32	39	22	4
7	76	51	5	17	33	17	4
8	56	60	1	6	23	23	3
9	44	72	1	7	25	11
10 and over	69	78	2	29	28	10
All Legitimate Still Births	3,285	37.5	84	582	839	840	658	242	30	1	9
All Illegitimate Still-Births	317	46.8	48	95	57	44	44	17	1	...	11
ALL STILL BIRTHS . . .	3,602	38.2	132	677	896	884	702	259	31	1	20
* Still-Births per 1000 Total Births (including Still-Births) —											
Legitimate . . .	37.5	...	27	28	31	41	55	64	115
Illegitimate . . .	46.8	...	38	42	38	45	73	99
All Births . . .	38.2	...	30	29	31	41	55	66	116

* Based, in respect of mothers of living children, on an estimated distribution.

TABLE S.B. (3).—Multiple Births by Age of Mother, 1942

Note.—This table refers exclusively to those cases in which at least one child was still-born.

	LIVING BIRTHS.		STILL-BIRTHS.		AGE OF MOTHER.										Not stated.
	Male.	Female.	Male.	Female.	All Ages.	Under 20.	20- 24	25- 29	30- 34	35- 39	40- 44	45- 49	50 and over.		
Twin Births	2	...	13	5	4	2	1	1	
	1	1	5	1	1	2	1	
	2	8	...	3	3	1	
	1	...	1	...	39	1	7	13	9	8	1	
	1	1	17	...	3	5	3	5	1	
Triplet Births	1	...	22	...	4	7	9	2	
	...	1	...	1	27	1	6	10	6	3	...	1	
	
	1	2	1	...	1	
	
All Twin Births	131	3	23	44	33	22	4	2	
All Triplet Births	1	1	
ALL STILL-BIRTHS
i.e. Total number of Multiple Pregnancies in which at least one child was still-born.															...
CHILDREN BORN—															
Living-born—															
Male
Female
Still-born—															
Male
Female
TOTAL—Both Sexes
						56	1	10	18	12	13	2	
						49	1	10	17	15	5	...	1	...	
						93	1	11	32	27	16	4	2	...	
						67	3	15	24	12	10	2	1	...	
						265	6	46	91	66	44	8	4	...	

TABLE S.B. (4).—Still-Births 1942. Causes of Death with Age of Mother.

CAUSE OF DEATH.	SEX OF CHILD.	AGE OF MOTHER.									
		All Ages.	Under 20.	20-	25-	30-	35-	40-	45-	50 and over.	Not stated.
ALL CAUSES - - - -	B.S.	3,602	132	677	896	884	702	259	31	1	20
	M.	1,956	73	341	485	478	399	152	16	1	11
	F.	1,645	59	336	410	406	303	107	15	-	9
I. Disease in or Accident to the Mother - - - -	Not Spec.	1	-	-	1	-	-	-	-	-	-
	B.S.	1,055	33	183	251	277	220	80	8	-	3
<i>(a) Diseases not specially associated with Pregnancy or Childbirth.</i>											
Syphilis - - - -	M.	14	-	5	3	4	1	-	-	-	1
	F.	18	-	6	4	6	1	-	1	-	-
Tuberculosis - - - -	M.	2	-	1	-	-	-	1	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-
Other chronic infectious diseases -	M.	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-
Influenza - - - -	M.	4	-	-	3	-	1	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-
Other acute infectious diseases -	M.	1	-	-	-	-	1	-	-	-	-
	F.	1	-	-	1	-	-	-	-	-	-
Exophthalmic goitre - - - -	M.	-	-	-	-	-	-	-	-	-	-
	F.	1	-	-	-	1	-	-	-	-	-
Other diseases of ductless glands -	M.	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-
Diseases of blood - - - -	M.	9	-	-	2	4	2	-	-	-	1
	F.	7	-	1	1	3	1	-	-	-	1
Other general diseases - - - -	M.	9	1	-	2	1	4	1	-	-	-
	F.	6	-	-	3	-	2	1	-	-	-
Diseases of nervous system - - -	M.	2	-	-	-	-	2	-	-	-	-
	F.	1	-	-	-	-	1	-	-	-	-
Diseases of heart - - - -	M.	1	1	-	-	-	-	-	-	-	-
	F.	4	-	2	-	2	-	-	-	-	-
Other diseases of circulatory system	M.	3	-	-	1	-	2	-	-	-	-
	F.	4	-	2	-	-	1	1	-	-	-
Bronchitis, pneumonia - - - -	M.	2	-	1	1	-	-	-	-	-	-
	F.	4	-	-	1	-	2	1	-	-	-
Other diseases of respiratory system	M.	1	-	-	-	-	-	1	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-
Diseases of digestive system - -	M.	2	-	-	1	-	1	-	-	-	-
	F.	2	-	1	-	-	-	-	1	-	-
Chronic nephritis - - - -	M.	4	-	-	1	3	-	-	-	-	-
	F.	4	-	2	1	-	1	-	-	-	-
Other diseases of genito-urinary system - - - -	M.	6	-	1	-	2	2	1	-	-	-
	F.	1	-	-	1	-	-	-	-	-	-

TABLE S.B. (4).—continued.

CAUSE OF DEATH.	SEX OF CHILD.	AGE OF MOTHER.									
		All Ages.	Under 20.	20-	25-	30-	35-	40-	45-	50 and over.	Not stated.
I. Disease in or Accident to the Mother—continued.											
<i>b) Diseases associated with Pregnancy or Childbirth.</i>											
<i>Toxæmias.</i>											
Eclampsia, pre-eclampsia -	M.	114	3	17	27	36	21	10	-	-	-
	F.	104	6	18	14	40	19	7	-	-	-
Nephritic toxæmia -	M.	60	1	8	20	16	11	3	1	-	-
	F.	24	2	5	7	5	3	2	-	-	-
Pyelitis -	M.	7	1	-	1	4	-	-	1	-	-
	F.	8	-	2	5	-	-	1	-	-	-
Acute yellow atrophy of liver	M.	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-
Hyperemesis gravidarum -	M.	4	-	-	1	-	3	-	-	-	-
	F.	5	-	1	-	2	2	-	-	-	-
Toxæmia (other or not stated)	M.	44	3	8	3	13	13	4	-	-	-
	F.	28	-	2	12	5	6	3	-	-	-
<i>Ante-partum hæmorrhage.</i>											
Placenta prævia -	M.	87	1	14	16	19	27	10	-	-	-
	F.	74	2	8	24	16	16	6	2	-	-
Accidental hæmorrhage -	M.	146	2	34	35	32	35	8	-	-	-
	F.	106	3	23	28	26	16	8	2	-	-
Other ante-partum hæmorrhage -	M.	38	2	5	7	14	8	2	-	-	-
	F.	35	3	5	10	9	6	2	-	-	-
<i>(c) Over-exertion—</i>											
As a result of overwork -	M.	1	-	-	-	-	-	1	-	-	-
	F.	1	-	1	-	-	-	-	-	-	-
Others -	M.	3	-	1	-	-	1	1	-	-	-
	F.	2	-	-	-	2	-	-	-	-	-
<i>(d) Other violent causes -</i>											
	M.	16	2	2	6	2	1	3	-	-	-
	F.	16	-	3	5	4	3	1	-	-	-
<i>(e) Other causes in mother -</i>											
	M.	12	-	3	2	3	3	1	-	-	-
	F.	7	-	1	2	3	1	-	-	-	-
II. Anomalies of Fœtus, Placenta or Cord											
	B.S.	887	28	176	226	221	163	60	8	1	4
<i>Fœtal defects.</i>											
Hydrocephalus -	M.	67	3	9	15	17	16	6	1	-	-
	F.	67	3	9	19	17	16	3	-	-	-
Spina bifida -	M.	23	1	5	8	4	5	4	-	1	-
	F.	30	2	10	4	4	5	4	1	-	-
Congenital heart disease -	M.	3	-	-	2	-	-	1	-	-	-
	F.	5	-	-	2	1	1	1	-	-	-
Hydramnios -	M.	14	-	-	2	5	5	1	1	-	-
	F.	17	2	5	3	1	4	2	-	-	-
Oligohydramnios -	M.	1	-	-	1	-	-	-	-	-	-
	F.	1	-	-	-	1	-	-	-	-	-
Multiple malformations or defects -	M.	28	-	4	10	8	4	1	1	-	-
	F.	53	1	12	16	12	10	2	-	-	-
Anencephalus -	M.	76	2	13	19	26	11	3	1	-	1
	F.	203	9	51	48	52	35	7	1	-	-
	N.S.	1	-	-	1	-	-	-	-	-	-
Other specified defects-	M.	8	-	1	1	2	2	2	-	-	-
	F.	22	1	9	5	2	2	2	-	-	1
Malformation, monster (type not stated) -	M.	6	-	-	3	2	-	1	-	-	-
	F.	8	-	1	4	2	1	-	-	-	-
Torsion of cord -	M.	65	-	14	18	18	12	2	1	-	-
	F.	70	3	14	14	19	11	8	-	-	1
Placental infarct, disease, &c. -	M.	66	-	13	16	15	14	8	-	-	-
	F.	48	1	6	15	13	9	2	1	-	1

TABLE S.B. (4).—continued.

CAUSE OF DEATH.	SEX OF CHILD.	AGE OF MOTHER.									
		All Ages.	Under 20.	20-	25-	30-	35-	40-	45-	50 and over.	Not stated.
III. Death of Fœtus by Injury or other Cause	B.S.	1,070	44	199	274	269	204	71	7	-	2
Difficult labour.											
Abnormal presentation of fetus	M. F.	219 156	13 2	39 33	57 35	53 42	43 30	13 12	1 2	-	-
Malformation of pelvis (contracted pelvis)	M. F.	43 27	4 1	7 5	8 11	10 6	8 4	6 -	-	-	-
Prolapse of cord	M. F.	161 68	9 2	28 11	34 16	46 16	32 18	10 5	-	-	2
Prolonged labour	M. F.	63 27	1 -	8 5	19 5	14 10	12 4	9 1	- 2	-	-
Uterine inertia	M. F.	44 25	1 -	9 5	17 7	9 7	7 3	1 2	- 1	-	-
Post maturity	M. F.	14 7	- -	4 -	4 2	2 1	2 3	1 1	1 -	-	-
Obstetrical operations (without indication as to object of operation)—											
Operations causing mutilation	M. F.	3 -	- -	- -	1 -	1 -	1 -	- -	- -	-	-
Other obstetrical operations	M. F.	- -	- -	- -	- -	- -	- -	- -	- -	-	-
Precipitate labour	M. F.	8 13	- -	5 4	- 1	- 3	- 2	3 3	- -	-	-
Rupture of membranes	M. F.	8 11	1 -	1 -	2 3	3 3	1 5	- -	- -	-	-
Injury at birth (including cerebral hæmorrhage)	M. F.	43 42	3 2	11 8	18 9	7 10	3 11	1 2	- -	-	-
Multiple pregnancy	M. F.	45 27	1 2	6 8	11 10	21 3	6 4	- -	- -	-	-
Other defined causes	M. F.	10 6	1 1	1 1	2 2	- 2	5 -	1 -	- -	-	-
IV. Ill-defined and Unknown Causes	B.S.	590	27	119	145	117	115	48	8	-	11
Prematurity	M. F.	74 68	7 7	23 25	21 17	9 10	9 6	2 3	2 -	-	1
Habit abortion	M. F.	6 2	- -	1 2	3 -	1 -	1 -	- -	- -	-	-
Debility	M. F.	34 37	1 -	3 3	9 8	8 9	5 13	6 4	2 -	-	-
Asphyxia	M. F.	36 20	1 -	9 2	8 5	5 5	8 8	5 -	- -	-	-
Atelectasis	M. F.	14 10	1 1	3 3	2 2	- 2	7 2	1 -	- -	-	-
Macerated fœtus	M. F.	84 41	4 2	11 5	21 12	20 14	19 5	8 2	1 1	-	-
Cause unknown	M. F.	93 71	2 1	13 16	21 16	19 15	22 10	9 8	2 -	-	5 5

TABLE S.B. (5).—Still-Births, 1942. Cause of Death by Order of Birth, including Children by any previous Husband, 1942. (Legitimate Births only.)

CAUSE OF DEATH.	All Legitimate Births.	No. OF PREVIOUS CHILDREN (present or any previous Husband).												Not stated.
		None.	1	2	3	4	5	6	7	8	9	10 and over.		
ALL CAUSES (Legitimate Still- Births only)	3,285	1,450	529	363	265	189	140	104	76	56	44	69	-	
I. Disease in or Accident to the Mother	979	417	154	121	81	61	40	30	23	13	16	23	-	
(a) Diseases not specially associated with Pregnancy or Childbirth.														
Syphilis	25	11	5	2	2	3	1	-	-	-	-	1	-	
Tuberculosis	1	-	-	-	-	-	-	1	-	-	-	-	-	
Other chronic infectious diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza	4	2	2	-	-	-	-	-	-	-	-	-	-	
Other acute infectious diseases	2	-	-	1	-	-	1	-	-	-	-	-	-	
Exophthalmic goitre	1	-	-	-	1	-	-	-	-	-	-	-	-	
Other diseases of ductless glands	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diseases of blood	15	3	2	3	2	1	3	-	-	1	-	-	-	
Other general diseases	15	4	2	3	1	2	3	-	-	-	-	-	-	
Diseases of nervous system	2	-	-	-	-	-	1	-	1	-	-	-	-	
Diseases of heart	5	4	-	1	-	-	-	-	-	-	-	-	-	
Other diseases of circulatory system	7	2	2	2	-	-	-	-	-	1	-	-	-	
Bronchitis and pneumonia	5	4	-	-	-	1	-	-	-	-	-	-	-	
Other diseases of respiratory system	1	-	-	-	-	-	-	-	-	1	-	-	-	
Diseases of digestive system	4	3	-	-	-	-	-	-	-	-	-	1	-	
Chronic nephritis	8	2	-	2	-	1	2	-	-	1	-	-	-	
Other diseases of genito-urinary system	7	3	1	2	-	-	-	-	1	-	-	-	-	
(b) Diseases associated with Preg- nancy or Childbirth.														
Toxæmias.														
Eclampsia, pre-eclampsia	201	129	20	10	16	5	2	8	6	-	4	1	-	
Nephritic toxæmia	79	40	16	9	5	2	3	1	2	-	-	1	-	
Pyelitis	14	6	1	3	1	-	2	-	1	-	-	-	-	
Acute yellow atrophy of liver	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hyperemesis gravidarum	9	5	-	2	2	-	-	-	-	-	-	-	-	
Toxæmia (other or not stated)	64	33	6	7	2	8	1	2	2	1	-	2	-	
Ante-partum hæmorrhage.														
Placenta prævia	154	49	27	26	12	9	11	6	3	2	3	6	-	
Accidental hæmorrhage	229	83	41	29	22	17	7	7	7	3	7	6	-	
Other ante-partum hæmorrhage	70	20	15	11	7	7	2	3	-	2	2	1	-	
(c) Over Exertion—														
As result of overwork	2	-	1	-	1	-	-	-	-	-	-	-	-	
Others	4	1	1	1	1	-	-	-	-	-	-	-	-	
(d) Other Violent Causes	32	9	6	4	4	4	1	1	-	1	-	2	-	
(e) Other Causes in Mother	19	4	6	3	2	1	-	1	-	-	-	2	-	

TABLE S.B. (5).—continued

CAUSE OF DEATH.	All Legitimate Births.	NO. OF PREVIOUS CHILDREN (present or any previous Husband).												Not stated.
		None.	1	2	3	4	5	6	7	8	9	10 and over.		
II. Anomalies of Fœtus, Placenta or Cord - - - -	826	341	146	96	67	58	32	23	17	18	7	21	-	
<i>Fœtal defects.</i>														
Hydrocephalus - - - -	121	49	21	13	10	8	5	4	2	4	2	3	-	
Spina bifida - - - -	53	25	6	8	-	6	-	-	3	1	2	2	-	
Congenital heart disease - -	8	1	2	2	3	-	-	-	-	-	-	-	-	
Hydramnios - - - -	30	9	8	5	2	2	-	2	1	-	-	1	-	
Oligohydramnios - - - -	2	2	-	-	-	-	-	-	-	-	-	-	-	
Multiple malformations or defects - - - -	76	28	16	11	8	3	1	4	2	1	1	1	-	
Anencephalus - - - -	262	98	48	31	26	25	13	7	4	4	-	6	-	
Other specified defects - -	27	11	5	5	1	-	2	-	1	-	-	2	-	
Malformation, monster (type not stated) - - - -	13	4	3	2	2	2	-	-	-	-	-	-	-	
Torsion of cord - - - -	129	71	21	11	6	5	3	3	1	5	1	2	-	
Placental infarct, disease, &c. - -	105	43	16	8	9	7	8	3	3	3	1	4	-	
III. Death of Fœtus by Injury or other Cause - - - -	974	486	149	92	59	44	40	33	29	15	12	15	-	
<i>Difficult labour.</i>														
Abnormal presentation of fœtus	338	165	43	39	23	23	10	9	10	4	6	6	-	
Malformation of pelvis (contracted pelvis) - - - -	65	41	7	4	1	2	2	2	1	2	2	1	-	
Prolapse of cord - - - -	210	81	33	29	16	11	17	8	8	3	2	2	-	
Prolonged labour - - - -	80	43	15	1	6	1	3	3	4	2	-	2	-	
Uterine inertia - - - -	65	46	7	3	2	1	-	3	1	-	1	1	-	
Post maturity - - - -	19	11	2	1	-	1	3	1	-	-	-	-	-	
Obstetrical operations (without indication as to object of operation)—														
Operations causing mutilation	3	2	1	-	-	-	-	-	-	-	-	-	-	
Other obstetrical operations	-	-	-	-	-	-	-	-	-	-	-	-	-	
Precipitate labour - - - -	17	4	2	1	2	1	2	1	-	2	-	2	-	
Rupture of membranes - - - -	19	12	4	-	1	-	-	-	2	-	-	-	-	
Injury at birth (including cerebral hæmorrhage) - -	75	45	11	4	5	3	1	2	3	1	-	-	-	
Multiple pregnancy - - - -	69	34	18	8	2	-	2	3	-	-	1	1	-	
Other defined causes - - - -	14	2	6	2	1	1	-	1	-	1	-	-	-	
IV. Ill-defined and Unknown Causes	506	206	80	54	58	26	28	18	7	10	9	10	-	
Prematurity - - - -	115	60	27	5	9	3	5	3	-	-	1	2	-	
Habit abortion - - - -	8	2	-	4	-	1	-	-	-	-	1	-	-	
Debility - - - -	67	28	7	9	9	4	-	2	2	2	2	2	-	
Asphyxia - - - -	48	21	10	6	4	4	1	1	1	-	-	-	-	
Atelectasis - - - -	21	9	2	2	3	1	3	-	-	1	-	-	-	
Macerated fœtus - - - -	108	38	14	15	14	9	6	2	2	3	3	2	-	
Cause unknown - - - -	139	48	20	13	19	4	13	10	2	4	2	4	-	

TABLE S.B. (6).—Still-Births, 1942. Cause of Death by Month of Registration.

CAUSE OF DEATH.	Year.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.
ALL CAUSES	3602	320	309	341	313	316	302	287	273	275	306	246	314
Legitimate	3285	298	279	315	290	283	264	254	251	253	283	226	289
Illegitimate	317	22	30	26	23	33	38	33	22	22	23	20	25
Still-Births per 1000 Births	38	42	44	42	37	37	36	35	35	38	37	35	41
I. Disease in or Accident to the Mother	1055	93	107	111	96	100	76	80	78	84	81	62	87
(a) <i>Diseases not specially associated with Pregnancy or Childbirth.</i>													
Syphilis	32	3	1	4	5	1	2	1	1	7	5	1	1
Tuberculosis	2	-	-	-	-	1	1	-	-	-	-	-	-
Other chronic infectious diseases	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza	4	-	1	-	-	-	1	-	-	-	-	-	2
Other acute infectious diseases	2	-	-	1	-	-	-	-	-	-	-	-	1
Exophthalmic goitre	1	-	1	-	-	-	-	-	-	-	-	-	-
Other diseases of ductless glands	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of blood	16	1	1	2	-	2	2	-	5	2	-	-	1
Other general diseases	15	1	2	1	3	2	-	2	-	-	1	-	3
Diseases of nervous system	3	1	-	-	-	1	-	-	-	-	-	-	1
Diseases of heart	5	-	-	-	-	1	-	-	2	-	1	1	-
Other diseases of circulatory system	7	-	2	-	-	1	-	1	-	1	2	-	-
Bronchitis and pneumonia	6	-	1	-	2	1	1	-	-	-	-	1	-
Other diseases of respiratory system	1	-	1	-	-	-	-	-	-	-	-	-	-
Diseases of digestive system	4	1	-	-	1	1	1	-	-	-	-	-	-
Chronic nephritis	8	1	1	2	-	-	2	-	-	1	1	-	-
Other diseases of genito-urinary system	7	2	1	1	-	-	-	-	-	-	-	1	2
(b) <i>Diseases associated with Pregnancy or Childbirth.</i>													
<i>Toxæmias.</i>													
Eclampsia, pre-eclampsia	218	19	24	17	19	24	18	17	19	17	18	16	10
Nephritic toxæmia	84	6	12	8	11	13	5	5	2	4	3	6	9
Pyelitis	15	-	3	-	-	3	1	3	1	2	-	-	2
Acute yellow atrophy of liver	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperemesis gravidarum	9	-	2	2	1	-	-	-	-	-	1	1	2
Toxæmia (other or not stated)	72	11	11	12	3	6	-	4	3	6	6	3	7
<i>Ante-partum hæmorrhage.</i>													
Placenta prævia	161	14	18	20	10	12	13	18	10	13	13	9	11
Accidental hæmorrhage	252	21	13	26	29	24	19	19	27	21	19	16	18
Other ante-partum hæmorrhage	73	5	5	5	6	3	5	6	7	8	7	5	11
(c) <i>Over Exertion—</i>													
As result of overwork	2	-	-	1	-	-	1	-	-	-	-	-	-
Others	5	1	1	-	-	-	-	1	-	-	1	1	-
(d) <i>Other Violent Causes</i>	32	5	6	4	3	2	1	1	1	2	3	1	3
(e) <i>Other Causes in Mother</i>	19	1	-	5	3	2	3	2	-	-	-	-	3

TABLE S.B. (6)—continued.

CAUSE OF DEATH.	Year.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.
II. Anomalies of Fœtus, Placenta or Cord - - -	887	80	66	75	80	77	73	68	77	62	79	70	80
<i>Fœtal defects.</i>													
Hydrocephalus - - -	134	11	9	14	13	15	14	10	11	7	9	6	15
Spina bifida - - -	58	13	3	7	5	5	4	3	4	2	3	5	4
Congenital heart disease - -	8	1	-	1	2	1	-	2	-	-	-	-	1
Hydramnios - - -	31	2	3	5	3	2	1	2	2	6	3	1	1
Oligohydramnios - - -	2	1	1	-	-	-	-	-	-	-	-	-	-
Multiple malformations or defects - - -	81	3	8	1	6	7	6	11	11	5	9	8	6
Anencephalus - - -	280	27	23	20	24	19	22	15	25	25	36	22	22
Other specified defects - -	30	-	4	4	2	3	2	1	3	2	-	4	5
Malformation, monster (type not stated) - - -	14	1	1	1	-	1	2	3	2	1	1	-	1
Torsion of cord - - -	135	10	9	14	13	16	13	13	7	5	10	14	11
Placental infarct, disease, &c. - -	114	11	5	8	12	8	9	8	12	9	8	10	14
III. Death of Fœtus by Injury or other Cause - - -	1070	100	92	96	95	92	101	78	70	91	99	63	93
<i>Difficult labour.</i>													
Abnormal presentation of fœtus	375	37	31	34	33	34	34	26	29	37	33	21	26
Malformation of pelvis (contracted pelvis) - - -	70	10	11	6	7	5	3	6	2	4	4	5	7
Prolapse of cord - - -	229	21	21	21	23	15	22	17	9	20	23	9	28
Prolonged labour - - -	90	7	7	6	10	13	7	9	9	5	9	5	3
Uterine inertia - - -	69	6	-	6	8	5	7	7	7	9	6	4	4
Post-maturity - - -	21	1	3	3	-	4	1	1	-	1	1	2	4
Obstetrical operations (without indication as to object of operation)—													
Operations causing mutilation	3	1	-	-	-	1	-	-	-	1	-	-	-
Other obstetrical operations -	-	-	-	-	-	-	-	-	-	-	-	-	-
Precipitate labour - - -	21	2	3	3	-	2	5	1	1	1	-	1	2
Rupture of membranes - - -	19	1	2	-	3	1	2	-	1	2	3	1	3
Injury at birth, including cerebral hæmorrhage - - -	85	9	6	7	5	4	12	5	6	6	9	9	7
Multiple pregnancy - - -	72	5	6	9	5	8	6	5	4	4	7	6	7
Other defined causes - - -	16	-	2	1	1	-	2	1	2	1	4	-	2
IV. Ill-defined and Unknown Causes - - -	590	47	44	59	42	47	52	61	48	38	47	51	54
Prematurity - - -	142	13	14	19	8	12	10	14	17	9	6	6	14
Habit abortion - - -	8	-	-	-	2	2	1	1	1	-	-	-	1
Debility - - -	71	5	5	4	14	7	5	7	4	6	4	4	6
Asphyxia - - -	56	6	6	5	4	-	8	7	4	1	5	6	4
Atelectasis - - -	24	1	2	1	2	3	2	3	2	3	-	4	1
Macerated fœtus - - -	125	10	7	17	6	15	14	11	8	5	10	13	9
Causes unknown - - -	164	12	10	13	6	8	12	18	12	14	22	18	19

TABLE 1.—Population, Births, Deaths, and Marriages in Scotland, 1855-1942.
Quinquennial averages.

YEAR	Estimated Mid-Year Popula- tion.	LIVE-BIRTHS.†						MARRIAGES.	DEATHS.				Excess of Births over Deaths.
		Total.	Males.	Fem.	Illegit.	Twin Births	Triplet Births.		Total.	Males.	Fem.	Under 1 Year.	
1855-60	3,018,000	102,462	52,655	49,807	8,953	1,282	*16	20,645	62,644	31,139	31,505	12,250	39,818
1861-65	3,127,000	109,764	56,386	53,428	10,742	1,298	13	22,013	69,265	34,380	34,885	13,166	40,499
1866-70	3,276,000	114,394	58,676	55,718	11,270	1,393	*13	22,832	71,974	35,823	36,151	13,971	42,420
1871-75	3,441,000	120,376	61,964	58,412	10,941	1,416	13	25,754	77,988	38,961	39,027	15,314	42,388
1876-80	3,629,000	126,086	64,648	61,438	10,711	1,430	14	24,956	74,801	37,463	37,338	14,921	51,285
1881-85	3,799,000	126,409	64,805	61,604	10,453	1,417	14	26,176	74,396	37,041	37,355	14,864	52,013
1886-90	3,944,000	123,977	63,674	60,303	9,973	1,378	13	25,702	74,320	36,729	37,591	14,943	49,657
1891-95	4,122,000	125,800	64,558	61,242	9,326	1,420	13	27,962	78,350	38,797	39,553	15,896	47,450
1896- 1900 }	4,345,000	130,209	66,554	63,655	8,870	1,465	16	31,771	78,021	39,070	38,951	16,857	52,188
1901-05	4,536,000	132,399	67,565	64,834	8,609	1,599	*17	31,838	77,313	38,716	38,597	15,881	55,086
1906-10	4,680,000	128,987	65,811	63,176	9,125	1,609	*14	31,811	75,534	37,596	37,938	14,501	53,453
1911-15	4,748,000	120,654	61,607	59,047	8,698	1,538	15	33,857	74,466	37,253	37,213	13,604	46,188
1916-20	4,820,000	109,750	56,269	53,481	8,315	1,491	*10	37,437	72,365	36,455	35,910	10,869	37,385
1921	4,882,497	123,201	63,075	60,126	8,757	1,596	8	39,243	66,210	33,085	33,125	11,130	56,991
1922	4,898,000	115,085	58,826	56,259	7,881	1,498	11	34,375	72,905	36,244	36,661	11,664	42,180
1923	4,888,100	111,902	57,332	54,570	7,477	1,491	9	35,200	63,283	31,682	31,601	8,825	48,619
1924	4,862,200	106,900	54,919	51,981	7,036	1,400	13	32,328	70,357	35,168	35,189	10,446	36,543
1925	4,867,100	104,137	53,426	50,711	6,831	1,309	7	32,456	65,507	33,036	32,471	9,430	38,630
1921-25	4,879,600	112,245	57,516	54,729	7,606	1,459	10	34,720	67,652	33,843	33,809	10,299	44,593
1926	4,864,300	102,449	52,362	50,087	7,046	1,279	*12	31,244	63,780	32,021	31,759	8,514	38,669
1927	4,853,100	96,672	49,314	47,358	6,978	1,237	9	32,553	65,830	33,097	32,733	8,576	30,842
1928	4,847,900	96,822	49,584	47,238	7,158	1,201	15	32,948	65,271	32,577	32,694	8,299	31,551
1929	4,832,200	92,880	47,769	45,111	7,165	1,157	12	32,967	70,917	35,386	35,531	8,061	21,963
1930	4,823,000	94,549	48,069	46,480	6,950	1,265	9	33,315	64,285	32,448	31,837	7,852	30,264
1926-30	4,845,100	96,674	49,419	47,255	7,059	1,228	11	32,605	66,017	33,106	32,911	8,260	30,657
1931	4,842,980	92,220	46,972	45,248	6,661	1,117	15	32,652	64,229	32,238	31,991	7,544	27,991
1932	4,833,100	91,000	46,579	44,421	6,456	1,106	17	33,157	66,045	32,743	33,302	7,840	24,955
1933	4,912,400	86,546	44,767	41,779	5,964	1,067	10	34,201	64,848	32,593	32,255	7,019	21,698
1934	4,934,300	88,886	45,414	43,422	6,119	1,034	15	36,934	63,741	32,093	31,648	6,901	25,095
1935	4,952,500	87,928	44,965	42,963	5,777	1,058	5	37,988	65,331	32,822	32,509	6,754	22,597
1931-35	4,905,000	89,306	45,739	43,567	6,195	1,076	12	34,986	64,839	32,498	32,341	7,212	24,467
1936	4,966,300	88,928	45,323	43,605	5,744	1,047	7	37,896	66,749	33,873	32,876	7,315	22,179
1937	4,976,600	87,810	45,035	42,775	5,404	1,035	10	38,334	68,942	34,964	33,978	7,050	18,868
1938	4,993,100	88,627	45,447	43,180	5,449	1,058	3	38,716	62,953	31,806	31,147	6,163	25,674
1939	5,006,700	86,899	44,712	42,187	5,192	1,095	14	46,236	64,413	33,002	31,411	5,955	22,486
1940	4,841,200	86,403	44,254	42,149	5,091	1,046	5	53,522	72,775	37,649	35,126	6,766	13,628
1936-40	...	87,733	44,954	42,779	5,376	1,056	8	42,941	67,166	34,259	32,967	6,650	20,567
1941	4,819,400	89,743	46,151	43,592	5,904	1,050	17	47,620	72,558	37,690	34,868	7,426	17,185
1942	4,751,000	90,697	46,415	44,282	6,455	1,069	9	47,514	64,963	33,313	31,150	6,283	25,734

* Including one case of quadruplets.

† For Still-births see Table 3.

‡ Mean civilian population for year.

Corresponding details for individual years prior to 1921 will be found in the Reports for 1930 and previous years.

TABLE 2.—Birth-, Death-, and Marriage-rates in Scotland, 1855-1942.
Quinquennial averages.

YEAR.	Rates per 1000 of Population.						Illegit. Births per cent. of Live-births.	Male Births per 1000 Female Births.	Percentage of Mothers who had Multiple Births.	Deaths of Children under one year per 1000 Live-births.
	Birth- rate (Living Child- ren).	Mar- riage- rate.	Death-rate.			Natural Increase (excess of Births over Deaths).				
			Total.	Males.	Fem.					
1855-60	34.104	6.839	20.750	21.72	19.84	13.36	8.74	1057	1.26	119.6
1861-65	35.096	7.046	22.139	23.16	21.21	12.96	9.79	1054	1.21	119.9
1866-70	34.911	6.971	21.969	22.96	21.06	12.94	9.85	1053	1.24	122.1
1871-75	34.974	7.482	22.655	23.67	21.67	12.32	9.09	1061	1.20	127.2
1876-80	34.758	6.882	20.617	21.49	19.81	13.94	8.49	1052	1.16	118.3
1881-85	33.275	6.891	19.582	20.21	18.98	13.69	8.27	1052	1.15	117.6
1886-90	31.444	6.515	18.843	19.26	18.42	12.60	8.04	1056	1.13	120.5
1891-95	30.522	6.784	19.014	19.48	18.58	11.51	7.41	1054	1.15	126.4
1896-1900	29.970	7.310	17.949	18.53	17.40	12.02	6.81	1046	1.15	129.5
1901-05	29.193	7.020	17.050	17.58	16.56	12.14	6.50	1042	1.24	119.9
1906-10	27.569	6.800	16.144	16.56	15.75	11.43	7.07	1042	1.27	112.4
1911-15	25.415	7.131	15.683	16.17	15.23	9.73	7.21	1043	1.30	112.8
1916-20	22.757	7.761	15.014	15.72	14.36	7.74	7.58	1052	1.39	99.0
1921	25.233	8.037	13.561	14.09	13.07	11.67	7.11	1049	1.32	90.3
1922	23.496	7.018	14.885	15.37	14.43	8.61	6.85	1046	1.33	101.4
1923	22.892	7.201	12.946	13.47	12.46	9.95	6.68	1051	1.36	78.9
1924	21.986	6.649	14.470	15.10	13.89	7.52	6.63	1057	1.34	97.7
1925	21.396	6.668	13.459	14.15	12.82	7.94	6.56	1054	1.28	90.6
1921-25	23.001	7.114	13.864	14.44	13.34	9.14	6.78	1051	1.33	91.8
1926	21.061	6.423	13.112	13.73	12.55	7.95	6.88	1045	1.28	83.1
1927	19.919	6.707	13.564	14.22	12.96	6.35	7.22	1041	1.31	88.7
1928	19.971	6.796	13.463	14.01	12.96	6.51	7.39	1050	1.28	85.7
1929	19.220	6.822	14.675	15.27	14.12	4.54	7.71	1059	1.27	86.8
1930	19.583	6.900	13.314	14.01	12.67	6.27	7.35	1034	1.37	83.0
1926-30	19.951	6.730	13.626	14.25	13.05	6.32	7.30	1046	1.30	85.4
1931	19.042	6.742	13.262	13.86	12.71	5.78	7.22	1038	1.24	81.3
1932	18.636	6.790	13.525	13.94	13.14	5.11	7.09	1049	1.25	86.2
1933	17.618	6.962	13.201	13.79	12.66	4.42	6.89	1072	1.26	81.1
1934	18.004	7.485	12.918	13.51	12.37	5.09	6.89	1046	1.20	77.7
1935	17.754	7.670	13.191	13.78	12.66	4.56	6.57	1047	1.23	76.8
1931-35	18.207	7.133	13.219	13.77	12.71	4.99	6.94	1050	1.23	80.8
1936	17.906	7.631	13.440	14.16	12.77	4.47	6.46	1039	1.20	82.3
1937	17.645	7.703	13.853	14.59	13.17	3.79	6.15	1053	1.20	80.3
1938	17.749	7.754	12.608	13.22	12.04	5.14	6.15	1053	1.21	69.5
1939	17.357	9.235	12.865	13.68	12.11	4.49	5.97	1060	1.29	68.5
1940*	17.126	10.609	14.863	16.59	13.40	2.26	5.89	1050	1.23	78.3
1936-1940	17.557	8.586	13.526	14.45	12.70	4.03	6.12	1051	1.23	75.8
1941*	17.497	9.282	14.741	16.75	13.11	2.76	6.58	1059	1.20	82.7
1942*	17.631	9.236	13.343	15.24	11.81	4.29	7.12	1048	1.20	69.3

* Death rates for 1940 onwards are based on civilian population and civilian deaths.

Corresponding details for individual years prior to 1921 will be found in the Reports
for 1930 and previous years.

TABLE 3.—Births, Deaths and Marriages in Scotland, 1932 to 1942.

	Numbers.				Rates.							
	Live-Births.		Still-births.	Marriages.	Deaths.		Per 1000 of Estimated Population.			Illegit. Births per cent. of Live-births.	Deaths under One Year per 1000 Live-births.	Still-births per 1000 Live-births including Still-births.
	Total.	Illegitimate.			All Ages.	Under One Year.	Live Births.	Marriages.	Deaths.			
1st Quarter 1932	23,069	1,573	...	7,686	19,634	2,573	19.0	6.3	16.2	6.8	112	...
2nd " "	24,245	1,720	...	7,877	16,407	1,976	20.0	6.5	13.5	7.1	81	...
3rd " "	22,033	1,625	...	9,337	13,192	1,396	18.0	7.6	10.7	7.4	63	...
4th " "	21,653	1,538	...	8,257	16,812	1,895	17.6	6.7	13.7	7.1	88	...
Year 1932	91,000	6,456	...	33,157	66,045	7,840	18.6	6.8	13.5	7.1	86	...
1st Quarter 1933	21,785	1,474	...	7,052	20,750	2,359	18.0	5.8	17.1	6.8	108	...
2nd " "	23,211	1,639	...	8,178	15,127	1,706	19.0	6.7	12.4	7.1	73	...
3rd " "	21,135	1,462	...	10,252	13,088	1,343	17.1	8.3	10.6	6.9	64	...
4th " "	20,415	1,389	...	8,719	15,833	1,611	16.5	7.0	12.8	6.8	79	...
Year 1933	86,546	5,964	...	34,201	64,848	7,019	17.6	7.0	13.2	6.9	81	...
1st Quarter 1934	22,744	1,630	...	7,692	17,406	2,097	18.7	6.3	14.3	7.2	92	...
2nd " "	23,247	1,641	...	8,852	16,730	1,803	18.9	7.2	13.6	7.1	78	...
3rd " "	21,301	1,475	...	10,760	13,300	1,211	17.1	8.7	10.7	6.9	57	...
4th " "	21,544	1,373	...	9,630	16,305	1,790	17.3	7.7	13.1	6.4	83	...
Year 1934	88,836	6,119	...	36,934	63,741	6,901	18.0	7.5	12.9	6.9	78	...
1st Quarter 1935	21,978	1,468	...	7,695	19,177	2,111	18.0	6.3	15.7	6.7	96	...
2nd " "	23,259	1,419	...	9,106	16,205	1,655	18.8	7.4	13.1	6.1	71	...
3rd " "	21,566	1,433	...	11,281	13,461	1,180	17.3	9.0	10.8	6.6	55	...
4th " "	21,125	1,457	...	9,906	16,488	1,808	16.9	7.9	13.2	6.9	86	...
Year 1935	87,928	5,777	...	37,988	65,331	6,754	17.8	7.7	13.2	6.6	77	...
1st Quarter 1936	22,544	1,447	...	7,731	20,196	2,441	18.3	6.3	16.4	6.4	108	...
2nd " "	23,594	1,611	...	9,451	16,214	1,677	19.1	7.7	13.1	6.8	71	...
3rd " "	21,464	1,352	...	11,403	13,709	1,378	17.2	9.1	11.0	6.3	64	...
4th " "	21,826	1,334	...	9,311	16,630	1,819	17.1	7.5	13.3	6.3	85	...
Year 1936	88,928	5,744	...	37,896	66,749	7,315	17.9	7.6	13.4	6.5	82	...
1st Quarter 1937	21,589	1,316	...	8,089	22,123	2,104	17.6	6.6	18.0	6.1	97	...
2nd " "	23,864	1,450	...	9,359	15,781	1,733	19.2	7.5	12.7	6.1	73	...
3rd " "	21,745	1,395	...	11,511	13,616	1,299	17.3	9.2	10.9	6.4	60	...
4th " "	20,612	1,243	...	9,375	17,422	1,914	16.4	7.5	13.9	6.0	93	...
Year 1937	87,810	5,404	...	38,334	68,942	7,050	17.6	7.7	13.9	6.2	80	...
1st Quarter 1938	22,245	1,368	...	7,885	17,448	1,790	18.1	6.4	14.2	6.1	80	...
2nd " "	23,999	1,537	...	9,420	15,603	1,563	19.3	7.6	12.5	6.4	65	...
3rd " "	21,423	1,350	...	11,893	13,807	1,233	17.0	9.4	11.0	6.3	58	...
4th " "	20,960	1,194	...	9,518	16,095	1,577	16.7	7.6	12.8	5.7	75	...
Year 1938	88,627	5,449	...	38,716	62,953	6,163	17.7	7.8	12.6	6.1	70	...
1st Quarter 1939	21,429	1,288	958	7,659	18,995	1,890	17.4	6.2	15.4	6.0	88	43
2nd " "	23,615	1,418	979	9,955	15,672	1,442	18.9	8.0	12.6	6.0	61	40
3rd " "	21,549	1,300	989	15,613	13,587	1,220	17.1	12.4	10.8	6.0	57	44
4th " "	20,306	1,186	906	13,009	16,159	1,403	16.1	10.3	12.8	5.8	69	43
Year 1939	86,899	5,192	3,832	46,236	64,413	5,955	17.4	9.2	12.9	6.0	69	42
1st Quarter 1940	22,113	1,294	1,016	11,988	25,936	2,474	17.6	9.6	21.4	5.9	112	44
2nd " "	23,298	1,459	960	12,953	16,002	1,568	18.6	10.3	13.2	6.3	67	40
3rd " "	21,154	1,205	915	15,604	14,209	1,215	16.7	12.3	11.5	5.7	57	41
4th " "	19,838	1,133	908	12,977	16,628	1,509	15.6	10.2	13.4	5.7	76	44
Year 1940*	86,403	5,091	3,799	53,522	72,775	6,766	17.1	10.6	14.9	5.9	78	42
1st Quarter 1941	22,254	1,364	1,039	10,732	23,332	2,435	17.6	8.5	19.3	6.1	109	45
2nd " "	23,423	1,466	961	12,358	18,999	1,965	18.3	9.7	15.5	6.3	84	39
3rd " "	22,656	1,620	869	13,052	14,464	1,424	17.5	10.1	11.6	7.2	63	37
4th " "	21,410	1,454	829	11,478	15,763	1,602	16.6	8.9	12.7	6.8	75	37
Year 1941*	89,743	5,904	3,698	47,620	72,558	7,426	17.5	9.3	14.7	6.6	83	40
1st Quarter 1942	21,885	1,530	970	12,740	19,444	1,960	17.3	10.0	16.3	7.0	90	42
2nd " "	24,142	1,758	931	12,238	16,298	1,544	18.8	9.5	13.4	7.3	64	37
3rd " "	22,586	1,675	835	11,916	13,783	1,322	17.4	9.2	11.2	7.4	59	36
4th " "	22,084	1,492	866	10,620	15,438	1,457	17.0	8.2	12.6	6.8	66	38
Year 1942*	90,697	6,455	3,602	47,514	64,963	6,283	17.6	9.2	13.3	7.1	69	38

* Death-rates from 1940 onwards are based on civilian population and civilian deaths.

TABLE 4.—Birth-, Death-, and Marriage-rates in Scotland, its Counties and Large Burghs in 1942.

COUNTIES AND LARGE BURGHs.	Estimated Civilian Population 1942.	RATES PER 1000 OF POPULATION.										Still-births per 1000 Total Births including Still-births.	Infant Mortality. Rate per 1000 Live- births.	Illegitimate Births per cent. of Live Births.			
		Birth-rate.	Marriage-rate.	Crude (Corrected for Transfers).	Standardised Age and Sex.	All Tubercu- culosis.	Tuberculosis of Respiratory System.	DEATH-RATE. †									
								*Total.	Scarlet Fever.	Whooping- cough.	Diphtheria.				Influenza.	Measles.	Pneumonia.
SCOTLAND	4,750,995	17.6	9.2	13.3	13.3	0.82	0.62	0.22	0.01	0.02	0.06	0.06	0.03	1.09	69	38	
LARGE BURGHs	2,506,130	17.8	10.9	14.0	14.9	1.06	0.88	0.25	0.01	0.02	0.08	0.06	0.05	1.31	78	40	
SMALL BURGHs	2,244,865	17.5	7.4	12.6	11.7	0.55	0.40	0.18	0.00	0.02	0.04	0.07	0.01	0.85	60	35	
LANDWARD														7.7	58	36	
ABERDEEN COUNTY	301,126	17.6	9.4	12.9	12.1	0.56	0.38	0.14	—	0.02	0.06	0.02	0.01	0.80	60	34	
Aberdeen Burgh	164,064	16.1	11.3	13.6	13.8	0.65	0.46	0.19	—	0.03	0.09	0.02	0.02	0.90	67	30	
Remainder of County	137,072	19.3	7.0	12.2	10.6	0.45	0.23	0.09	—	—	0.01	0.02	—	0.69	54	37	
ANGUS COUNTY.	250,929	16.2	8.6	14.8	13.8	0.86	0.66	0.26	0.00	0.03	0.13	0.04	0.02	0.98	62	41	
Arbroath Burgh	17,911	18.9	11.0	15.7	13.0	0.45	0.39	—	—	0.03	0.18	0.04	0.04	1.40	97	69	
Dundee Burgh	158,536	15.9	9.2	14.7	14.7	1.02	0.77	0.33	0.01	0.03	0.05	0.04	—	0.98	68	45	
Remainder of County	74,482	16.3	6.6	14.9	12.3	0.63	0.50	0.15	—	0.03	0.05	0.04	—	0.90	50	28	
ARGYLL COUNTY	69,868	14.8	5.8	14.7	10.9	0.52	0.42	0.21	0.01	—	0.03	0.16	0.01	0.80	77	45	
AYR COUNTY	307,358	17.7	9.0	11.9	12.2	0.59	0.40	0.22	0.00	0.01	0.05	0.03	0.04	0.84	72	35	
Ayr Burgh	42,447	16.6	11.3	12.2	12.6	0.68	0.49	0.26	—	—	0.02	—	0.14	0.80	74	41	
Kilmarnock Burgh	39,078	16.2	9.7	11.6	12.5	0.69	0.49	0.08	—	—	—	0.03	—	1.02	84	47	
Remainder of County	225,833	18.2	8.4	11.9	12.1	0.55	0.37	0.24	0.00	0.01	0.07	0.04	0.02	0.81	70	32	
BANFF COUNTY.	49,496	19.3	7.3	12.1	10.8	0.42	0.30	0.36	—	0.04	0.14	0.10	—	0.65	47	21	
BERWICK COUNTY	25,040	15.0	6.2	14.8	12.6	0.28	0.20	0.20	—	—	0.04	0.16	—	1.00	93	43	
BUTE COUNTY	20,622	16.9	5.3	15.2	10.8	0.39	0.34	0.39	—	—	0.19	—	—	0.82	63	39	
CAITHNESS COUNTY	24,389	21.1	8.0	15.3	11.5	0.53	0.37	0.25	—	0.04	0.04	0.12	—	0.57	10.0	58	
CLACKMANNAN COUNTY	32,620	17.8	9.8	13.0	12.9	0.46	0.34	0.12	0.03	—	—	0.06	—	0.80	75	34	
DUNBARTON COUNTY	141,022	17.1	7.9	12.5	13.4	0.85	0.64	0.16	—	0.02	0.04	0.05	0.03	0.99	59	40	
Clydebank Burgh †	27,131	19.9	10.7	13.5	—	1.25	1.11	0.07	—	—	—	—	0.04	1.43	57	41	
Dumbarton Burgh †	23,109	19.6	7.6	12.8	—	1.25	0.82	0.17	—	0.04	0.13	—	—	1.08	65	32	
Remainder of County	90,782	15.6	7.2	12.1	12.0	0.63	0.45	0.19	—	0.02	0.02	0.08	0.03	0.93	41	41	
DUMFRIES COUNTY	84,776	17.9	8.8	13.2	12.0	0.58	0.35	0.15	—	0.02	0.04	0.06	—	0.93	55	31	
Dumfries Burgh	26,267	18.6	12.2	12.0	11.8	0.61	0.46	0.04	—	—	0.04	—	—	0.95	62	36	
Remainder of County	58,509	17.6	7.3	13.8	12.2	0.56	0.31	0.21	—	0.03	0.03	0.09	—	0.92	52	29	
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(r)	

	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)
EAST LOTHIAN COUNTY	47,664	175	78	110	109	029	015	006	—	—	—	—	—	—	—	—	—
FIFE COUNTY	272,844	177	88	126	126	049	037	018	—	—	—	—	—	—	—	—	—
Dunfermline Burgh	40,361	177	105	119	121	085	020	020	—	—	—	—	—	—	—	—	—
Kirkcaldy Burgh	43,302	154	95	127	128	032	028	028	—	—	—	—	—	—	—	—	—
Remainder of County	189,181	183	83	127	127	056	040	016	—	—	—	—	—	—	—	—	—
INVERNESS COUNTY	82,873	159	79	135	104	063	045	013	—	—	—	—	—	—	—	—	—
Inverness Burgh	24,495	190	164	128	112	045	041	008	—	—	—	—	—	—	—	—	—
Remainder of County	58,378	145	41	138	102	070	046	015	—	—	—	—	—	—	—	—	—
KINCARDINE COUNTY	26,587	175	65	121	98	038	023	015	—	—	—	—	—	—	—	—	—
KINROSS COUNTY	7,457	155	87	142	116	107	080	013	—	—	—	—	—	—	—	—	—
KIRKCUDBRIGHT COUNTY	32,193	170	66	125	104	034	025	006	—	—	—	—	—	—	—	—	—
LANARK COUNTY	1,495,087	183	105	137	155	119	093	027	—	—	—	—	—	—	—	—	—
Airdrie Burgh	27,457	209	110	117	134	078	047	025	—	—	—	—	—	—	—	—	—
Cairnbridge Burgh	42,941	210	93	123	139	095	077	026	—	—	—	—	—	—	—	—	—
Glasgow Burgh†	1,000,080	188	114	147	—	140	110	029	—	—	—	—	—	—	—	—	—
Hamilton Burgh	37,641	205	103	126	144	101	072	029	—	—	—	—	—	—	—	—	—
Motherwell and Wishaw Burgh	64,288	183	95	119	141	084	065	016	—	—	—	—	—	—	—	—	—
Rutherglen Burgh	23,988	150	116	127	140	079	063	035	—	—	—	—	—	—	—	—	—
Remainder of County	293,812	187	79	117	133	072	057	020	—	—	—	—	—	—	—	—	—
MIDLOTHIAN COUNTY	508,753	161	101	141	141	076	061	024	—	—	—	—	—	—	—	—	—
Edinburgh Burgh	424,447	153	105	145	143	084	068	025	—	—	—	—	—	—	—	—	—
Remainder of County	34,266	173	82	119	125	039	023	018	—	—	—	—	—	—	—	—	—
MORAY COUNTY	42,995	196	77	126	105	035	021	036	—	—	—	—	—	—	—	—	—
NAIRN COUNTY	8,773	216	74	123	93	023	023	023	—	—	—	—	—	—	—	—	—
ORKNEY COUNTY	25,023	183	75	152	103	052	028	016	—	—	—	—	—	—	—	—	—
PEEBLES COUNTY	14,613	130	77	125	105	021	021	034	—	—	—	—	—	—	—	—	—
PERTH COUNTY	124,894	153	77	135	113	055	043	009	—	—	—	—	—	—	—	—	—
Perth Burgh	35,799	156	131	137	128	059	059	003	—	—	—	—	—	—	—	—	—
Remainder of County	39,095	152	54	134	108	054	037	011	—	—	—	—	—	—	—	—	—
RENEWAY COUNTY	313,017	175	89	128	137	106	083	023	—	—	—	—	—	—	—	—	—
Greenock Burgh†	74,321	201	98	140	148	116	086	027	—	—	—	—	—	—	—	—	—
Paisley Burgh	88,523	171	106	133	144	114	086	027	—	—	—	—	—	—	—	—	—
Port Glasgow Burgh	19,985	242	108	132	132	080	065	050	—	—	—	—	—	—	—	—	—
Remainder of County	130,138	152	68	119	125	081	065	015	—	—	—	—	—	—	—	—	—
ROSS AND CROMARTY COUNTY	60,432	179	59	145	102	066	055	015	—	—	—	—	—	—	—	—	—
ROXBURGH COUNTY	43,867	144	77	134	120	048	032	027	—	—	—	—	—	—	—	—	—
SELKIRK COUNTY	20,457	145	87	136	120	049	034	020	—	—	—	—	—	—	—	—	—
STIRLING COUNTY	171,606	170	85	114	122	050	036	017	—	—	—	—	—	—	—	—	—
Falkirk Burgh	33,993	161	111	116	128	041	032	018	—	—	—	—	—	—	—	—	—
Stirling Burgh	25,931	177	101	122	122	062	050	019	—	—	—	—	—	—	—	—	—
Remainder of County	111,627	170	73	112	120	050	033	017	—	—	—	—	—	—	—	—	—
SUTHERLAND COUNTY	13,833	160	67	176	113	072	065	—	—	—	—	—	—	—	—	—	—
WEST LOTHIAN COUNTY	77,594	198	80	111	127	031	022	012	—	—	—	—	—	—	—	—	—
WIGTOWN COUNTY	33,646	190	88	119	106	053	030	030	—	—	—	—	—	—	—	—	—
ZETLAND COUNTY	19,561	186	75	154	100	061	036	010	—	—	—	—	—	—	—	—	—

* Includes typhoid, paratyphoid and cerebro-spinal fever, in addition to those indicated.

† See note †, Table 2.

‡ On account of evacuation the 1931 age distribution is unsuitable for use as a standardising factor.

TABLE 5.—Proportion of Illegitimate Births and of Still-births, also Infant Mortality, in the Small Burghs of Scotland in 1942.

SMALL BURGHS.	Illegitimate Births per cent. of Live-births.	Infant Mortality. Rate per 1000 Live-births.	Still-Births per 1000 Total Births (including Still-births).	SMALL BURGHS.	Illegitimate Births per cent. of Live-births.	Infant Mortality. Rate per 1000 Live-births.	Still-Births per 1000 Total Births (including Still-births).
ABERDEEN COUNTY—				BERWICK COUNTY—			
Ballater	5.6	56	53	Coldstream	5.9	59	—
Ellon	10.0	33	32	Duns	2.2	65	42
Fraserburgh	7.6	43	41	Eyemouth	3.4	138	—
Huntly	12.1	33	—	Lauder	18.2	—	—
Inverurie	8.2	41	10				
Kintore	9.5	—	45	BUTE COUNTY—			
Old Meldrum	11.1	56	—	Millport	5.4	27	—
Peterhead	11.7	93	54	Rothsay	10.4	73	45
Rosehearty	—	48	125				
Turriff	11.0	41	39	CAITHNESS COUNTY—			
				Thurso	7.7	55	11
ANGUS COUNTY—				Wick	7.1	89	40
Brechin	14.0	70	58				
Carnoustie	17.0	57	19	CLACKMANNAN COUNTY—			
Forfar	9.3	62	36	Alloa	9.8	109	45
Kirriemuir	12.2	61	20	Alva	6.3	25	37
Monifieth	11.4	29	28	Dollar	5.0	50	48
Montrose	5.5	22	32	Tillicoultry	6.1	41	39
ARGYLL COUNTY—				DUNBARTON COUNTY—			
Campbeltown	8.2	71	27	Cove and Kilcreggan	9.1	91	83
Dunoon	8.0	48	26	Helensburgh	4.9	91	47
Inveraray	—	—	—	Kirkintilloch	2.7	53	54
Lochgilthead	6.7	67	63	Milngavie	4.4	44	—
Oban	7.6	59	25				
Tobermory	—	—	—	DUMFRIES COUNTY—			
				Annan	5.2	—	13
AYR COUNTY—				Langholm	10.3	51	25
Ardrossan	6.4	113	29	Lochmaben	9.4	63	—
Cumnock and Holmhead	7.5	66	45	Lockerbie	15.9	23	63
Darvel	—	95	23	Moffat	10.0	100	63
Galston	4.3	54	32	Sanquhar	—	—	—
Girvan	7.5	75	36				
Irvine	4.7	39	28	EAST LoTHIAN COUNTY—			
Kilwinning	6.7	90	—	Cockenzie and Port Seton	—	80	—
Largs	6.9	69	10	Dunbar	7.9	45	22
Maybole	7.6	38	45	East Linton	—	67	—
Newmilns and Greenholm	5.5	55	68	Haddington	7.8	63	30
Prestwick	5.9	44	24	North Berwick	1.7	33	43
Saltoats	4.5	79	46	Prestonpans	4.8	127	87
Stewarton	2.3	45	43	Tranent	5.5	87	52
Troon	1.0	56	30				
				FIFE COUNTY—			
BANFF COUNTY—				Auchtermuchty	—	174	42
Aberchirder	11.1	56	—	Buckhaven and Methil	7.3	98	33
Banff	16.7	45	15	Burntisland	6.9	69	38
Buckie	9.8	55	6	Cowdenbeath	5.1	68	45
Charlestown of Aberlour	—	—	22	Craik	3.3	67	—
Cullen	—	212	—	Culross	—	143	—
Dufftown	10.7	36	—	Cupar	11.5	77	55
Findochty	3.3	33	32	Elie and Earlsferry	8.0	—	38
Keith	14.0	23	11	Falkland	—	143	—
Macduff	14.5	58	14	Inverkeithing	7.0	88	50
Portknockie	—	—	53	Kilrenny and Anstruther	3.8	58	19
Portsoy	18.8	—	59	Kinghorn	2.4	122	68
				Ladybank and Monkston	15.0	—	91

Note:—Population estimates for small Burghs not available. Some of the rates in this Table are based on very few observations and are therefore of limited value. Numbers on which the rates are based will be found on pages 112-137.

TABLE 5—continued.

SMALL BURGHS.	Illegitimate Births per cent. of Live-births.	Infant Mortality. Rate per 1000 Live-births.	Still-Births per 1000 Total Births (including Still-births).	SMALL BURGHS.	Illegitimate Births per cent. of Live-births.	Infant Mortality. Rate per 1000 Live-births.	Still-Births per 1000 Total Births (including Still-births).
FIFE COUNTY—contd.—				PERTH COUNTY—			
Leslie	5.3	26	73	Aberfeldy	11.1	—	36
Leven	7.6	44	19	Abernethy	16.7	—	143
Lochgelly	4.5	58	83	Alyth	15.8	132	50
Markinch	2.9	29	—	Auchterarder	2.9	59	29
Newburgh	9.1	61	—	Blairgowrie and Rattray	24.8	68	41
Newport	10.0	25	24	Callander	11.5	192	—
Pittenweem	—	160	74	Coupar-Angus	18.6	116	—
St. Andrews	10.7	54	32	Crieff	9.6	36	35
St. Monance	10.5	10.0	50	Doune	—	—	83
Tayport	5.6	42	27	Dunblane	2.1	85	21
INVERNESS COUNTY—				RENFREW COUNTY—			
Fort-William	6.1	82	39	Barrhead	4.0	56	57
Kingussie	16.0	80	38	Gourock	5.6	42	14
KINCARDINE COUNTY—				Johnstone	5.3	50	26
Banchory	11.9	24	45	Renfrew	3.4	66	24
Inverervie	8.3	—	—	ROSS AND CROMARTY COUNTY—			
Laurencekirk	5.0	—	—	Cromarty	8.7	87	42
Stonehaven	10.1	101	14	Dingwall	6.0	30	15
KINROSS COUNTY—				Fortrose	18.2	91	83
Kinross	5.1	26	25	Invergordon	5.9	118	81
KIRKCUDBRIGHT COUNTY—				Stornoway	3.0	30	29
Castle-Douglas	3.6	36	34	Tain	3.4	34	33
Dalbeattie	13.0	101	14	ROXBURGH COUNTY—			
Gatehouse	7.1	—	—	Hawick	6.2	58	40
Kirkcudbright	8.9	133	100	Jedburgh	4.8	79	45
New Galloway	—	—	—	Kelso	—	43	21
LANARK COUNTY—				Melrose	—	40	38
Biggar	—	—	63	SELKIRK COUNTY—			
Lanark	5.3	64	41	Galashiels	6.3	46	33
MIDLOTHIAN COUNTY—				Selkirk	9.6	48	12
Bonnyrigg and Lasswade	5.3	53	51	STIRLING COUNTY—			
Dalkeith	8.0	71	34	Bridge-of-Allan	8.7	—	21
Loanhead	3.6	84	12	Denny and Dunipace	3.5	88	42
Musselburgh	4.5	39	40	Grangemouth	3.4	56	43
Penicuik	3.7	62	36	Kilsyth	0.6	62	48
MORAY COUNTY—				SUTHERLAND COUNTY—			
Burghhead	18.5	—	—	Dornoch	—	—	—
Elgin	12.4	59	56	WEST LOTHIAN COUNTY—			
Forres	10.8	49	—	Armadale	2.5	84	40
Grantown-on-Spey	6.7	67	118	Bathgate	1.1	59	56
Lossiemouth	4.5	54	35	Borrowstounness	3.6	52	30
Roths	22.6	—	—	Linlithgow	6.8	68	48
NAIRN COUNTY—				Queensferry	11.1	44	22
Nairn	15.8	69	38	Whitburn	6.3	32	40
ORKNEY COUNTY—				WIGTOWN COUNTY—			
Kirkwall	11.3	10	49	Newton-Stewart	10.0	50	70
Stromness	4.8	24	23	Stranraer	6.0	38	16
PEEBLES COUNTY—				Whithorn	23.1	154	133
Innerleithen	13.8	—	—	Wigtown	18.8	31	—
Peebles	14.6	73	35	ZETLAND COUNTY—			
				Lerwick	12.1	28	36

TABLE 6.—Proportion of Illegitimate Births and of Still-births, also Infant Mortality, in the Landward Areas of Scotland in 1942.

COUNTY LANDWARD AREAS.	Illegitimate Births per cent. of Live-births.	Infant Mortality, Rate per 1000 Live-births.	Still-Births per 1000 Total Births (including Still- births).	COUNTY LANDWARD AREAS.	Illegitimate Births per cent. of Live-Births.	Infant Mortality, Rate per 1000 Live-births.	Still-Births per 1000 Total Births (including Still- births).
Aberdeen	13·9	53	37	Lanark	4·8	69	41
Angus	12·1	50	21	Midlothian	5·6	59	35
Argyll	7·7	33	35	Moray	14·5	48	39
Ayr	5·8	74	32	Nairn	14·9	50	10
Banff	11·8	43	25	Orkney	7·8	41	28
Berwick	10·9	31	30	Peebles	7·9	67	11
Bute	9·5	58	42	Perth	12·0	49	29
Caithness	12·5	42	37	Renfrew	3·8	40	35
Clackmannan	7·1	63	20	Ross and Cromarty	9·3	47	37
Dunbarton	4·4	56	40	Roxburgh	9·7	53	23
Dumfries	12·6	58	30	Selkirk	8·1	65	—
East Lothian	9·1	44	45	Stirling	5·5	64	38
Fife	6·3	64	44	Sutherland	10·4	32	22
Inverness	8·9	45	29	West Lothian	3·9	60	45
Kincardine	12·0	40	51	Wigtown	15·1	95	44
Kinross	2·4	71	45	Zetland	8·9	37	39
Kirkcudbright	11·6	49	23				

Note:—Population estimates for landward areas of counties not available.

TABLE 7.—Birth-rate among Married and among Unmarried Women in Scotland, 1942.

	Estimated Number of Women aged 15-44.			Births (Living Children).			Birth-rates (Living Children).		
	Total.	Married Women aged 16-44.	Un- married Women and Widows aged 15-44.	Total.	Legiti- mate.	Illegiti- mate.	Total per 1000 Women aged 15-44.	Legiti- mate Births per 1000 Married Women aged 16-44.	Illegiti- mate Births per 1000 Un- married Women aged 15-44.
SCOTLAND .	1,221,700	619,700	602,000	90,697	84,242	6,455	74·2	135·9	10·7
LARGE BURGHS .	689,100	349,500	339,700	48,714	45,407	3,307	70·7	129·9	9·7
SMALL BURGHS LANDWARD }	532,600	270,300	262,400	{ 14,499 27,484	{ 13,480 25,355	{ 1,019 2,129	{ 78·8	{ 143·7	{ 12·0
ABERDEEN Co. .	77,400	39,000	38,500	5,732	5,126	606	74·0	131·6	15·7
Aberdeen Burgh .	46,200	22,900	23,400	2,904	2,656	248	62·8	116·1	10·6
Remainder of Co.	31,200	16,100	15,100	2,828	2,470	358	90·6	153·5	23·7
ANGUS Co. .	66,500	32,000	34,600	4,420	4,017	403	66·4	125·6	11·7
Arbroath B. .	4,400	2,100	2,300	361	326	35	83·0	156·4	15·4
Dundee B. .	44,400	21,500	22,900	2,770	2,546	224	62·4	118·3	9·8
Remainder of Co.	17,800	8,400	9,400	1,289	1,145	144	72·5	136·6	15·3
ARGYLL Co. .	14,800	6,300	8,500	1,093	1,009	84	74·1	160·9	9·9
AYR Co. . .	78,900	40,800	38,100	5,863	5,544	319	74·3	136·0	8·4
Ayr B. . .	11,600	5,800	5,800	774	721	53	66·7	125·2	9·1
Kilmarnock B. .	10,900	5,700	5,200	692	670	22	63·3	117·6	4·2
Remainder of Co.	56,300	29,300	27,000	4,397	4,153	244	78·0	141·6	9·0
BANFF Co. . .	11,000	5,700	5,300	1,016	900	116	92·1	157·0	21·9
BERWICK Co. .	5,800	3,000	2,800	396	359	37	67·8	119·8	13·0
BUTE Co. . .	4,600	2,000	2,600	366	331	35	79·9	168·2	13·4
CAITHNESS Co. .	5,200	2,500	2,700	549	494	55	104·8	198·0	20·0
CLACKMANNAN Co.	8,800	4,500	4,300	644	593	51	73·3	132·0	11·9
DUNBARTON Co. .	35,500	17,900	17,600	2,569	2,455	114	72·4	137·0	6·5
Clydebank B. .	7,700	4,400	3,300	583	558	25	75·9	128·2	7·5
Dumbarton B. .	5,400	2,900	2,500	480	454	26	88·4	154·9	10·4
Remainder of Co.	22,400	10,600	11,700	1,506	1,443	63	67·4	135·7	5·4
DUMFRIES Co. .	20,700	10,500	10,200	1,632	1,451	181	78·9	138·6	17·7
Dumfries B. .	7,300	3,600	3,700	535	482	53	72·8	132·7	14·3
Remainder of Co.	13,300	6,800	6,500	1,097	969	128	82·2	141·7	19·7
EAST LOTHIAN Co.	11,600	6,000	5,600	896	834	62	77·2	138·0	11·2
FIFE Co. . .	68,900	38,000	30,900	5,226	4,901	325	75·8	129·0	10·5
Dunfermline B. .	11,200	6,100	5,100	770	724	46	69·0	119·2	9·0
Kirkcaldy B. .	11,800	6,100	5,600	736	699	37	62·6	113·8	6·6
Remainder of Co.	46,000	25,800	20,200	3,720	3,478	242	80·9	134·9	12·0
INVERNESS Co. .	18,000	7,900	10,100	1,401	1,265	136	77·8	159·7	13·5
Inverness B. .	6,600	3,000	3,600	510	454	56	77·5	151·3	15·7
Remainder of Co.	11,400	4,900	6,500	891	811	80	77·9	164·9	12·3

TABLE 7—continued.

	Estimated Number of Women aged 15-44.			Births (Living Children).			Birth-rates (Living Children).		
	Total.	Married Women aged 16-44.	Un- married Women and Widows aged 15-44.	Total.	Legiti- mate.	Illegiti- mate.	Total per 1000 Women aged 15-44.	Legiti- mate Births per 1000 Married Women aged 16-44.	Illegiti- mate Births per 1000 Un- married Women aged 15-44.
KINCARDINE Co.	5,900	2,900	3,000	493	437	56	83.9	149.2	19.0
KINROSS Co.	1,700	800	900	123	119	4	70.9	142.0	4.5
KIRKCUDBRIGHT Co.	7,200	3,600	3,700	577	516	61	79.6	143.8	16.7
LANARK Co.	397,700	210,400	187,400	30,733	28,856	1,877	77.3	137.2	10.0
Airdrie B.	7,000	3,900	3,100	624	602	22	89.3	153.8	7.2
Coatbridge B.	10,100	5,900	4,200	976	936	40	96.8	159.0	9.5
Glasgow B.	278,200	144,100	134,200	20,618	19,201	1,417	74.1	133.3	10.6
Hamilton B.	9,300	5,300	4,000	832	787	45	89.8	149.2	11.3
Motherwell and Wishaw B.	15,600	9,000	6,600	1,292	1,241	51	83.0	138.5	7.7
Rutherglen B.	6,400	3,100	3,300	394	382	12	61.7	122.6	3.7
Remainder of Co.	71,200	39,200	32,000	5,997	5,707	290	84.3	145.8	9.1
MIDLOTHIAN Co.	142,200	67,400	74,700	8,971	8,327	644	63.1	123.5	8.6
Edinburgh B.	121,900	56,200	65,700	7,386	6,827	559	60.6	121.6	8.5
Remainder of Co.	20,300	11,300	9,000	1,585	1,500	85	78.0	133.0	9.4
MORAY Co.	10,100	5,000	5,100	902	789	113	89.3	159.2	22.0
NAIRN Co.	2,100	900	1,200	202	171	31	96.6	185.5	26.5
ORKNEY Co.	5,400	2,600	2,900	484	444	40	89.2	172.6	14.0
PEEBLES Co.	3,600	1,700	1,900	200	177	23	55.0	104.5	11.8
PERTH Co.	30,500	14,100	16,300	2,064	1,821	243	67.8	128.9	14.9
Perth B.	10,000	4,700	5,200	613	552	61	61.6	117.1	11.7
Remainder of Co.	20,500	9,400	11,100	1,451	1,269	182	70.7	134.8	16.4
RENFREW Co.	81,400	40,800	40,600	5,878	5,595	283	72.2	137.3	7.0
Greenock B.	18,300	10,100	8,200	1,590	1,500	90	87.1	148.9	11.0
Paisley B.	24,500	12,100	12,300	1,663	1,578	85	68.0	130.2	6.9
Port Glasgow B.	4,600	2,600	2,000	502	481	21	108.9	186.6	10.3
Remainder of Co.	34,100	16,000	18,100	2,123	2,036	87	62.3	127.4	4.8
ROSS & CROMARTY Co.	12,900	5,200	7,700	1,143	1,047	96	88.8	201.7	12.5
ROXBURGH Co.	11,300	5,100	6,100	678	631	47	60.0	122.6	7.6
SELKIRK Co.	5,400	2,500	2,900	320	296	24	59.5	117.5	8.4
STIRLING Co.	43,300	23,200	20,000	3,176	2,998	178	73.4	129.0	8.9
Falkirk B.	9,100	5,000	4,100	606	569	37	66.6	112.9	9.1
Stirling B.	6,900	3,500	3,400	503	461	42	73.1	131.3	12.5
Remainder of Co.	27,300	14,700	12,600	2,067	1,968	99	75.7	133.9	7.8
SUTHERLAND Co.	2,800	1,200	1,600	235	212	23	82.8	177.6	14.0
WEST LOTHIAN Co.	18,400	10,700	7,700	1,660	1,595	65	90.3	149.7	8.4
WIGTOWN Co.	7,700	3,900	3,900	678	592	86	87.9	153.5	22.3
ZETLAND Co.	4,400	1,700	2,600	377	340	37	86.2	195.5	14.0

TABLE 8.—Method of Celebration, etc. of Marriages in Scotland, 1855-1941.

YEAR.	Total MARRIAGES.		REGULAR MARRIAGES according to Forms of the								CIVIL MARRIAGES.†	IRREGULAR MARRIAGES.	SIGNED BY MARK.	
	Number.	Proportion per 1000 of Population.	Church of Scotland.	Free Church.	United Presbyterian Church.	Rom. Cath. Church.	Scottish Episcopal Church.	Other Forms.	Form not stated.	Men.			Women.	
DECENNIAL AVERAGES.														
1855-1860	20645	6·840	9586	4747	2872	1846	383	1058	135	19	2335	4804
1861-1870	22422	7·004	9929	5278	3214	2071	464	1324	101	41	2387	4736
1871-1880	25355	7·172	11549	5649	3305	2286	646	1633	25	263	2150	4321
1881-1890	25939	6·700	11971	5277	3011	2558	732	1728	12	650	1381	2572
1891-1900	29866	7·054	13497	5638	3292	2934	899	2179	0	1428	740	1162
				Un. Free Ch.*										
1901-1910	31825	6·907	14414	8477		3331	936	2634	0	2034	471	642
1911-1920	35647	7·451	14231	8340		3964	1131	2669	0	5312	221	300
1921-1930	33663	6·923	14993	6910		3911	971	2591	0	4287	75	95
1931-1940	38964	7·869		24,459		5051	1076	3427	0	4697	45	44
ANNUAL NUMBERS.														
1931	32652	6·742		20,765		4115	870	2805	0	4097	70	55
1932	33157	6·790		21,034		4346	917	2837	0	4023	39	57
1933	34201	6·962		21,687		4577	925	3001	0	4011	34	42
1934	36934	7·485		23,476		4888	1040	3229	0	4301	52	48
1935	37988	7·670		24,069		5069	1018	3470	0	4362	43	49
1936	37896	7·631		23,791		4925	1026	3651	0	4503	58	36
1937	38334	7·703		24,219		4874	1004	3523	0	4714	36	41
1938	38716	7·754		24,012		4760	1033	3427	0	5484	37	43
1939	46236	9·235		27,779		5729	1212	3849	0	7667	39	36
1940	53522	10·609		33,756		7230	1715	4481	0	2531	...	3809	37	31
1941	47620	9·284		30,017		6282	1705	4214	0	5394	...	8	21	29
RATE PER HUNDRED MARRIAGES—DECENNIAL.														
1855-1860	100·00	...	46·42	23·01	13·92	8·94	1·85	5·12	0·65	0·09	11·31	23·27
1861-1870	100·00	...	44·30	23·54	14·33	9·22	2·07	5·89	0·47	0·18	10·65	21·12
1871-1880	100·00	...	45·56	22·28	13·02	9·02	2·55	6·42	0·11	1·04	8·48	17·02
1881-1890	100·00	...	46·17	20·34	11·61	9·85	2·82	6·66	0·05	2·51	5·32	9·79
1891-1900	100·00	...	45·20	18·91	11·04	9·81	3·00	7·29	4·78	2·51	3·95
				Un. Free Ch.*										
1901-1910	100·00	...	45·29	26·63		10·46	2·94	8·28	6·39	1·48	2·01
1911-1920	100·00	...	39·92	23·40		11·12	3·17	7·49	14·90	0·62	0·84
1921-1930	100·00	...	44·54	20·53		11·62	2·88	7·70	12·74	0·22	0·28
RATE PER HUNDRED MARRIAGES—ANNUAL.														
1931	100·00	...		63·60		12·60	2·66	8·59	12·55	0·21	0·17
1932	100·00	...		63·44		13·11	2·77	8·56	12·13	0·12	0·17
1933	100·00	...		63·41		13·38	2·70	8·77	11·73	0·10	0·12
1934	100·00	...		63·56		13·23	2·82	8·74	11·65	0·14	0·13
1935	100·00	...		63·36		13·34	2·68	9·13	11·48	0·11	0·13
1936	100·00	...		62·78		13·00	2·71	9·63	11·88	0·15	0·09
1937	100·00	...		63·18		12·71	2·62	9·19	12·30	0·09	0·11
1938	100·00	...		62·02		12·29	2·67	8·86	14·16	0·10	0·11
1939	100·00	...		60·08		12·39	2·62	8·33	16·58	0·08	0·08
1940	100·00	...		63·07		13·51	3·20	8·37	...	4·73	...	7·12	0·07	0·06
1941	100·00	...		63·03		13·19	3·58	8·85	...	11·33	...	0·02	0·04	0·06

* The Free Church and the United Presbyterian Church were united on 31st October 1900 under the name of the United Free Church. The Church of Scotland and the United Free Church were united on 2nd October 1929 under the designation of "The Church of Scotland."

† By the Marriage (Scotland) Act 1939 which came into operation on 1st July 1940, Irregular Marriages were abolished and Civil Marriages were substituted. (See page xii.)

TABLE 9.—Regular, Irregular and Civil Marriages in Scotland, 1941.

	Total Marriages.	NUMBERS.							PERCENTAGE OF TOTAL MARRIAGES.						
		REGULAR MARRIAGES.				CIVIL MARRIAGES.		* IRREGULAR MARRIAGES.	REGULAR MARRIAGES.				CIVIL MARRIAGES.		* IRREGULAR MARRIAGES.
		Banns.	Publication of Notice.	Banns and Publication.	Licence.	Publication of Notice.	Licence.		Banns.	Publication of Notice.	Banns and Publication.	Licence.	Publication of Notice.	Licence.	
SCOTLAND	47,620	32,774	8,447	708	289	4,465	929	8	68·8	17·7	1·5	0·6	9·4	2·0	0·0
LARGE BURGHS	29,924	18,169	6,610	429	212	3,632	868	4	60·7	22·1	1·4	0·7	12·1	2·9	0·0
COUNTIES (<i>ex</i> Large Burghs)	17,696	14,605	1,837	279	77	833	61	4	82·5	10·4	1·6	0·4	4·7	0·3	0·0
Counties (<i>ex</i> Large Burghs).															
Aberdeen	997	892	38	8	2	55	2	-	89·5	3·8	0·8	0·2	5·5	0·2	-
Angus	542	488	9	6	3	35	1	-	90·0	1·7	1·1	0·6	6·5	0·2	-
Argyll	480	431	21	6	-	15	7	-	89·8	4·4	1·2	-	3·1	1·5	-
Ayr	1,925	1,733	121	23	5	42	1	-	90·0	6·3	1·2	0·3	2·2	0·1	-
Banff	345	315	8	-	2	18	2	-	91·3	2·3	-	0·6	5·2	0·6	-
Berwick	196	173	7	3	1	12	-	-	88·3	3·6	1·5	0·5	6·1	-	-
Bute	137	122	5	2	-	4	4	-	89·1	3·6	1·5	-	2·9	2·9	-
Caithness	199	182	2	-	-	14	1	-	91·5	1·0	-	-	7·0	0·5	-
Clackmannan	321	244	58	-	1	17	1	-	76·0	18·1	-	0·3	5·3	0·3	-
Dunbarton	775	585	144	18	5	24	1	-	75·5	18·6	2·1	0·6	3·1	0·1	-
Dumfries	416	374	7	1	2	27	1	4	89·9	1·7	0·2	0·5	6·5	0·2	1·0
East Lothian	366	321	19	5	4	13	4	-	87·7	5·2	1·4	1·1	3·6	1·1	-
Fife	1,735	1,377	180	41	5	131	1	-	79·4	10·4	2·4	0·3	7·5	0·1	-
Inverness	243	185	40	5	4	7	2	-	76·1	16·5	2·1	1·6	2·9	0·8	-
Kincardine	173	154	8	3	-	8	-	-	89·0	4·6	1·7	-	4·6	-	-
Kinross	68	48	2	1	-	7	-	-	82·8	3·4	1·7	-	12·1	-	-
Kirkcudbright	200	193	-	-	1	6	-	-	96·5	-	-	0·5	3·0	-	-
Lanark	2,491	1,741	579	63	14	91	3	-	69·9	23·2	2·5	0·6	3·7	0·1	-
Midlothian	750	599	85	12	1	53	-	-	79·9	11·3	1·6	0·1	7·1	-	-
Moray	377	310	13	-	1	49	4	-	82·2	3·4	-	0·3	13·0	1·1	-
Nairn	75	65	3	-	-	6	1	-	86·7	4·0	-	-	8·0	1·3	-
Orkney	229	207	2	-	-	18	2	-	90·4	0·9	-	-	7·9	0·9	-
Peebles	110	92	4	4	2	3	5	-	83·6	3·6	3·6	1·8	2·7	4·6	-
Perth	526	486	12	10	1	17	-	-	92·4	2·3	1·9	0·2	3·2	-	-
Renfrew	1,000	735	193	16	5	45	6	-	73·5	19·3	1·6	0·5	4·5	0·6	-
Ross and Crom.	373	260	81	12	2	17	1	-	69·7	21·7	3·2	0·5	4·6	0·3	-
Roxburgh	365	329	14	1	3	16	2	-	90·1	3·8	0·3	0·8	4·4	0·5	-
Selkirk	190	169	3	2	5	7	4	-	88·9	1·6	1·1	2·6	3·7	2·1	-
Stirling	890	750	97	19	4	17	3	-	84·3	10·9	2·1	0·4	1·9	0·3	-
Sutherland	70	61	2	2	-	5	-	-	87·1	2·9	2·9	-	7·1	-	-
West Lothian	690	566	76	16	4	28	-	-	82·0	11·0	2·3	0·6	4·1	-	-
Wigtown	259	233	3	1	-	21	1	-	90·0	1·2	0·4	-	8·1	0·4	-
Zetland	193	185	1	1	-	5	1	-	95·8	0·5	0·5	-	2·6	0·5	-
Large Burghs.															
Glasgow	12,726	6,919	3,666	204	71	1,439	425	2	54·4	28·8	1·6	0·6	11·3	3·3	0·0
Edinburgh	4,866	3,007	746	67	49	823	172	2	61·8	15·3	1·4	1·0	16·9	3·5	0·0
Dundee	1,659	818	373	22	31	294	121	-	49·3	22·5	1·3	1·9	17·7	7·3	-
Aberdeen	2,052	1,386	376	28	13	223	26	-	67·5	18·3	1·4	0·6	10·9	1·3	-
Paisley	997	716	195	12	3	62	9	-	71·8	19·6	1·2	0·3	6·2	0·9	-
Greenock	811	615	129	9	6	39	13	-	75·8	15·9	1·1	0·7	4·8	1·6	-
M'well & Wishaw	659	450	152	4	1	50	2	-	68·3	23·1	0·6	0·2	7·6	0·3	-
Clydebank	345	205	101	2	-	37	-	-	59·4	29·3	0·6	-	10·7	-	-
Kirkcaldy	414	314	35	5	1	49	10	-	75·8	8·5	1·2	0·2	11·8	2·4	-
Coatbridge	415	224	162	7	5	15	2	-	54·0	39·0	1·7	1·2	3·6	0·5	-
Kilmarnock	394	302	66	4	1	20	1	-	76·6	16·8	1·0	0·3	5·1	0·3	-
Hamilton	409	288	67	11	3	36	4	-	70·4	16·4	2·7	0·7	8·8	1·0	-
Ayr	493	409	15	6	-	44	19	-	83·0	3·0	1·2	-	8·9	3·9	-
Falkirk	377	309	19	1	3	37	8	-	82·0	5·0	0·3	0·8	9·8	2·1	-
Dunfermline	494	269	77	6	1	137	4	-	54·5	15·6	1·2	0·2	27·7	0·8	-
Perth	483	303	28	10	5	128	9	-	62·7	5·8	2·1	1·0	26·5	1·9	-
Airdrie	317	176	121	-	7	12	1	-	55·5	38·2	-	2·2	3·8	0·3	-
Rutherglen	325	234	71	4	1	15	-	-	72·0	21·8	1·2	0·3	4·6	-	-
Dumfries	347	276	13	7	1	47	3	-	79·5	3·7	2·0	0·3	13·5	0·9	-
Stirling	291	215	36	4	2	21	13	-	73·9	12·4	1·4	0·7	0·7	4·5	-
Inverness	415	288	31	6	3	67	20	-	69·4	7·5	1·4	0·7	16·1	4·8	-
Dumbarton	226	131	70	3	1	19	2	-	53·0	31·0	1·3	0·4	8·4	0·9	-
Port-Glasgow	224	160	54	4	-	6	-	-	71·4	24·1	1·8	-	2·7	-	-
Arbroath	185	155	7	3	4	12	4	-	83·8	3·8	1·6	2·2	6·5	2·2	-

* Marriages contracted prior to 1st July 1940. They include 7 registered by Decree of Declarator and 1 registered by Sheriff's Warrant.

TABLE 10.—Marriages in Scotland according to Church of Celebration, 1941.

	Total Marriages.	ACCORDING TO FORMS OF							PERCENTAGE OF TOTAL MARRIAGES.						
		Church of Scotland.	United Free Church.	Free Church.	Roman Catholic Church.	Scottish Episcopal Church.	Other Forms.	* Civil and Irregular.	Church of Scotland.	United Free Church.	Free Church.	Roman Catholic Church.	Scottish Episcopal Church.	Other Forms.	* Civil and Irregular.
SCOTLAND	47,620	30,017	505	326	6,282	1,705	3,383	5,402	63.0	1.1	0.7	13.2	3.6	7.1	11.3
LARGE BURGHS.	29,924	16,850	288	137	4,491	1,138	2,516	4,504	56.3	1.0	0.5	15.0	3.8	8.4	15.1
COUNTIES (ex Large Burghs).	17,696	13,167	217	189	1,791	567	867	898	74.4	1.2	1.1	10.1	3.2	4.9	5.1
Counties (ex Large Burghs).															
Aberdeen	997	807	-	-	15	57	61	57	80.9	-	-	1.5	5.7	6.1	5.7
Angus	542	456	8	-	8	24	10	36	84.1	1.5	-	1.5	4.4	1.8	6.6
Argyll	480	344	5	12	58	31	8	22	71.7	1.0	2.5	12.1	6.5	1.7	4.6
Ayr	1,925	1,505	26	3	173	39	136	43	78.2	1.4	0.2	9.0	2.0	7.1	2.2
Banff	345	274	1	-	20	16	14	20	79.4	0.3	-	5.8	4.6	4.1	5.8
Berwick	196	173	-	-	3	2	6	12	88.3	-	-	1.5	1.0	3.1	6.1
Bute	137	94	3	5	22	2	3	8	68.6	2.2	3.6	16.1	1.5	2.2	5.8
Caithness	199	152	-	5	2	5	20	15	76.4	-	2.5	1.0	2.5	10.1	7.5
Clackmannan	321	213	29	-	26	11	24	18	66.4	9.0	-	8.1	3.4	7.5	5.6
Dunbarton	775	548	5	1	144	27	25	25	70.7	0.6	0.1	18.6	3.5	3.2	3.2
Dumfries	416	354	5	-	3	8	14	32	85.1	1.2	-	0.7	1.9	3.4	7.7
East Lothian	366	286	-	-	35	15	13	17	78.1	-	-	9.6	4.1	3.6	4.6
Fife	1,735	1,339	22	7	132	45	58	132	77.2	1.3	0.4	7.6	2.6	3.3	7.6
Inverness	243	150	3	30	30	13	8	9	61.7	1.2	12.3	12.3	5.4	3.3	3.7
Kincardine	173	151	-	-	3	10	1	8	87.3	-	-	1.7	5.8	0.6	4.6
Kinross	58	38	7	-	1	5	-	7	65.5	12.1	-	1.7	8.6	-	12.1
Kirkcudbright	200	176	-	-	13	4	1	6	88.0	-	-	6.5	2.0	0.5	3.0
Linark	2,491	1,640	25	2	537	26	167	94	65.8	1.0	0.1	21.6	1.0	6.7	3.8
Midlothian	750	558	9	-	78	26	26	53	74.4	1.2	-	10.4	3.5	3.5	7.1
Moray	377	277	3	4	11	13	16	53	73.5	0.8	1.1	2.9	3.4	4.2	14.1
Nairn	75	56	3	-	2	4	3	7	74.7	4.0	-	2.7	5.3	4.0	9.3
Orkney	229	188	3	-	2	3	13	20	82.1	1.3	-	0.9	1.3	5.7	8.7
Peebles	110	85	2	-	3	6	6	8	77.3	1.8	-	2.7	5.5	5.5	7.3
Perth	526	449	8	2	23	21	6	17	85.4	1.5	0.4	4.4	4.0	1.1	3.2
Renfrew	1,000	661	5	-	167	50	66	51	66.1	0.5	-	16.7	5.0	6.6	5.1
Ross & Cromarty	373	195	5	109	12	10	24	18	52.3	1.3	29.2	3.2	2.7	6.4	4.8
Roxburgh	365	284	-	-	12	40	11	13	77.8	-	-	3.3	11.0	3.0	4.9
Selkirk	190	137	-	-	11	18	13	11	72.1	-	-	5.8	9.5	6.8	5.8
Stirling	890	696	1	-	119	9	45	20	78.2	0.1	-	13.4	1.0	5.1	2.2
Sutherland	70	55	-	9	-	-	1	5	78.6	-	12.9	-	-	1.4	7.1
West Lothian	690	513	13	-	106	18	12	28	74.3	1.9	-	15.4	2.6	1.7	4.1
Wigtown	259	200	6	-	20	8	3	22	77.2	2.3	-	7.7	3.1	1.2	8.5
Zetland	193	113	20	-	-	1	53	6	58.5	10.4	-	-	0.5	27.5	3.1
Large Burghs.															
Glasgow	12,726	6,777	128	74	2,372	308	1,201	1,866	53.3	1.0	0.6	18.6	2.4	9.4	14.7
Edinburgh	4,866	2,915	44	10	395	250	255	997	59.9	0.9	0.2	8.1	5.1	5.2	20.5
Dundee	1,659	735	8	1	251	96	153	415	44.3	0.5	0.1	15.1	5.8	9.2	25.0
Aberdeen	2,052	1,394	6	-	107	146	150	249	67.9	0.3	-	5.2	7.1	7.3	12.1
Paisley	997	621	3	-	165	23	114	71	62.3	0.3	-	16.5	2.3	11.4	7.1
Greenock	811	399	14	-	208	47	91	52	49.2	1.7	-	25.6	5.8	11.2	6.4
Motherwell and Wishaw	659	385	13	-	130	14	65	52	58.4	2.0	-	19.7	2.1	9.9	7.9
Clydebank	345	173	1	-	78	11	45	37	50.1	0.3	-	22.6	3.2	13.0	10.7
Kirkcaldy	414	280	11	1	20	13	30	59	67.6	2.7	0.2	4.8	3.1	7.2	14.3
Coatbridge	415	202	10	2	140	5	39	17	48.7	2.4	0.5	33.7	1.2	9.4	4.1
Kilmarnock	394	292	14	-	38	12	17	21	74.1	3.6	-	9.6	3.0	4.3	5.3
Hamilton	409	255	2	-	89	8	15	40	62.3	0.5	-	21.8	2.0	3.7	9.8
Ayr	493	334	2	-	42	22	30	63	67.7	0.4	-	8.5	4.5	6.1	12.8
Falkirk	377	263	10	-	27	8	24	45	69.8	2.7	-	7.2	2.1	6.4	11.9
Dunfermline	494	260	2	-	19	22	50	141	52.6	0.4	-	3.8	4.5	10.1	28.5
Perth	483	252	6	-	33	27	23	137	52.2	1.2	-	6.8	5.6	5.8	28.4
Airdrie	317	153	1	-	96	6	48	13	48.3	0.3	-	30.3	1.9	15.1	4.1
Rutherglen	325	225	-	-	57	2	28	15	69.2	-	-	17.5	0.6	8.0	4.6
Dumfries	347	220	4	-	25	34	14	50	63.4	1.2	-	7.2	9.8	4.0	14.4
Stirling	291	185	4	-	37	20	11	34	63.6	1.4	-	12.7	6.9	3.8	11.7
Inverness	415	206	-	41	20	15	46	87	49.6	-	9.9	4.8	3.6	11.1	21.0
Dunbarton	226	97	-	8	60	23	17	21	42.9	-	3.5	26.5	10.2	7.5	9.3
Port-Glasgow	224	89	-	-	76	15	38	6	39.7	-	-	33.9	6.7	17.0	2.7
Arbroath	185	138	5	-	6	11	9	16	74.6	2.7	-	3.2	5.9	4.9	8.6

* See note Table 9 (Irregular Marriages).

TABLE 11—Civil Condition, etc. of Persons Marrying in Scotland, 1941.

	Total Marriages.	CIVIL CONDITION.					PERCENTAGE OF TOTAL MARRIAGES					NUMBER WHO SIGNED BY MARK	
		Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	* Divorced (Either Party).	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Divorced.	Men.	Women.
SCOTLAND	47,620	43,448	797	1,761	660	954	91·2	1·7	3·7	1·4	2·0	21	29
LARGE BURGHS	29,924	26,957	543	1,186	467	771	90·1	1·8	4·0	1·6	2·6	15	19
COUNTIES (ex Large Burghs)	17,696	16,491	254	575	193	183	93·2	1·4	3·2	1·1	1·0	6	10
Counties (ex Large Burghs).													
Aberdeen.	997	938	13	33	6	7	94·1	1·3	3·3	0·6	0·7	1	1
Angus	542	507	8	22	5	7	93·5	1·5	4·1	0·9	—	—	—
Argyll	480	449	4	14	6	7	93·5	0·8	2·9	1·2	1·5	1	—
Ayr	1,925	1,780	29	72	32	12	92·5	1·5	3·7	1·7	0·6	1	2
Banff	345	326	3	11	2	3	94·5	0·9	3·2	0·6	0·9	—	—
Berwick	196	183	—	8	1	4	93·4	—	4·1	0·5	2·0	—	—
Bute	137	122	3	5	3	4	89·1	2·2	3·6	2·2	2·9	—	—
Caithness	199	187	4	6	1	1	94·0	2·0	3·0	0·5	0·5	—	1
Clackmannan	321	293	7	14	3	4	91·3	2·2	4·4	0·9	1·2	—	—
Dunbarton	775	710	12	27	7	19	91·6	1·5	3·5	0·9	2·5	—	—
Dumries	416	382	6	22	1	5	91·8	1·4	5·3	0·2	1·2	—	—
East Lothian	366	349	5	4	4	4	95·4	1·4	1·1	1·1	1·1	—	1
Fife	1,735	1,609	19	60	22	25	92·7	1·1	3·5	1·3	1·4	—	—
Inverness	243	212	5	13	9	4	87·2	2·1	5·4	3·7	1·6	—	—
Kincardine	173	163	2	7	—	1	94·2	1·2	4·0	—	0·6	—	—
Kinross	58	50	2	3	—	3	86·2	3·4	5·2	—	5·2	—	—
Kirkcubright.	200	181	8	8	2	1	90·5	4·0	4·0	1·0	0·5	—	—
Lanark	2,491	2,323	41	69	34	24	93·3	1·6	2·8	1·4	1·0	1	1
Midlothian	750	704	5	21	11	9	93·9	0·7	2·8	1·5	1·2	—	—
Moray	377	356	4	8	5	4	94·4	1·1	2·1	1·3	1·1	—	—
Nairn	75	71	2	1	1	—	94·7	2·7	1·3	1·3	—	—	—
Orkney	229	216	6	4	—	3	94·3	2·6	1·7	—	1·3	—	—
Peebles	110	105	1	2	1	1	95·5	0·9	1·8	0·9	0·9	—	—
Perth	526	487	6	20	4	9	92·6	1·1	3·8	0·8	1·7	1	2
Renfrew	1,000	924	19	41	7	9	92·4	1·9	4·1	0·7	0·9	1	—
Ross and Cromarty	373	353	6	10	2	2	94·6	1·6	2·7	0·5	0·5	—	1
Roxburgh	365	350	3	8	2	2	95·9	0·8	2·2	0·5	0·5	—	—
Selkirk	190	181	4	5	—	—	95·3	2·1	2·6	—	—	—	—
Stirling	890	823	11	29	10	12	93·0	1·2	3·3	1·1	1·3	—	—
Sutherland	70	63	3	3	—	1	90·0	4·3	4·3	—	1·4	—	1
West Lothian	690	666	5	12	5	2	96·5	0·7	1·7	0·7	0·3	—	—
Wigtown	259	241	5	7	5	1	93·1	1·9	2·7	1·9	0·4	—	—
Zetland	193	182	3	6	2	—	94·3	1·6	3·1	1·0	—	—	—
Large Burghs.													
Glasgow	12,726	11,403	235	546	214	328	89·6	1·8	4·3	1·7	2·6	7	6
Edinburgh	4,866	4,312	95	202	68	189	88·6	2·0	4·2	1·4	3·9	—	4
Dundee	1,659	1,493	31	74	19	42	90·0	1·9	4·5	1·1	2·5	2	5
Aberdeen	2,052	1,863	35	81	30	43	90·8	1·7	3·9	1·5	2·1	—	—
Paisley	997	904	18	44	12	19	90·7	1·8	4·4	1·2	1·9	2	1
Greenock	811	756	23	19	7	6	93·2	2·8	2·3	0·9	0·7	—	—
Motherwell & Wishaw	659	620	8	15	13	3	94·1	1·2	2·3	2·0	0·5	—	—
Clydebank	345	318	6	10	5	6	92·2	1·7	2·9	1·4	1·7	—	—
Kirkcaldy	414	371	6	17	12	8	89·6	1·4	4·1	2·9	1·9	—	—
Coatbridge	415	389	2	10	8	6	93·7	0·5	2·4	1·9	1·4	—	1
Kilmarnock	394	353	11	10	10	10	89·6	2·8	2·5	2·5	2·5	—	—
Hamilton	409	372	10	10	9	8	91·0	2·4	2·4	2·2	2·0	2	1
Ayr	493	436	7	18	7	25	88·4	1·4	3·7	1·4	5·1	—	—
Falkirk	377	346	8	10	9	4	91·8	2·1	2·7	2·4	1·1	—	—
Dunfermline	494	445	10	15	2	22	90·1	2·0	3·0	0·4	4·5	—	—
Perth	483	442	8	17	9	7	91·5	1·7	3·5	1·9	1·4	—	—
Airdrie	317	288	2	15	7	5	90·9	0·6	4·7	2·2	1·6	—	—
Rutherglen	325	296	3	13	7	6	91·1	0·9	4·0	2·2	1·8	—	—
Dumfries	347	312	6	14	4	11	89·9	1·7	4·0	1·2	3·2	1	—
Stirling	291	267	3	12	4	5	91·8	1·0	4·1	1·4	1·7	—	—
Inverness	415	384	6	16	2	7	92·5	1·4	3·9	0·5	1·7	—	—
Dumbarton	226	208	6	6	3	3	92·0	2·7	2·7	1·3	1·3	1	—
Port-Glasgow	224	208	3	6	3	4	92·9	1·3	2·7	1·3	1·8	—	—
Arbroath	185	171	1	6	3	4	92·4	0·5	3·2	1·6	2·2	—	—

* 424 divorced men married spinsters and 59 married widows. 323 divorced women married bachelors and 100 married widowers. In 48 cases each party had been divorced.

**TABLE 12.—AGES OF MEN AT MARRIAGE IN SCOTLAND,
1941.**

Appendix Tables.

TABLE 12.—AGES of MEN at Marriage in Scotland, 1941.

	All Ages.	Average Age.	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70	75	80	85 and over.
SCOTLAND	47,620	29.1	5	70	401	1178	2132	12,550	15,747	7,883	3,522	1,612	952	602	445	285	147	61	24	4	-
LARGE BURGHS.	29,924	29.2	4	56	281	790	1370	7,780	9,666	4,944	2,277	1,068	628	424	282	201	97	38	15	3	-
COUNTIES (ex Large BURGHS).	17,696	28.8	1	14	120	388	762	4,770	6,081	2,939	1,245	544	324	178	163	84	50	23	9	1	-
<i>Countries (ex Large BURGHS)</i>																					
Aberdeen	997	29.0	-	-	8	29	42	266	324	182	55	34	24	11	11	5	4	2	-	-	-
Angus	542	29.2	-	-	4	15	19	134	200	90	29	23	9	10	2	1	2	3	1	-	-
Argyll	480	29.7	-	-	5	12	11	124	149	84	45	20	9	8	6	3	3	1	-	-	-
Ayr	1,925	28.7	1	-	18	24	91	535	687	289	127	61	38	16	22	8	5	2	1	-	-
Banff	345	28.5	-	-	1	7	15	99	117	62	23	7	6	4	3	1	1	-	-	-	-
Berwick	196	28.7	-	-	1	-	7	57	65	44	15	2	-	1	3	-	-	-	-	-	-
Bute	137	30.7	-	-	2	5	9	24	41	24	19	2	4	2	-	-	2	-	-	1	-
Caitness.	199	28.4	-	1	2	9	13	54	58	32	12	9	3	4	1	3	1	-	-	-	-
Clackmannan	321	28.5	-	-	1	5	14	100	117	39	19	9	8	2	1	3	3	1	-	-	-
Dunbarton	775	29.3	-	-	6	17	26	168	289	152	59	26	11	6	6	7	3	1	-	-	-
Dumfries	416	29.4	-	-	2	10	14	108	138	73	39	9	7	5	6	2	2	-	1	-	-
East Lothian	366	27.3	-	1	3	14	19	119	115	57	20	11	4	-	1	-	1	-	1	-	-
Fife	1,735	28.2	-	4	13	52	105	521	578	241	93	39	29	22	17	15	4	1	1	-	-
Inverness.	243	34.2	-	-	2	1	3	29	64	55	35	16	16	12	4	4	-	2	-	-	-
Kinross	173	28.5	-	-	1	2	13	48	53	33	12	2	4	1	1	-	-	-	-	-	-
Kirkcubright	58	29.5	-	-	1	1	1	17	17	11	5	-	-	-	3	-	-	1	-	-	-
Lanark	200	29.7	-	-	2	4	4	50	72	31	16	12	2	2	3	-	-	1	-	-	-
Midlothian	2,491	28.5	-	4	19	54	112	700	862	411	166	66	33	25	23	11	3	1	1	-	-
Moray	750	28.1	-	1	3	21	30	230	275	112	34	13	11	4	10	4	1	1	1	-	-
Nairn	377	28.2	-	-	2	12	26	114	118	52	28	6	6	5	6	1	1	-	-	-	-
Orkney	75	30.8	-	-	-	-	1	16	25	16	9	3	2	1	-	1	1	-	-	-	-
Peebles	229	28.3	-	-	5	8	15	58	76	33	19	6	5	1	-	1	1	-	-	-	-
	110	28.6	-	-	-	-	4	25	49	17	10	2	2	-	-	1	-	-	-	-	-
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)

AGES of MEN at Marriage in Scotland, 1941.

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)
Perth	526	30.2	-	-	2	4	10	117	198	88	49	31	3	1	7	3	6	1	-	-	-
Renfrew	1,000	28.7	-	1	5	16	50	260	355	111	49	23	6	-	4	6	2	-	-	-	-
Ross & Cromarty	375	32.3	-	-	1	6	5	49	97	111	49	11	1	-	5	8	2	-	-	-	-
Roxburgh	365	28.1	-	-	-	8	12	116	122	61	24	5	-	-	2	2	-	-	-	-	-
Selkirk	190	29.5	-	-	1	1	4	52	63	35	17	17	1	-	3	1	1	-	2	-	-
Stirling	890	28.4	-	1	2	17	34	248	341	138	57	16	8	-	8	1	1	-	-	-	-
Sutherland	70	31.7	-	-	-	1	-	14	22	11	12	4	2	-	2	3	1	-	-	-	-
West Lothian	690	27.4	-	-	6	20	31	214	245	105	38	16	9	1	1	2	-	-	-	-	-
Wigtown	259	29.2	-	1	2	7	15	70	76	37	26	11	6	3	2	3	1	-	-	-	-
Zetland	193	30.3	-	-	1	6	7	34	72	33	21	10	3	2	-	1	1	2	-	-	-
<i>Large Burghs.</i>																					
Glasgow	12,726	29.5	3	32	125	363	556	3,000	4,167	2,198	1,034	491	298	183	126	93	35	15	7	-	-
Edinburgh	4,866	29.4	1	9	38	110	210	1,292	1,571	799	380	180	96	80	52	37	16	11	3	1	-
Dundee	1,659	28.9	-	5	24	52	97	443	476	301	113	59	34	19	9	17	6	4	-	-	-
Aberdeen	2,052	28.1	-	4	26	66	111	560	656	303	137	62	45	38	17	16	8	1	1	1	-
Paisley	997	28.9	-	-	5	19	50	261	336	171	71	38	19	11	10	3	2	-	1	1	-
Greenock	811	27.3	-	1	14	23	42	285	244	112	46	23	4	6	5	3	2	-	1	1	-
Motherwell and Wishaw	659	28.9	-	-	3	15	34	151	237	114	60	21	15	3	2	-	2	2	-	-	-
Clydebank	345	29.2	-	-	3	5	15	85	132	53	22	9	10	5	3	-	2	2	-	-	-
Kirkcaldy	414	28.9	-	-	7	15	23	116	119	69	25	14	7	7	6	-	5	-	1	-	-
Coatbridge	415	28.1	-	-	1	7	11	136	150	65	16	13	9	2	3	-	2	-	-	-	-
Kilmarnock	394	28.5	-	-	5	7	20	130	125	55	21	11	4	7	5	2	2	1	-	-	-
Hamilton	409	28.8	-	1	4	12	21	114	119	74	33	11	7	7	2	2	2	2	-	-	-
Ayr	493	28.9	-	-	5	14	22	154	148	68	39	15	8	6	10	2	2	1	-	-	-
Falkirk	377	29.0	-	-	1	7	18	108	121	59	32	15	4	2	7	-	1	1	-	-	-
Dunfermline	494	28.3	-	1	2	9	29	154	167	56	33	20	14	6	11	8	3	-	1	-	-
Perth	483	30.1	-	1	3	9	9	124	158	93	41	10	6	11	6	-	3	-	-	-	-
Airdrie	317	27.7	-	-	1	7	20	107	104	34	27	4	9	2	1	2	-	-	-	-	-
Rutherglen	325	28.9	-	-	4	9	9	89	104	54	34	12	3	3	1	3	1	-	-	-	-
Dumfries	347	28.9	-	-	-	11	19	99	118	43	25	10	10	5	2	3	1	1	-	-	-
Stirling	291	28.9	-	-	-	4	14	93	93	43	19	7	3	8	5	5	1	-	-	-	-
Inverness	415	30.7	-	-	4	7	13	83	123	85	52	24	6	2	2	3	1	1	-	-	-
Dumbarton	226	29.3	-	-	1	3	5	58	88	42	13	6	2	2	3	1	1	1	-	-	-
Port-Glasgow	224	27.5	-	2	2	11	11	81	63	27	10	6	7	1	3	-	-	-	-	-	-
Arbroath	185	29.3	-	-	3	5	11	57	47	26	14	8	5	3	3	-	2	-	1	-	-

TABLE 13.—Ages of WOMEN at Marriage in Scotland, 1941.

	All Ages.	Average age.	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70	75	80	85 and over.
SCOTLAND	47,620	26.1	255	932	2001	3506	4430	15,129	11,652	4,956	2,333	1127	645	304	175	106	56	11	2	—	—
LARGE BURGHS	29,924	26.2	145	580	1265	2157	2740	9,279	7,442	3,179	1,506	751	421	215	123	76	37	6	2	—	—
COUNTIES (<i>ex Large BURGHS</i>)	17,696	25.8	110	352	736	1349	1690	5,850	4,210	1,777	827	376	224	89	52	30	19	5	—	—	—
<i>Countries (ex Large BURGHS).</i>																					
Aberdeen	997	25.6	10	27	52	75	102	329	227	87	37	21	16	5	5	2	2	—	—	—	—
Angus	542	26.1	3	12	27	42	50	156	148	52	23	12	10	3	3	1	1	—	—	—	—
Argyll	480	27.0	3	2	20	39	45	131	101	69	42	16	3	7	1	1	1	—	—	—	—
Ayr	1,925	25.8	13	22	80	149	194	652	437	203	84	37	31	7	9	4	2	1	—	—	—
Banff	345	25.2	2	15	19	22	28	109	100	26	15	4	4	—	—	—	1	—	—	—	—
Berwick	196	26.1	—	1	5	20	13	59	58	26	7	3	3	1	2	1	—	—	—	—	—
Bute	137	27.1	—	3	2	14	11	43	31	17	6	3	2	2	2	2	1	—	—	—	—
Caithness	199	24.8	1	6	15	23	19	55	48	20	5	4	1	2	2	—	—	—	—	—	—
Clackmannan	321	25.3	2	8	15	28	32	118	68	23	13	13	2	7	—	3	—	—	—	—	—
Dunbarton	775	26.5	3	9	24	47	62	232	225	96	40	19	10	3	3	1	1	—	—	—	—
Dumfries	416	26.0	1	8	25	27	37	141	90	38	27	9	6	4	2	1	1	—	—	—	—
East Lothian	366	24.7	1	6	20	30	45	135	78	27	16	5	1	—	1	—	—	—	—	—	—
Fife	1,735	25.2	16	38	76	156	205	599	362	134	74	37	16	8	8	4	2	1	—	—	—
Inverness	243	29.4	1	3	9	12	13	57	58	35	23	16	7	3	2	1	2	—	—	—	—
Kincaidine	173	25.1	3	7	5	14	20	54	38	18	6	6	2	—	—	—	—	—	—	—	—
Kinross	58	26.4	—	5	1	2	5	6	38	2	4	3	3	—	—	—	—	—	—	—	—
Kirkcudbright	200	26.4	—	5	8	15	20	61	45	24	9	4	6	1	—	—	1	—	—	—	—
Lanark	2,491	25.6	10	53	97	175	229	912	551	260	99	49	31	15	3	5	2	—	—	—	—
Midlothian	750	25.0	6	15	26	67	77	270	176	56	37	10	6	2	1	1	—	—	—	—	—
Moray	377	25.8	2	8	23	33	37	115	97	40	14	8	4	5	1	—	—	—	—	—	—
Nairn	75	28.4	—	1	—	2	4	21	17	12	11	2	2	1	1	—	—	—	—	—	—
Orkney	229	25.5	6	13	7	20	16	72	54	19	14	4	4	—	2	—	—	—	—	—	—
Peebles	110	25.7	—	1	7	10	9	28	36	13	4	1	—	—	1	—	—	—	—	—	—
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)

AGES of WOMEN at Marriage in Scotland, 1941.

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)
Perth	526	26.7	2	8	23	35	33	163	133	62	39	17	7	1	1	-	2	-	-	-	-
Renfrew	1,000	25.7	3	13	38	72	95	326	263	114	40	15	11	7	3	-	-	-	-	-	-
Ross & Cromarty	373	28.4	3	8	7	17	24	80	105	63	39	17	6	1	2	1	-	-	-	-	-
Roxburgh	365	25.6	3	7	12	21	35	128	96	35	13	9	6	2	-	-	-	-	-	-	-
Selkirk	190	26.3	1	2	4	11	20	56	60	17	12	1	4	4	-	-	1	1	1	-	-
Stirling	890	25.2	2	15	40	70	99	314	210	76	28	18	11	4	2	-	-	-	-	-	-
Sutherland	70	27.5	3	2	1	6	5	18	16	9	6	1	-	2	1	-	-	-	-	-	-
West Lothian	690	24.3	2	21	27	61	78	272	158	42	14	8	5	3	1	1	-	-	-	-	-
Wigtown	259	25.7	8	9	17	25	16	78	47	29	17	6	3	3	-	1	-	-	-	-	-
Zetland	193	27.3	-	3	3	14	10	52	57	33	9	7	4	-	-	1	-	-	-	-	-
<i>Large Burghs.</i>																					
Glasgow	12,726	26.4	68	244	542	862	1,065	3,846	3,281	1,427	676	330	180	93	54	39	17	1	1	-	-
Edinburgh	4,866	26.4	18	70	177	349	448	1,522	1,202	543	259	127	68	38	23	16	5	1	1	-	-
Dundee	1,659	26.0	11	45	68	160	184	474	363	171	89	38	27	14	9	3	1	2	-	-	-
Aberdeen	2,052	25.9	16	46	111	149	232	619	455	200	106	50	33	18	8	6	3	-	-	-	-
Paisley	997	26.3	4	10	35	67	81	313	285	102	50	25	12	8	3	2	1	1	-	-	-
Greenock	811	25.0	3	20	44	66	81	281	191	71	28	15	4	1	4	-	-	-	-	-	-
Motherwell and Wishaw	659	26.0	3	7	18	30	63	226	186	75	28	10	8	4	-	1	-	-	-	-	-
Clydebank	345	25.8	1	6	14	32	36	113	82	28	15	8	4	4	-	1	-	-	-	-	-
Kirkcaldy	414	26.2	1	3	18	33	39	142	103	32	14	16	4	2	3	2	2	-	-	-	-
Coatbridge	415	25.1	2	13	15	36	40	156	90	32	14	8	5	2	2	-	-	-	-	-	-
Kilmarnock	394	25.9	2	8	14	26	44	132	95	40	12	8	5	2	5	1	-	-	-	-	-
Hamilton	409	25.9	2	13	24	22	47	124	95	45	24	6	5	3	-	-	2	-	-	-	-
Ayr	493	26.1	2	7	27	31	41	163	123	52	22	8	10	3	3	1	1	-	-	-	-
Falkirk	377	26.3	-	6	8	24	32	133	92	33	21	12	5	4	-	1	-	-	-	-	-
Dunfermline	494	25.5	2	11	23	39	47	164	124	43	15	13	9	3	1	1	1	-	-	-	-
Perth	483	26.9	1	15	18	37	36	133	123	63	28	7	11	7	1	1	-	-	-	-	-
Airdrie	317	25.0	-	5	12	25	43	114	72	21	17	5	2	1	-	-	-	-	-	-	-
Rutherglen	325	26.2	1	6	11	28	33	91	86	39	12	10	6	1	3	-	-	-	-	-	-
Dumfries	347	25.6	3	9	17	26	36	114	78	31	11	12	6	1	-	-	-	-	-	-	-
Stirling	291	25.3	2	15	15	31	20	92	67	22	13	6	6	1	1	-	1	-	-	-	-
Inverness	415	27.0	-	7	21	27	24	114	111	58	29	17	4	-	-	1	1	-	-	-	-
Dumbarton	226	26.2	1	4	4	19	14	76	66	23	10	3	1	3	-	-	2	-	-	-	-
Port-Glasgow	224	24.5	2	7	14	19	33	78	38	15	5	9	4	-	-	-	-	-	-	-	-
Arbroath	185	26.0	-	3	15	19	21	54	37	13	8	8	2	3	2	-	-	-	-	-	-

TABLE 17.—AGES in Combination of WIDOWERS and SPINSTERS at Marriage in Scotland, 1941.

AGES OF SPINSTERS.														Total Widow- ers.	AGES OF WIDOWERS.	
16-17-18	19-	20-	21-	25-	30-	35-	40-45-	50-	55-	60-	65-	70-	75-80-			85 and over.
16-17-18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17-18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
19-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
21-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
80-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
85- and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total Spinsters	4	5	13	33	195	297	292	291	249	181	74	50	28	12	3	1
														1,761	Total Widowers and Spinsters.	

Average age—Husbands 45·6; Wives, 36·0.

TABLE 18A.—AGES in Combination of DIVORCED MEN and of WOMEN (all conjugal conditions) at Marriage in Scotland, 1941.

AGES OF WOMEN.																			Total Husbands.	AGES OF DIVORCED MEN.										Total Husbands and Wives.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over.		Not stated																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
16-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Average Age—Husbands, 40·1; Wives, 33·0

TABLE 19.—Ages at Death in 1942.

Age Groups.	Number of Deaths.				
	Scot-land.	Large Burghs.	Small Burghs.	Land-ward.	Unallo-cated Deaths.*
Under 1 -	6,283	3,813	872	1,598	-
1- -	1,429	903	171	350	5
5- -	639	386	92	153	8
10- -	536	316	61	135	24
15- -	2,817	1,316	251	539	711
25- -	2,871	1,340	313	640	578
35- -	3,419	1,902	424	888	205
45- -	5,453	3,288	760	1,330	75
55- -	9,481	5,541	1,471	2,449	20
65- -	15,160	8,280	2,550	4,324	6
75- -	13,181	6,420	2,491	4,268	2
85- -	3,666	1,513	746	1,407	-
Not stated	28	2	-	7	19
ALL AGES	64,963	35,020	10,202	18,088	1,653

* Including all Service deaths and all deaths due to war operations.

TABLE 20.—Deaths, Male and Female, at each year of Age,

MALES.													
AGES.	TOTAL.	Single.	Married.	Widowed.	Divorced.	Not Stated.	AGES.	TOTAL.	Single.	Married.	Widowed.	Divorced.	Not Stated.
0 ...	3616	3616	-	-	-	-	50 ...	329	61	247	20	-	1
1 ...	326	326	-	-	-	-	51 ...	328	77	231	19	1	-
2 ...	180	180	-	-	-	-	52 ...	379	64	280	33	1	1
3 ...	135	135	-	-	-	-	53 ...	386	61	294	26	3	2
4 ...	127	127	-	-	-	-	54 ...	385	70	275	37	2	1
5 ...	96	96	-	-	-	-	55 ...	391	76	276	35	3	1
6 ...	71	71	-	-	-	-	56 ...	460	71	337	52	-	-
7 ...	78	78	-	-	-	-	57 ...	451	100	310	40	-	1
8 ...	60	60	-	-	-	-	58 ...	471	90	319	61	1	-
9 ...	47	47	-	-	-	-	59 ...	515	109	333	70	1	2
10 ...	51	51	-	-	-	-	60 ...	477	90	317	66	2	2
11 ...	51	51	-	-	-	-	61 ...	541	98	356	87	-	-
12 ...	54	54	-	-	-	-	62 ...	593	97	410	86	-	-
13 ...	58	58	-	-	-	-	63 ...	615	125	388	101	-	1
14 ...	70	70	-	-	-	-	64 ...	693	126	437	126	2	2
15 ...	94	94	-	-	-	-	65 ...	748	144	444	159	-	1
16 ...	119	119	-	-	-	-	66 ...	745	125	483	135	-	2
17 ...	112	111	1	-	-	-	67 ...	815	138	487	189	1	-
18 ...	135	134	1	-	-	-	68 ...	777	129	454	193	1	-
19 ...	176	174	2	-	-	-	69 ...	855	147	486	221	1	-
20 ...	206	192	9	-	-	5	70 ...	810	121	434	254	1	-
21 ...	270	237	28	-	-	5	71 ...	821	130	444	245	1	1
22 ...	203	167	33	-	-	3	72 ...	846	130	440	275	1	-
23 ...	151	119	29	1	-	2	73 ...	805	113	404	286	1	1
24 ...	137	96	36	-	-	5	74 ...	842	121	396	323	1	1
25 ...	160	97	62	-	-	1	75 ...	796	112	374	308	1	1
26 ...	146	97	47	-	-	2	76 ...	772	113	345	313	1	-
27 ...	144	72	68	1	-	3	77 ...	731	93	322	316	-	-
28 ...	169	89	79	-	-	1	78 ...	706	84	285	337	-	-
29 ...	179	75	99	2	1	2	79 ...	646	91	262	293	-	-
30 ...	131	62	67	1	-	1	80 ...	540	58	196	285	1	-
31 ...	137	65	70	1	-	1	81 ...	582	66	217	299	-	-
32 ...	163	64	98	-	-	1	82 ...	496	59	150	284	3	-
33 ...	152	53	96	3	-	83	83 ...	371	56	103	212	-	-
34 ...	167	65	97	4	-	1	84 ...	379	45	95	239	-	-
35 ...	162	57	101	3	-	1	85 ...	325	39	89	197	-	-
36 ...	129	41	82	4	1	1	86 ...	249	25	67	156	1	-
37 ...	189	56	126	5	2	-	87 ...	194	20	45	129	-	-
38 ...	179	57	118	3	-	1	88 ...	134	14	28	92	-	-
39 ...	194	54	131	9	-	-	89 ...	126	12	22	92	-	-
40 ...	206	42	154	9	-	1	90 ...	66	5	12	49	-	-
41 ...	217	48	161	4	1	3	91 ...	65	5	10	50	-	-
42 ...	196	52	135	5	3	1	92 ...	55	4	9	42	-	-
43 ...	204	58	139	4	2	1	93 ...	25	2	2	21	-	-
44 ...	200	36	155	8	1	-	94 ...	20	2	1	17	-	-
45 ...	246	46	184	15	-	1	95 ...	11	3	2	6	-	-
46 ...	265	53	203	8	1	-	96 ...	9	1	1	7	-	-
47 ...	242	44	185	12	-	1	97 ...	9	1	1	7	-	-
48 ...	298	66	211	19	1	1	98 ...	7	-	-	7	-	-
49 ...	292	53	214	23	2	-	99 ...	3	-	-	3	-	-
							100 and over	1	-	-	1	-	-
							Not Stated	27	6	4	-	-	17
							All Males	33,813	11,494	15,145	7,045	46	83

and by Condition as to Marriage, in Scotland, 1942.

FEMALES.													
AGES.	TOTAL.	Single.	Married.	Widowed.	Divorced.	Not Stated.	AGES.	TOTAL.	Single.	Married.	Widowed.	Divorced.	Not Stated.
0 ...	2667	2667	-	-	-	-	50 ...	216	52	141	22	1	-
1 ...	287	287	-	-	-	-	51 ...	236	66	142	28	-	-
2 ...	130	130	-	-	-	-	52 ...	254	46	164	44	-	-
3 ...	129	129	-	-	-	-	53 ...	294	67	179	47	1	-
4 ...	115	115	-	-	-	-	54 ...	301	74	175	51	1	-
5 ...	80	80	-	-	-	-	55 ...	304	63	175	64	2	-
6 ...	71	71	-	-	-	-	56 ...	316	82	174	60	-	-
7 ...	54	54	-	-	-	-	57 ...	389	76	240	71	2	-
8 ...	51	51	-	-	-	-	58 ...	405	80	231	93	1	-
9 ...	31	31	-	-	-	-	59 ...	389	87	215	87	-	-
10 ...	44	44	-	-	-	-	60 ...	441	105	218	117	-	1
11 ...	44	44	-	-	-	-	61 ...	447	103	218	126	-	-
12 ...	44	44	-	-	-	-	62 ...	480	105	232	143	-	-
13 ...	46	46	-	-	-	-	63 ...	540	95	271	172	2	-
14 ...	74	74	-	-	-	-	64 ...	563	111	263	189	-	-
15 ...	78	78	-	-	-	-	65 ...	638	137	298	263	-	-
16 ...	108	108	-	-	-	-	66 ...	653	133	279	241	-	-
17 ...	122	120	1	-	1	-	67 ...	655	117	258	280	-	-
18 ...	121	115	6	-	-	-	68 ...	624	119	233	272	-	-
19 ...	123	111	12	-	-	-	69 ...	783	144	290	349	-	-
20 ...	129	97	31	1	-	-	70 ...	676	138	266	271	1	-
21 ...	164	114	50	-	-	-	71 ...	719	143	241	334	1	-
22 ...	154	96	58	-	-	-	72 ...	759	156	237	366	-	-
23 ...	102	63	39	-	-	-	73 ...	816	181	236	399	-	-
24 ...	113	61	50	2	-	-	74 ...	773	170	206	395	1	1
25 ...	118	49	67	2	-	-	75 ...	811	194	165	450	2	-
26 ...	144	52	89	3	-	-	76 ...	847	188	161	498	-	-
27 ...	126	39	85	2	-	-	77 ...	839	197	135	504	3	-
28 ...	133	50	81	2	-	-	78 ...	750	176	116	457	1	-
29 ...	151	55	93	3	-	-	79 ...	788	180	125	483	-	-
30 ...	140	40	97	3	-	-	80 ...	713	196	94	422	1	-
31 ...	115	29	81	5	-	-	81 ...	656	159	64	433	-	-
32 ...	130	39	90	1	-	-	82 ...	670	169	63	438	-	-
33 ...	126	42	80	4	-	-	83 ...	544	135	40	369	-	-
34 ...	140	43	93	4	-	-	84 ...	544	135	34	375	-	-
35 ...	141	46	92	3	-	-	85 ...	488	121	26	341	-	-
36 ...	125	39	84	2	-	-	86 ...	409	97	26	286	-	-
37 ...	141	39	96	6	-	-	87 ...	369	85	13	271	-	-
38 ...	138	34	100	4	-	-	88 ...	253	64	9	180	-	-
39 ...	161	46	111	3	1	-	89 ...	234	47	3	184	-	-
40 ...	159	46	103	8	2	-	90 ...	168	35	4	129	-	-
41 ...	145	41	91	11	2	-	91 ...	108	28	-	80	-	-
42 ...	189	45	128	16	-	-	92 ...	91	23	2	66	-	-
43 ...	167	40	116	11	-	-	93 ...	77	24	1	52	-	-
44 ...	177	47	114	15	1	-	94 ...	58	17	1	40	-	-
45 ...	194	35	140	18	1	-	95 ...	40	13	-	27	-	-
46 ...	210	54	140	16	-	-	96 ...	23	5	-	18	-	-
47 ...	182	49	113	20	-	-	97 ...	20	4	-	15	1	-
48 ...	197	49	131	17	-	-	98 ...	9	1	-	8	-	-
49 ...	219	56	131	30	2	-	99 ...	10	4	-	6	-	-
100 and over								10	4	1	5	-	-
Not stated								1	-	-	1	-	-
All Females								31,150	10,885	9,458	10,774	31	2

TABLE 21.—Deaths and Death-rates from Selected Causes in Scotland in each Age-group, 1942.

INTERNATIONAL Nos.		CAUSES OF DEATH.	Sex.	NUMBERS AGED										CIVILIAN DEATH-RATE PER 100,000 AT AGES													
Long List.	Short List.			All Ages.	-1	1-5	5-10	10-15	15-25	25-35	35-45	45-55	55-65	65-75	75 and over	85 and over	All Ages.	-1	1-5	5-10	10-15	15-25	25-35	35-45	45-55	55-65	65-75
1, 2	1	Typhoid fever (incl. Paratyphoid)	M. F.	13 7	-	-	1 2	5 2	3 1	2 1	2 1	-	-	-	-	1 0	-	-	-	-	2 0	1 0	1 0	1 0	1 0	-	-
6	14 (1)	Cerebro-spinal fever	M. F.	96 84	25 24	10 10	1 5	7 6	7 1	6 4	2 1	-	-	-	4 3	59 59	16 12	5 5	3 2	2 2	2 1	2 2	2 2	2 2	1 1	-	-
8	3	Scarlet Fever	M. F.	12 12	- 2	4 3	1 3	2 -	- 1	- 2	- 2	- 1	-	-	1 0	-	2 5	2 1	0 1	-	-	0 1	-	-	1 1	-	-
9	4	Whooping-cough	M. F.	41 51	28 29	12 20	-	-	-	-	- 1	- 1	-	-	2 2	66 71	7 12	-	-	-	-	-	-	-	0 1	-	-
10	5	Diphtheria	M. F.	137 153	3 7	75 78	29 37	12 11	9 8	3 2	1 3	2 1	-	-	6 6	17 48	45 18	6 5	3 2	0 1	-	0 1	1 1	1 1	-	-	-
13	6	Tuberculosis of respiratory system	M. F.	1561 1482	11 12	31 16	8 7	20 39	317 577	289 397	292 101	204 81	74 40	10 14	-	70 56	26 29	18 10	4 3	10 19	102 142	114 99	95 51	112 32	94 31	80 23	20 20
14-22	7	Other forms of tuberculosis	M. F.	473 482	39 36	109 102	56 43	37 42	106 117	39 44	20 23	14 30	16 17	5 4	-	21 18	92 88	65 63	27 21	18 20	33 29	13 11	9 6	8 7	12 10	14 5	-
30	9	Syphilis	M. F.	230 76	9 17	-	-	7 13	26 9	42 12	66 13	52 8	14 1	1 1	-	10 3	21 42	-	-	-	1 0	3 1	8 2	16 4	30 5	35 7	30 11
33	10	Influenza	M. F.	164 144	20 12	6 4	1 -	7 6	28 5	22 15	33 34	25 10	24 3	8 10	-	8 5	47 29	4 2	0 1	-	3 0	2 1	3 1	11 7	16 6	17 19	54 55
35	12	Measles	M. F.	65 79	25 29	34 42	2 4	- 1	2 1	- 1	- 1	- 1	-	-	3 3	59 71	20 26	1 2	0 0	-	0 0	-	0 1	-	1 1	-	-
3-5, 7, 11, 12, 23-29, 31, 32, 34, 36-44	14 (2)	Other infectious or parasitic diseases (2, 8, 11, 13)*	M. F.	261 200	32 17	11 12	7 8	16 3	25 17	34 22	37 23	27 10	27 15	4 5	-	12 8	76 42	7 7	3 4	8 1	8 4	13 5	12 6	11 11	18 18	28 25	-
45-55	15	Cancer, malignant tumours (c)	M. F.	4119 4438	1 7	5 5	9 6	24 14	73 93	211 304	562 1015	1433 1345	655 806	74 121	-	193 168	2 4	4 2	2 3	4 3	8 3	23 23	67 79	215 197	466 426	993 764	1454 1148
(a)	(b)			(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

TABLE 21.—Deaths and Death-rates from Selected Causes in Scotland in each Age-Group, 1942—continued.

INTERNATIONAL Nos.		CAUSES OF DEATH.	Sex.	NUMBERS AGED												CIVILIAN DEATH-RATE PER 100,000 AT AGES											
Long List.	Short List.			All Ages.	1-5	5-10	10-15	15-25	25-35	35-45	45-55	55-65	65-75	75 and over	85 and over	95 and over	All Ages.	1-5	5-10	10-15	15-25	25-35	35-45	45-55	55-65	65-75 and over	
124	31 (1)	Cirrhosis of liver - -	M. F.	86 38	- -	- -	1 1	1 1	5 2	13 6	25 12	28 9	11 5	1 1	- -	4 1	2 -	- -	- -	0 0	2 2	5 5	11 5	19 7	24 7		
125-127	31 (2)	Other diseases of liver - {	M. F.	77 236	- 1	- 3	5 4	5 8	13 19	12 28	18 60	19 65	19 39	10 -	- -	3 9	1 -	1 -	1 1	2 2	5 5	9 9	23 23	37 61	38 61		
115, 116, 118, 122, 123, 128, 129	32 (2)	Other digestive diseases - {	M. F.	418 338	44 21	15 10	7 6	22 9	36 24	36 39	79 75	85 98	60 84	15 13	- -	19 15	104 51	9 3	3 0	2 2	6 6	11 12	14 14	36 27	57 56	150 120	
130-132	33	Nephritis, acute or chronic {	M. F.	728 715	3 8	5 2	33 6	38 19	59 38	104 94	133 136	200 194	136 133	20 13	- -	33 27	7 7	2 5	1 3	8 5	10 18	20 29	39 52	61 110	134 181		
133-139	34	Other dis. of genito-urinary system - - - {	M. F.	886 221	13 13	3 1	5 7	14 22	29 28	107 37	318 43	334 86	59 20	14 -	- -	42 3	31 32	2 -	1 2	5 5	10 12	49 17	212 20	784 42	784 42		
140, 147	35	Puerperal sepsis - -	F.	161	-	-	39	80	42	-	-	-	-	-	-	6	-	-	-	9	20	11	-	-	-		
141-146, 148-150	36	Other puerperal causes -	F.	221	-	-	1	43	104	72	1	-	-	-	-	8	-	-	0	11	26	19	0	-	-		
151-156	37	Diseases of skin and organs of movement - - {	M. F.	202 135	36 17	8 6	13 4	12 6	18 6	24 12	36 27	19 20	3 5	- -	9 5	85 42	4 5	4 3	6 4	3 1	4 2	8 4	11 10	24 9	44 31		
157-161	38	Congen. debil., prem. birth, malformations, &c. - {	M. F.	1920 1376	1870 1341	22 11	8 6	2 4	4 6	1 1	2 -	- -	- -	- -	91 52	4417 3278	13 7	5 3	1 2	3 1	1 0	0 0	- -	- -	- -		
162	39	Old age - - - - -	M. F.	783 1287	- -	- -	- -	- -	- -	- -	94 136	437 640	248 504	1 -	37 49	- -	- -	- -	- -	- -	- -	- -	2 2	63 77	1366 1417		
163-164	40	Suicide - - - - -	M. F.	250 127	- -	- -	41 11	49 15	21 30	31 80	39 24	31 21	6 5	2 -	9 5	- -	- -	- -	7 2	6 4	11 5	15 9	18 12	21 6	16 6		
170-171	42	Road transport accidents - {	M. F.	781 210	1 -	50 27	76 35	82 11	123 28	84 18	91 15	87 24	50 22	1 4	- -	29 8	2 17	30 17	15 5	14 6	18 1	21 5	34 6	40 6	60 14	102 32	
165-169, 172-193	43	Other violence (41) - - - {	M. F.	2242 795	63 34	69 42	50 35	475 27	244 32	207 37	183 52	165 159	88 185	29 101	25 -	64 30	149 156	41 26	21 17	24 13	46 8	57 6	68 12	82 20	111 90	233 354	
199, 200	44	Causes ill-defined or unknown - - - - - {	M. F.	709 386	34 20	7 3	2 1	11 7	26 12	37 32	101 72	108 110	20 95	22 -	- -	33 15	80 49	4 6	1 1	0 0	3 1	8 2	7 3	37 10	70 28	156 63	255 145
		ALL CAUSES - - - - -	M. F.	338133616 311502667	768352 661287	28416081548 2521214132315432303	1548 1323	1876 1543	3150 2303	5207 4274	8064 7096	6019 7162	1299 2367	27 -	1524 1181	8541458170 6519408143	136335 123295	338579 328401	398579 328401	51902388 71916474038	539914598 11808					14598	
		BOTH SEXES - - - - -		649636283	1429639	5362817257134195453				948115160	13181	8666	28		1334	7547433157129311	354478					9301935	466012874				

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.

TABLE 22. —Deaths and Death-rates from Selected Causes in Scotland, 1942.

INTERNATIONAL NOS.		CAUSES OF DEATH.		NUMBERS.					CIVILIAN DEATH-RATE PER 100,000 OF POPULATION.		
Long List.	Short List.			Scotland.	Large Burghs.	Small Burghs.	Land-ward.	Unall- -ated Deaths,†	Scotland.	Large Burghs.	Counties (exclusive of Large Burghs).†
1, 2	1	Typhoid fever (including Paratyphoid)	-	20	14	-	4	2	0	1	0
6	14 (1)	Cerebro-spinal fever -	-	180	92	37	45	6	4	4	4
8	3	Scarlet fever -	-	24	15	1	8	-	1	1	0
9	4	Whooping-cough -	-	92	54	12	26	-	2	2	2
10	5	Diphtheria -	-	290	196	36	54	4	6	8	4
13	6	Tuberculosis of respiratory system	-	3,043	2,078	302	585	78	62	83	40
14-22	7	Other forms of tuberculosis	-	955	578	119	230	28	20	23	16
30	9	Syphilis -	-	306	201	37	58	10	6	8	4
33	10	Influenza -	-	308	153	55	99	1	6	6	7
35	12	Measles -	-	144	113	6	24	1	3	5	1
3-5, 7, 11, 12, 23-29, 31, 32, 34, 36-44	14 (2)	Other infectious or parasitic diseases (2, 8, 11, 13)*	-	461	248	76	128	9	10	10	9
45-56	15	Cancer, malignant tumours	-	8,557	4,764	1,382	2,368	43	179	190	167
56, 57	16	Tumours, non-malignant or not defined	-	226	113	36	73	4	5	5	5
58	20 (1)	Acute rheumatism -	-	103	56	12	33	2	2	2	2
61	18	Diabetes mellitus -	-	639	317	115	205	2	13	13	14
59, 60, 62-79	20 (2)	Other general diseases (17, 19)	-	1,043	553	193	285	12	22	22	21
81-82	21	Meningitis, Diseases of spinal cord	-	332	176	58	96	2	7	7	7
83	22	Cerebral hæmorrhage, &c. -	-	7,149	3,649	1,331	2,149	20	150	146	155
80, 84-89	23	Other diseases of nervous system	-	1,044	570	154	314	6	22	23	21
90-95	24	Heart disease -	-	15,069	7,865	2,637	4,515	52	316	314	319
96-103	25	Other circulatory diseases -	-	1,479	798	229	448	9	31	32	30
106	26	Bronchitis -	-	2,439	1,523	309	599	8	51	61	40
107-109	27	Pneumonia -	-	2,782	1,770	316	674	22	58	71	44
104, 105, 110-114	28	Other respiratory diseases -	-	969	529	179	248	13	20	21	19
117	32 (1)	Gastric and duodenal ulcer -	-	587	301	105	165	16	12	12	12
119, 120	29	Diarrhoea (all ages) -	-	1,053	707	118	224	4	22	28	15
121	30	Appendicitis -	-	291	141	49	82	19	6	6	6
124	31 (1)	Cirrhosis of liver -	-	124	69	19	35	1	3	3	2
125-127	31 (2)	Other diseases of liver	-	313	153	57	98	5	6	6	7
115, 116, 118, 122, 123, 128, 129	32 (2)	Other digestive diseases -	-	806	435	140	216	15	17	17	16
130-132	33	Nephritis acute or chronic -	-	1,443	761	230	432	20	30	30	29
133-139	34	Other dis. of genito-urinary system	-	1,197	566	190	347	4	23	23	24
140, 147	35	Puerperal sepsis -	-	161	105	18	37	1	3	4	2
141-146, 148-150	36	Other puerperal causes -	-	221	120	26	74	1	5	5	4
151-156	37	Diseases of skin and organs of movement	-	337	172	52	102	11	7	7	7
157-161	38	Congen. debil., prem. birth, malform., &c.	-	3,296	1,909	472	915	-	69	76	62
162	39	Old age -	-	2,070	814	417	839	-	44	32	56
163, 164	40	Suicide -	-	377	190	51	69	67	7	8	5
170-171	42	Road transport accidents -	-	991	473	105	244	169	17	19	16
165-169, 172-198	43	Other violence (41) -	-	3,037	1,093	350	621	973	45	44	43
199, 200	44	Causes ill-defined or unknown -	-	1,095	591	171	320	13	23	24	22
		ALL CAUSES	-	64,963	35,020	10,202	18,088	1,653	1,334	1,397	1,260

* Including erysipelas, septicæmia, dysentery, acute poliomyelitis and lethargic encephalitis.

† See note, Table 19.

† See note, Table A.

TABLE 23.—Deaths from Selected Causes and in Age Groups in Scotland, 1933-1942.

International Nos. Short List.		1942.	1941.	1940.		1939.	1938.	1937.	1936.	1935.	1934.	1933.
				1938 Revi- sion.**	1929 Revi- sion.							
	CAUSES OF DEATH.											
1	Typhoid fever (including Paratyphoid)	20	23	27	27	26	27	16	39	45	22	30
14 (1)	Cerebro-spinal fever . . .	180	332	482	482	61	106	144	124	114	153	219
3	Scarlet Fever . . .	24	26	35	35	47	98	123	172	199	345	310
4	Whooping-cough . . .	92	720	197	197	397	219	717	411	567	383	762
5	Diphtheria . . .	290	517	676	676	895	430	426	387	513	583	356
6	Tuberculosis of respira- tory system . . .	3,043	3,117	3,018	3,037	2,717	2,581	2,791	2,753	2,812	2,794	2,930
7	Other forms of tuberculosis	955	1,058	961	966	809	851	872	912	834	908	980
9	Syphilis† . . .	306	262	297	329	335	375	368	414	391	408	419
10	Influenza . . .	308	705	1,791	1,801	915	396	2,693	659	1,459	602	2,027
12	Measles . . .	144	103	262	262	15	549	119	610	141	1,014	36
14 (2)	Other infect. or parasitic diseases (2, 8, 11, 13)*	461	413	409	417	439	464	463	579	529	544	608
15	Cancer, malignant tumours	8,557	8,436	8,208	8,260	8,045	8,072	7,810	7,909	7,793	7,561	7,520
16	Tumours, non-malignant or not defined . . .	226	251	311	311	320	334	330	333	358	317	335
20 (1)	Acute rheumatism . . .	103	121	123	127	162	227	226	226	182	248	171
13	Diabetes mellitus . . .	639	675	731	918	819	859	867	808	740	762	711
20 (2)	Other general dis. (17, 19)	1,043	1,166	1,045	906	835	886	929	906	938	887	904
21	Meningitis, diseases of spinal cord . . .	332	368	363	366	349	385	366	399	389	465	436
22	Cerebral hemorrhage, &c.†	7,149	7,334	7,579	7,160	6,760	6,254	6,411	6,364	6,480	6,620	7,225
23	Other dis. of nervous syst.	1,044	1,138	1,164	1,080	941	964	1,072	1,170	1,138	1,082	1,131
24	Heart disease . . .	15,069	16,200	16,326	16,503	15,459	14,115	14,360	13,668	12,525	11,428	10,489
25	Other circulatory diseases	1,479	1,328	1,538	1,462	1,254	1,190	1,233	1,340	1,308	1,249	1,249
26	Bronchitis . . .	2,439	3,092	4,244	4,317	2,653	2,462	3,273	3,336	3,079	2,735	3,291
27	Pneumonia . . .	2,782	3,573	4,149	4,240	2,949	3,832	4,858	4,793	4,602	4,533	4,600
28	Other respiratory diseases	969	1,016	1,162	1,035	867	780	956	966	910	855	872
32 (1)	Gastric and duodenal ulcer	587	746	755	761	629	688	694	627	626	607	573
29	Diarrhoea (all ages) . . .	1,053	1,164	955	946	1,041	981	1,074	1,235	937	887	1,117
30	Appendicitis . . .	291	258	311	316	287	430	452	433	480	451	437
31 (1)	Cirrhosis of liver . . .	124	145	163	173	179	203	196	176	160	150	131
31 (2)	Other diseases of liver . . .	313	327	319	317	321	396	388	397	387	411	373
32 (2)	Other digestive diseases . .	806	906	893	900	920	962	977	1,054	1,070	1,027	1,140
33	Nephritis acute or chronic	1,443	1,431	1,534	1,742	1,756	1,769	1,885	1,776	1,759	1,922	1,749
34	Other diseases of genito- urinary system . . .	1,107	1,067	1,080	1,036	962	968	1,036	1,023	1,054	926	880
35	Puerperal sepsis § . . .	161	158	129	133	126	183	178	224	262	278	231
36	Other puerperal causes . . .	221	281	255	246	264	249	246	270	292	273	281
37	Diseases of skin and organs of movement . . .	337	343	323	323	342	351	460	459	401	422	411
38	Congenital debility, prem. birth, malformations, &c.	3,296	3,636	3,264	3,241	3,205	3,144	3,409	3,420	3,440	3,367	3,412
39	Old age . . .	2,070	2,315	2,534	2,534	2,468	2,304	2,494	2,432	2,584	2,681	2,708
40	Suicide . . .	377	405	400	400	459	460	453	496	467	532	523
42	Road transport accidents	991	1,150	1,025	1,025	911	668	693	653	638	731	721
43	Other violence (41) . . .	3,037	5,072	2,795	2,826	2,042	1,750	1,874	1,677	1,600	1,560	1,592
44	Causes ill-defined or un- known . . .	1,095	1,190	942	942	832	991	1,010	1,095	1,119	1,018	958
	ALL CAUSES . . .	64,963	72,558	72,775	72,775	64,413	62,953	63,942	66,749	65,331	63,741	64,843
	AGES AT DEATH.											
	Under 1 . . .	6,283	7,426	6,766	6,766	5,955	6,163	7,050	7,315	6,754	6,901	7,019
	1-4 . . .	1,429	2,186	2,182	2,182	1,422	2,093	2,195	2,437	2,202	2,961	2,633
	5-9 . . .	639	929	897	897	699	769	851	877	918	1,137	995
	10-14 . . .	536	695	532	532	521	576	603	624	726	747	745
	15-24 . . .	2,817	3,076	2,529	2,529	2,085	2,150	2,362	2,292	2,256	2,295	2,439
	25-34 . . .	2,871	3,299	2,905	2,905	2,494	2,478	2,862	2,666	2,759	2,904	2,960
	35-44 . . .	3,419	3,994	3,872	3,872	3,321	3,295	3,666	3,533	3,555	3,439	3,599
	45-54 . . .	5,453	6,134	6,043	6,043	5,610	5,462	5,951	5,895	5,653	5,593	5,789
	55-64 . . .	9,481	10,490	11,103	11,103	9,994	9,750	10,514	10,023	9,922	9,714	9,794
	65-74 . . .	15,160	16,347	17,132	17,132	15,395	14,697	15,861	14,972	14,587	13,570	14,035
	75-84 . . .	13,181	13,937	14,672	14,672	13,817	12,258	13,355	12,709	12,572	11,427	11,676
	85 and over . . .	3,666	3,962	3,991	3,991	3,594	3,257	3,682	3,406	3,425	3,053	3,158
	Not stated . . .	23	83	51	51	6	..	2	..	2	..	1
	ALL AGES . . .	64,963	72,558	72,775	72,775	64,413	62,953	63,942	66,749	65,331	63,741	64,843

* Including erysipelas, septicemia, dysentery, acute poliomyelitis and lethargic encephalitis.

† Includes all aneurysm 1932-1940.

‡ Includes cerebral softening from 1932 onwards.

§ Includes post abortive sepsis, puerperal thrombo-phlebitis and puerperal embolism from 1932 onwards.

** Corrected figures.

TABLE 24.—Death-rates from Selected Causes and in Age Groups in Scotland, 1933-1942.

Internal- tional Nos. Short List.		1942.	1941.	1940.		1939.	1938.	1937.	1936.	1935.	1934.	1933.
				1938 Revi- sion.**	1929 Revi- sion.							
DEATH-RATE PER 100,000 OF POPULATION.												
1	CAUSES OF DEATH.	0	0	1	1	1	1	-	1	1	-	1
14 (1)	Typhoid fever (including paratyphoid)	4	7	10	10	1	2	3	2	2	3	4
3	Cerebro-spinal fever	1	1	1	1	1	2	2	3	4	7	6
4	Scarlet fever	2	15	4	4	8	4	14	8	11	8	16
5	Whooping cough	6	11	14	14	8	9	9	8	10	12	7
6	Diphtheria	62	63	62	62	54	52	56	55	57	57	60
7	Tuberculosis of respiratory system	20	21	19	20	16	17	18	18	17	18	20
9	Other forms of tuberculosis	6	5	6	7	7	8	7	8	8	8	9
10	Syphilis †	6	15	37	37	18	8	54	13	29	12	41
12	Influenza	3	2	5	5	-	11	2	12	3	21	1
14 (2)	Measles	10	8	8	8	9	9	9	12	11	11	12
15	Other infectious or parasitic diseases (2, 8, 11, 13)*	179	174	169	170	161	162	157	159	157	163	153
16	Cancer, malignant tumours	5	6	6	6	6	7	7	7	7	6	7
20 (1)	Tumours, non-malignant or not defined	2	2	2	3	3	5	5	5	4	5	3
18	Acute rheumatism	13	14	15	19	16	17	17	16	15	15	14
20 (2)	Diabetes mellitus	22	24	21	19	17	18	19	18	19	18	18
21	Other general dis. (17, 19)	7	8	7	8	7	8	7	8	8	9	9
22	Meningitis, diseases of spinal cord	150	152	156	148	135	125	129	128	131	134	147
23	Cerebral hæmorrhage, &c.†	22	23	24	22	19	19	22	24	23	22	23
24	Other dis. of nervous syst.	316	335	336	340	309	283	289	276	253	232	214
25	Heart disease	31	27	32	30	25	24	25	27	26	25	25
26	Other circulatory diseases	51	64	85	89	53	49	66	67	62	55	67
27	Bronchitis	58	74	85	87	59	77	93	97	93	92	94
28	Pneumonia	20	21	24	21	17	16	19	19	18	17	18
32 (1)	Other respiratory diseases	12	15	15	15	13	14	14	13	13	12	12
29	Gastric and duodenal ulcer	22	24	20	19	21	20	22	25	19	18	23
30	Diarrhoea (all ages)	6	5	6	6	8	9	9	9	10	9	9
31 (1)	Appendicitis	3	3	3	4	4	4	4	4	3	3	3
31 (2)	Cirrhosis of liver	6	7	7	7	6	8	8	8	8	8	8
32 (2)	Other diseases of liver	17	18	18	18	18	19	20	21	22	21	23
33	Other digestive diseases	30	29	33	36	35	35	33	36	36	39	36
34	Nephritis, acute or chronic	23	22	21	21	19	19	21	21	21	19	18
35	Other diseases of genito-urinary system	3	3	3	3	3	4	4	5	5	6	5
36	Puerperal sepsis ‡	5	6	5	5	5	5	5	5	6	6	6
37	Other puerperal causes	7	7	7	7	7	7	9	9	8	9	8
38	Diseases of skin and organs of movement	69	75	67	67	64	63	69	69	70	68	69
39	Congen. debil., prem. birth, malform., &c.	44	48	52	52	49	46	50	49	52	54	55
40	Old age	7	7	8	8	9	9	9	10	9	11	11
42	Suicide	17	20	19	19	18	13	14	13	13	15	15
43	Road transport accidents	45	87	49	50	41	35	38	34	32	32	32
44	Other violence (41)	28	24	19	19	17	20	20	22	23	21	20
	Causes ill-defined or unknown	1,334	1,474	1,486	1,486	1,287	1,261	1,385	1,344	1,319	1,292	1,320
	ALL CAUSES											
DEATH-RATE PER 1000 OF AGE-GROUP POPULATION.												
	AGES AT DEATH.											
	Under 1	75.5	88.4	81.9	72.0	73.3	85.0	87.2	81.1	89.4	84.9	
	1-4	4.3	6.5	6.7	4.5	6.6	6.9	7.6	6.8	9.0	8.0	
	5-9	1.6	2.3	2.2	1.8	1.9	2.1	2.1	2.2	2.7	2.3	
	10-14	1.3	1.7	1.4	1.2	1.3	1.4	1.4	1.6	1.6	1.6	
	15-24	3.1	3.4	3.0	2.4	2.5	2.3	2.7	2.7	2.3	2.9	
	25-34	3.5	4.0	3.7	3.1	3.1	3.6	3.4	3.5	3.7	3.8	
	35-44	4.8	5.6	5.5	4.9	4.9	5.6	5.4	5.6	5.5	5.8	
	45-54	9.3	10.6	10.6	10.1	9.9	10.8	10.7	10.3	10.1	10.5	
	55-64	19.8	22.0	23.5	21.3	20.8	22.5	21.6	21.7	21.5	22.0	
	65-74	46.6	51.3	55.5	52.0	50.6	53.0	53.9	53.6	50.6	53.2	
	75-84	128.7	143.8	135.6	127.3	120.2	132.7	128.5	130.0	120.8	126.5	
	85 and over	343.2	343.2	303.2	278.4	307.3	280.2	280.3	255.6	267.5		
	Not stated	
	ALL AGES	13.3	14.7	14.9	12.9	12.6	13.9	13.4	13.2	12.9	13.2	

*, †, ‡, §, **. See footnotes, Table 23.

TABLE 25.—DEATHS in SCOTLAND from PRINCIPAL EPIDEMIC and certain other DISEASES, 1855-1942. Quinquennial averages.

YEAR.	NUMBER OF DEATHS FROM													
	Typhoid Fever.*	Typhus Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-Cough.	Diphtheria.	Tuberculosis.			Bronchitis. †	Pneumonia †	All Diarrhoeal Diseases. ‡	Violence.
								All Forms.	Respiratory.	Cancer.				
1855-60	2573		995	1223	2766	2035	1226	10,140	7194	953	3538	2104	2976	2034
1861-65	3633		992	1377	2423	2193	2549	11,171	7914	1207	5768	2071	2604	2216
1866-70	1346	1799	99	1206	3427	2064	1587	11,983	8472	1348	7095	2284	3212	2273
1871-75	1406	779	1268	1311	591	2015	2090	12,262	8535	1569	8680	3072	3202	2756
1876-80	1341	276	20	1166	1873	2347	1733	12,213	8338	1792	8762	3135	3061	2686
1881-85	1029	162	17	1359	1340	2273	1680	11,099	7998	2058	7916	4075	2706	2725
1886-90	765	91	10	1628	882	2425	1623	10,192	7436	2441	7509	4270	2734	2628
1891-95	761	57	51	2110	811	2151	1513	9,935	7169	2831	7600	5229	3217	2842
1896-1900	716	39	14	1857	756	2206	921	10,149	7151	3351	6288	5656	3825	3128
1901-05	521	25	118	140	403	2222	770	9,790	6618	3845	5570	6578	3166	3084
1906-10	322	14	2	1647	399	1841	839	9,464	6079	4663	5017	6717	2697	2941
1911-15	207	8	5	1583	649	1951	857	8,011	5214	5207	5046	6132	2502	3105
1916-20	109	10	31	1264	287	1330	734	7,073	4781	5574	4999	8545	1820	3014
1921	87	4	24	269	270	1478	611	5,737	3970	5962	4135	5393	1991	2702
1922	65	7	-	2695	247	1408	536	5,818	4061	6133	5730	8265	1244	2444
1923	67	1	-	1118	352	989	492	5,790	3996	6376	3635	4840	1159	2469
1924	34	-	-	1592	410	1625	442	5,653	3887	6498	4843	7691	1147	2599
1925	52	4	-	512	404	1737	505	5,390	3734	6675	4191	5821	1168	2817
1921-25	61	3	5	1237	337	1447	517	5,678	3930	6329	4507	6402	1342	2606
1926	39	3	-	928	343	506	490	4,861	3384	6610	3771	5844	1084	2657
1927	41	2	-	660	200	850	485	4,868	3466	6919	4231	6642	976	2957
1928	29	-	-	1005	140	1072	488	4,722	3318	6901	3585	6098	1016	2914
1929	18	-	-	149	109	901	471	4,530	3238	7108	5344	8778	959	2994
1930	24	1	2	792	127	628	460	4,286	3024	7120	3869	5958	854	3060
1926-30	30	1	0	707	184	791	479	4,663	3296	6938	4160	6664	978	2916
1931	31	1	-	641	161	957	356	4,205	3004	7158	3879	5417	885	2730
1932	32	-	-	892	250	459	368	4,123	2991	7458	3645	6163	1129	2811
1933	30	-	-	36	310	762	356	3,910	2930	7520	3629	5435	1067	2836
1934	22	1	-	1014	345	383	583	3,702	2794	7561	2804	4749	847	2823
1935	45	-	-	141	199	567	513	3,646	2812	7793	3239	5222	875	2705
1931-35	32	0	-	545	253	626	435	3,917	2906	7498	3439	5397	961	2731
1936	39	-	-	610	172	411	387	3,665	2753	7909	3411	5093	1209	2826
1937	16	-	-	119	123	717	426	3,663	2791	7810	3656	6131	1038	3020
1938	27	-	-	549	98	219	430	3,432	2581	8072	2494	4002	960	2878
1939	26	-	-	15	47	397	395	3,526	2717	8045	2775	3275	1005	3412
1940	27	-	-	262	35	197	676	4,003	3037	8260	4693	4832	926	4251
1936-40	27	-	-	311	95	388	463	3,658	2776	8019	3405	4667	1028	3277
1941	23	-	-	103	26	720	517	4,175	3117	8436	3246	3822	1118	6627
1942	20	-	25	144	24	92	290	3,998	3043	8557	2489	2389	1058	4405

* Including Paratyphoid fever from 1931.

† Deaths from Pneumonia and from Bronchitis when associated with Influenza are included in the numbers given. For 1941 and subsequent years those from Bronchitis include "Influenza with other respiratory complications" (33a.2, page 7).

‡ Including Dysentery.

Deaths from Syphilis transferred to Text Table J (1).

Corresponding details for individual years prior to 1921 will be found in the Reports for 1930 and previous years.

TABLE 26.—DEATH-RATE per 100,000 of Population in SCOTLAND from the PRINCIPAL EPIDEMIC and certain other DISEASES, 1855-1942. Quinquennial averages.

YEAR.	Typhoid Fever.*		Typhus Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Tuberculosis.		Cancer.	Bronchitis †	Pneumonia. †	All Diarrhoeal Diseases. †	Violence.
									All Forms.	Respiratory.					
1855-60	92		36	44	98	72	43	360	255	34	125	75	106	72	
1861-65	122		33	46	81	73	85	375	266	40	194	70	88	74	
1866-70	43	57	3	38	109	66	51	382	270	43	226	73	102	72	
1871-75	42	23	38	39	106	60	62	365	254	47	258	91	95	82	
1876-80	38	8	0	33	52	66	49	343	234	50	246	88	86	76	
1881-85	27	4	0	36	36	61	45	296	213	55	211	109	74	73	
1886-90	20	2	0	41	23	62	41	261	190	62	192	109	70	67	
1891-95	19	1	1	51	20	53	37	243	175	69	186	128	79	70	
1896-1900	}	17	1	0	43	18	51	22	235	166	78	145	131	89	73
1901-05		11	0	3	32	9	49	17	218	148	86	124	146	71	69
1906-10		7	0	0	35	9	40	18	204	131	100	108	144	58	63
1911-15		5	0	0	33	13	41	18	169	110	110	106	129	53	65
1916-20	2	0	1	26	6	28	15	147	99	116	104	177	38	63	
1921	2	0	0	6	6	30	13	118	81	122	85	110	41	55	
1922	1	0	-	55	5	29	11	119	83	125	117	169	25	50	
1923	1	0	-	23	7	20	10	118	82	130	74	99	24	51	
1924	1	-	-	33	8	33	9	116	80	134	100	158	24	53	
1925	1	0	-	11	8	36	10	111	77	137	86	120	24	58	
1921-25	1	0	0	26	7	30	11	117	81	130	92	151	28	53	
1926	1	0	-	19	7	10	10	100	70	137	78	120	22	55	
1927	1	0	-	14	4	18	10	100	71	143	87	137	20	61	
1928	1	-	-	21	3	22	10	97	68	142	74	126	21	60	
1929	0	-	-	3	2	19	10	95	68	147	111	182	20	62	
1930	0	0	0	16	3	13	10	89	63	147	90	123	18	63	
1926-30	1	0	-	15	4	16	10	96	68	143	86	137	20	60	
1931	1	0	-	13	3	20	7	87	62	148	80	112	18	56	
1932	1	-	-	18	5	9	8	84	61	153	75	126	23	58	
1933	1	-	-	1	6	16	7	80	60	153	74	111	22	58	
1934	0	0	-	21	7	8	12	75	57	153	57	96	17	57	
1935	1	-	-	3	4	11	10	74	57	157	65	105	18	55	
1931-35	1	0	-	11	5	13	9	80	59	153	70	110	20	57	
1936	1	-	-	12	3	8	8	74	55	159	69	103	24	57	
1937	0	-	-	2	2	14	9	74	56	157	73	123	21	61	
1938	1	-	-	11	2	4	9	69	52	162	50	80	19	58	
1939	1	-	-	0.3	1	8	8	70	54	161	55	65	20	68	
§ 1940	1	-	-	5	1	4	14	82	62	170	97	99	19	77	
1936-40	1	-	-	6	2	8	10	74	56	162	69	94	21	64	
§ 1941	0	-	-	2	1	15	11	85	63	174	67	79	23	115	
§ 1942	0	-	1	3	1	2	6	82	62	179	52	60	22	69	

*, †, ‡. See footnotes, Table 25.

§ Civilians only

Corresponding details for individual years prior to 1921 will be found in the Reports for 1920 and previous years.

TABLE 27.—Deaths and Death-rates from Puerperal Conditions in Scotland in 1942.

	Births (Living Children).	Still- Births	Deaths from all Puerperal Conditions.	Deaths from Puerperal Sepsis.	Deaths from other Puerperal Conditions.	Death-rate per 1000 Live Births.			Death-rate (all Puerperal Con- ditions) per 1000 Total Births (in- cluding Still-births).
						All Puerperal Conditions.	Puerperal Sepsis.	Other Puerperal Conditions	
SCOTLAND . . .	90,697	3602	382	161	221	4.21	1.77	2.44	4.05
LARGE BURGHES . . .	48,714	2088	225	105	120	4.62	2.16	2.46	4.43
SMALL BURGHES . . .	14,499	529	44	18	26	3.03	1.24	1.79	2.93
LANDWARD . . .	27,484	1035	111	37	74	4.04	1.35	2.69	3.89
UNALLOCATED. . .	—	—	2	1	1	—	—	—	—
ABERDEEN COUNTY . . .	5,732	200	18	5	13	3.1	0.9	2.3	3.0
Aberdeen Burgh . . .	2,904	91	13	5	8	4.5	1.7	2.8	4.3
Remainder of County . .	2,828	109	5	—	5	1.8	—	1.8	1.7
ANGUS COUNTY . . .	4,420	191	19	8	11	4.3	1.8	2.5	4.1
Arbroath Burgh . . .	361	22	1	—	1	2.8	—	2.8	2.6
Dundee Burgh . . .	2,770	132	10	4	6	3.6	1.4	2.2	3.4
Remainder of County . .	1,289	37	8	4	4	6.2	3.1	3.1	6.0
ARGYLL COUNTY . . .	1,093	35	2	1	1	1.8	0.9	0.9	1.8
AYR COUNTY . . .	5,863	212	21	10	11	3.6	1.7	1.9	3.5
Ayr Burgh . . .	774	33	3	1	2	3.9	1.3	2.6	3.7
Kilmarnock Burgh . . .	692	34	3	1	2	4.2	1.4	2.9	4.1
Remainder of County . .	4,397	145	15	8	7	3.4	1.8	1.6	3.3
BANFF COUNTY . . .	1,016	22	4	1	3	3.9	1.0	3.0	3.9
BERWICK COUNTY . . .	396	11	1	1	—	2.5	2.5	—	2.5
BUTE COUNTY . . .	366	15	—	—	—	—	—	—	—
CAITHNESS COUNTY . .	549	19	5	2	3	9.1	3.6	5.5	8.8
CLACKMANNAN COUNTY .	644	23	3	—	3	4.7	—	4.7	4.5
DUNBARTON COUNTY . .	2,569	106	12	8	4	4.7	3.1	1.6	4.5
Clydebank Burgh . . .	583	25	5	4	1	8.6	6.9	1.7	8.2
Dumbarton Burgh . . .	480	16	1	1	—	2.1	2.1	—	2.0
Remainder of County . .	1,506	65	6	3	3	4.0	2.0	2.0	3.8
DUMFRIES COUNTY . . .	1,632	53	6	1	5	3.7	0.6	3.1	3.6
Dumfries Burgh . . .	535	20	1	—	1	1.9	—	1.9	1.8
Remainder of County . .	1,097	33	5	1	4	4.6	0.9	3.6	4.4
EAST LoTHIAN COUNTY .	896	40	3	2	1	3.3	2.2	1.1	3.2
FIFE COUNTY . . .	5,226	208	22	10	12	4.2	1.9	2.3	4.0
Dunfermline Burgh . . .	770	19	2	1	1	2.6	1.3	1.3	2.5
Kirkcaldy Burgh . . .	736	24	5	4	1	6.8	5.4	1.4	6.6
Remainder of County . .	3,720	165	15	5	10	4.0	1.3	2.7	3.9
INVERNESS COUNTY . .	1,401	45	3	—	3	2.1	—	2.1	2.1
Inverness Burgh . . .	510	18	1	—	1	2.0	—	2.0	1.9
Remainder of County . .	891	27	2	—	2	2.2	—	2.2	2.2
KINCARDINE COUNTY . .	493	22	1	—	1	2.0	—	2.0	1.9

Note.—Some of the rates in this Table are based on very few observations and are therefore of limited value.

TABLE 27—continued.

	Births (Living Children).	Still- Births	Deaths from all Puerperal Conditions.	Deaths from Puerperal Sepsis.	Deaths from other Puerperal Conditions.	Death-rate per 1000 Live-births.			Death-rate (all Puerperal Condi- tions) per 1000 Total Births (includ- ing Still-births).
						All Puerperal Conditions.	Puerperal Sepsis.	Other Puerperal Conditions.	
KINROSS COUNTY . . .	123	5	1	1	—	8·1	8·1	—	7·8
KIRKCUDBRIGHT COUNTY	577	17	3	—	3	5·2	—	5·2	5·1
LANARK COUNTY . . .	30,733	1,366	176	76	100	5·7	2·5	3·3	5·5
Airdrie Burgh . . .	624	23	5	2	3	8·0	3·2	4·8	7·7
Coatbridge Burgh . . .	976	39	4	1	3	4·1	1·0	3·1	3·9
Glasgow Burgh . . .	20,618	941	111	56	55	5·4	2·7	2·7	5·1
Hamilton Burgh . . .	832	34	11	4	7	13·2	4·8	8·4	12·7
Motherwell and Wishaw Burgh . . .	1,292	61	4	—	4	3·1	—	3·1	3·0
Rutherglen Burgh . . .	394	12	3	1	2	7·6	2·5	5·1	7·4
Remainder of County .	5,997	256	38	12	26	6·3	2·0	4·3	6·1
MIDLOTHIAN COUNTY . .	8,971	314	23	12	11	2·6	1·3	1·2	2·5
Edinburgh Burgh . . .	7,386	255	18	10	8	2·4	1·4	1·1	2·4
Remainder of County .	1,585	59	5	2	3	3·2	1·3	1·9	3·0
MORAY COUNTY . . .	902	36	3	3	—	3·3	3·3	—	3·2
NAIRN COUNTY . . .	202	5	1	—	1	5·0	—	5·0	4·8
ORKNEY COUNTY . . .	484	17	—	—	—	—	—	—	—
PEEBLES COUNTY . . .	200	4	3	1	2	15·0	5·0	10·0	14·7
PERTH COUNTY . . .	2,064	77	6	1	5	2·9	0·5	2·4	2·8
Perth Burgh . . .	613	32	1	1	—	1·6	1·6	—	1·6
Remainder of County .	1,451	45	5	—	5	3·4	—	3·4	3·3
RENFREW COUNTY . . .	5,878	234	26	9	17	4·4	1·5	2·9	4·3
Greenock Burgh . . .	1,590	78	7	2	5	4·4	1·3	3·1	4·2
Paisley Burgh . . .	1,663	67	11	4	7	6·6	2·4	4·2	6·4
Port-Glasgow Burgh . .	502	16	—	—	—	—	—	—	—
Remainder of County .	2,123	73	8	3	5	3·8	1·4	2·4	3·6
ROSS & CROMARTY COUNTY	1,143	44	2	1	1	1·7	0·9	0·9	1·7
ROXBURGH COUNTY . .	678	22	1	1	—	1·5	1·5	—	1·4
SELKIRK COUNTY . . .	320	7	—	—	—	—	—	—	—
STIRLING COUNTY . . .	3,176	130	11	5	6	3·5	1·6	1·9	3·3
Falkirk Burgh . . .	606	23	2	1	1	3·3	1·7	1·7	3·2
Stirling Burgh . . .	503	23	3	2	1	6·0	4·0	2·0	5·7
Remainder of County .	2,067	84	6	2	4	2·9	1·0	1·9	2·8
SUTHERLAND COUNTY . .	235	5	—	—	—	—	—	—	—
WEST LoTHIAN COUNTY .	1,660	75	2	1	1	1·2	0·6	0·6	1·2
WIGTOWN COUNTY . . .	678	27	2	—	2	2·9	—	2·9	2·8
ZETLAND COUNTY . . .	377	15	—	—	—	—	—	—	—
UNALLOCATED . . .	—	—	2	1	1	—	—	—	—

TABLE 28.—Deaths from Malignant Disease in Scotland in 1942.

International List No.	LOCATION.	All Ages.	0-	5-	15-	25-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over
			MALES.														
	All Sites	4119	8	14	24	73	78	133	216	346	447	568	769	714	455	200	74
45	Lip	38	-	-	-	-	-	-	-	1	4	8	5	3	7	3	7
	Mouth, Palate	55	-	-	-	-	-	-	2	2	4	9	15	12	7	2	2
	Tongue	90	-	-	-	-	1	1	3	4	11	10	20	18	15	5	2
	Jaw, Maxilla, Antrum	48	-	-	1	-	-	-	1	2	4	10	16	7	3	2	2
	Salivary Glands,	7	-	-	-	1	1	-	-	1	1	1	-	1	1	-	-
	Parotid	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Tonsils	20	-	1	-	-	-	-	-	1	4	2	2	3	5	2	-
	Pharynx, Fauces	29	-	-	-	-	-	-	1	2	3	2	9	7	1	4	-
	Nasopharynx, Nose-	9	-	-	-	1	-	-	-	1	2	1	-	2	2	-	-
	Internal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Cheek	9	-	-	-	-	-	-	-	-	-	2	1	2	2	1	1
	Buccal Cavity, &c.—TOTAL	305	-	1	1	2	2	1	7	14	33	45	68	55	43	19	14
46	(Esophagus, Gullet	174	-	-	-	3	1	3	5	10	16	22	42	36	18	16	2
	Stomach, Pylorus	391	-	-	1	11	16	33	51	89	100	133	155	151	105	39	7
	Intestine	704	-	1	2	12	5	19	25	29	66	91	143	169	99	34	9
	Abdomen	8	-	-	-	-	-	-	1	2	1	2	1	1	-	-	-
	Rectum	365	-	-	1	5	5	8	12	25	32	57	85	72	40	16	7
	Liver, Gall Bladder	164	-	-	-	-	2	7	10	7	17	22	29	33	23	7	7
	Pancreas	145	-	-	-	1	2	4	6	16	10	17	39	23	16	8	3
	Peritoneum, Omentum	22	-	1	-	-	3	1	2	1	4	3	4	1	1	1	-
	Mesentery	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Digestive Organs, &c.—TOTAL	2473	-	2	4	32	34	75	112	179	246	347	498	486	302	121	35
47	Larynx	78	-	-	-	-	-	-	2	10	13	10	15	17	10	1	-
	Lung, Bronchus,	494	-	-	1	12	22	31	57	87	92	76	59	29	18	9	1
	Pleura	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Mediastinum	44	-	-	-	4	1	2	4	7	7	4	5	6	3	1	-
	Respiratory Organs—TOTAL	616	-	-	1	16	23	33	63	104	112	90	79	52	31	11	1
50	Breast	6	-	-	-	-	1	-	2	-	-	1	-	1	-	-	1
51	Prostate	219	-	-	-	-	-	-	-	5	15	23	50	60	35	23	8
	Testis	23	-	-	6	3	3	2	3	2	-	-	1	-	2	-	1
	Penis	17	-	-	-	-	-	1	-	3	2	1	2	4	4	-	-
	Scrotum	4	-	-	-	-	-	-	-	1	-	2	-	1	-	-	-
	Male Genital Organs—TOTAL	263	-	-	6	3	3	3	3	11	17	26	53	65	41	23	9
52	Kidney	54	2	1	1	3	-	3	5	4	4	12	8	6	3	2	-
	Bladder, Urethra	130	-	-	-	-	2	3	6	10	15	15	25	22	17	12	3
	Urinary Organs—TOTAL	184	2	1	1	3	2	6	11	14	19	27	33	28	20	14	3
53	Anus	4	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-
	Ear	10	-	-	-	-	-	-	-	-	-	1	1	2	5	-	1
	Nose (External)	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	Scalp, Face (Rodent	22	-	-	-	1	-	-	-	-	-	3	5	1	3	3	6
	Ulcer)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Skin	16	-	-	-	-	-	-	-	-	2	4	1	3	3	2	1
	Skin—TOTAL	54	-	-	-	1	-	-	-	-	2	8	11	8	11	5	8
54	Brain	49	1	4	-	5	2	7	9	9	7	2	2	1	-	-	-
	Spinal Cord	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
	Brain and Nervous System—TOTAL	51	1	4	-	5	2	7	10	9	7	2	3	1	-	-	-
55	Adrenals	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Arm, Leg	30	-	4	2	3	3	1	1	4	3	3	2	1	1	2	-
	Bones	17	-	2	1	1	1	-	1	2	1	3	2	2	-	1	-
	Eye	3	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-
	Heart	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lymphatic Glands	45	1	-	2	3	3	2	1	2	2	5	10	7	2	4	1
	Pelvis	4	-	-	1	1	-	-	-	-	-	-	1	-	-	-	1
	Rib and Sternum	4	-	-	-	1	-	1	1	-	-	-	-	1	-	-	-
	Spine	17	-	-	-	-	-	2	3	1	3	3	4	-	1	-	-
	Spleen	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Thorax	5	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-
	Throat	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
	Thyroid	16	-	-	-	-	1	-	1	4	1	2	1	5	1	-	-
	Others	11	-	-	3	2	1	-	-	2	-	2	-	1	-	-	-
	Not stated	10	-	-	2	-	1	1	-	-	1	1	2	-	1	-	1
	Other or Unspecified Organs—TOTAL	167	5	6	11	11	11	8	8	15	11	22	24	18	7	7	3

TABLE 28—continued.

International List No.	LOCATION.	All Ages.	0-	5-	15-	25-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over
			FEMALES.														
	All Sites . . .	4438	7	11	14	93	124	180	254	378	503	602	687	658	524	282	121
45	Lip . . .	3	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-
	Mouth, Palate . . .	16	-	-	-	-	-	-	-	2	2	4	4	-	1	2	1
	Tongue . . .	25	-	-	-	1	-	1	1	1	4	2	4	-	4	3	-
	Jaw, Maxilla, Antrum . . .	22	-	1	1	3	-	-	2	1	-	2	1	7	1	2	1
	Salivary Glands, . . .	9	-	-	-	-	-	-	-	-	1	1	-	2	3	1	1
	Parotid . . .	3	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-
	Tonsils . . .	14	-	-	-	-	-	-	3	1	1	5	1	-	2	1	-
	Pharynx, Fauces . . .	3	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-
	Nasopharynx, Nose- Internal . . .	5	-	-	-	-	-	-	-	-	-	1	2	2	-	-	-
	Cheek . . .																
	Buccal Cavity, &c.—TOTAL	100	-	1	1	4	-	2	4	8	8	13	16	17	11	12	3
46	(Esophagus, Gullet . . .	103	-	-	-	2	2	4	4	7	9	20	25	11	9	7	3
	Stomach, Pylorus . . .	807	-	-	-	5	11	14	19	42	84	111	148	150	129	67	27
	Intestine . . .	768	-	-	-	14	15	20	34	43	76	99	108	145	122	66	26
	Abdomen . . .	17	-	-	-	-	-	1	-	-	3	4	3	2	-	-	-
	Rectum . . .	199	-	-	-	6	10	8	7	14	28	23	26	31	30	10	6
	Liver, Gall Bladder . . .	215	-	1	1	3	2	5	11	3	18	40	43	29	34	19	1
	Pancreas . . .	128	-	-	-	-	1	2	3	11	12	23	23	29	11	8	5
	Peritoneum, Omentum, Mesentery . . .	31	-	-	2	2	2	1	-	6	1	4	3	8	2	-	-
	Digestive Organs, &c.— TOTAL . . .	2268	-	1	3	32	43	55	78	131	231	324	380	406	339	177	68
47	Larynx . . .	39	-	-	-	1	-	4	1	7	7	4	7	4	3	3	1
	Lung, Bronchus, Pleura . . .	186	1	-	2	2	4	10	13	19	24	30	33	26	18	2	2
	Mediastinum . . .	27	1	-	1	1	1	1	2	5	3	3	4	4	1	-	-
	Respiratory Organs—TOTAL	252	2	-	3	4	5	15	16	31	34	34	44	34	22	5	3
48	Cervix . . .	182	-	-	-	13	15	16	25	34	18	24	17	7	8	3	2
	Uterus, other or unspec. . .	344	-	-	-	9	12	28	35	31	60	40	43	39	31	11	5
	Uterus—TOTAL . . .	526	-	-	-	22	27	44	60	65	78	64	60	46	39	14	7
49	Ovary, Fallopian Tube . . .	180	-	1	1	10	6	13	17	26	24	25	20	21	11	5	-
	Vagina, Vulva . . .	49	-	-	-	2	-	-	-	1	3	12	15	6	5	3	2
	Other Female Genital Organs—TOTAL . . .	229	-	1	1	12	6	13	17	27	27	37	35	27	16	8	2
50	Breast—TOTAL . . .	718	-	-	-	9	33	37	57	89	83	103	102	80	64	49	21
52	Kidney . . .	40	3	2	-	-	-	2	5	2	10	1	4	9	1	-	1
	Bladder, Urethra . . .	69	-	-	-	1	1	2	4	4	5	4	9	17	11	9	2
	Urinary Organs—TOTAL	109	3	2	-	1	1	4	9	6	15	5	13	26	12	9	3
53	Anus . . .	4	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-
	Ear . . .	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
	Nose, (External) . . .	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Scalp, Face (Rodent Ulcer) . . .	33	-	-	-	-	1	-	2	-	4	2	3	4	8	5	4
	Skin . . .	21	-	1	-	1	-	-	-	-	3	2	4	-	4	3	3
	Skin—TOTAL . . .	61	-	1	-	1	1	-	2	-	7	6	8	6	12	8	9
54	Brain . . .	25	-	-	-	3	1	3	4	3	5	2	3	-	-	1	-
	Spinal Cord . . .	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	Brain and Nervous System—TOTAL . . .	26	-	-	-	3	1	3	4	3	5	2	3	1	-	1	-
55	Adrenals . . .	4	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	Arm, Leg . . .	35	-	3	4	3	1	2	1	1	1	4	4	5	2	2	2
	Bones . . .	17	-	-	-	1	3	2	-	1	5	-	1	1	2	1	-
	Eye . . .	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
	Heart . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lymphatic Glands . . .	21	-	1	1	-	-	2	1	3	2	1	3	1	3	2	1
	Pelvis . . .	8	-	-	1	-	-	-	-	3	-	1	2	1	-	-	-
	Rib and Sternum . . .	5	-	-	-	-	-	-	1	-	-	-	2	1	-	-	1
	Spine . . .	19	-	-	-	-	1	-	1	6	-	6	3	1	-	1	-
	Spleen . . .	4	-	-	-	-	1	-	-	-	1	-	1	1	-	-	-
	Thorax . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Throat . . .	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Thyroid . . .	20	-	-	-	-	-	1	2	1	2	1	6	4	2	1	-
	Others . . .	8	-	-	-	-	-	-	-	2	3	1	1	-	-	1	-
	(Not Stated . . .	5	-	-	-	-	1	-	1	-	1	-	2	-	-	-	-
	Other or Unspecified Organs—TOTAL . . .	149	2	5	6	5	7	7	7	18	15	14	26	15	9	8	5

TABLE 29.—Deaths from Suicide in Scotland in 1942.

		Scotland.	Large Burghs.	Counties (<i>ex</i> Large Burghs.)	Unallo- cated.
TOTAL . . .	{ M.	250	111	73	66
	{ F.	127	79	47	1
Cut Stab	{ M.	29	17	7	5
	{ F.	4	1	3	—
Drowning . . .	{ M.	12	4	8	—
	{ F.	11	5	6	—
Gunshot Wounds .	{ M.	85	9	25	51
	{ F.	—	—	—	—
Hanging	{ M.	29	12	13	4
	{ F.	7	2	5	—
Poison	{ M.	76	57	15	4
	{ F.	93	62	30	1
Precipitation . .	{ M.	15	9	5	1
	{ F.	9	9	—	—
Railways	{ M.	3	2	—	1
	{ F.	3	—	3	—
Otherwise or not stated	{ M.	1	1	—	—
	{ F.	—	—	—	—

TABLE 30.—Deaths from Poison in Scotland in 1942.

ACCIDENTAL POISONING.

Name of Poison.	Males.	Females.	TOTAL.	Name of Poison.	Males.	Females.	TOTAL.
Methyl Alcohol, -	16	6	22	Brought forward, -	26	9	35
Methyl Salicylate, -	2	1	3	Benzine, - - - -	1	-	1
Carbolic, - - - -	1	-	1	Ferrous Sulphate and			
Caustic Ammonia, -	1	1	2	Copper, - - - -	1	-	1
Corrosive Poisoning, -	1	-	1	Irritant Poisoning, -	1	-	1
Paraldehyde, - - -	2	-	2	Poisonous Vapours:—			
Chlorodyne, - - - -	-	1	1	Coal Gas - - - -	28	36	64
Chloral Hydrate and				Carbon Monoxide -	9	2	11
Potassium Bromide,	1	-	1	Sewer Gas - - - -	2	-	2
Morphine and Hydro-				“Fumes” - - - -	1	-	1
cyanic Acid, - - -	1	-	1	Gas not stated - -	2	-	2
Narcotic Poisoning, -	1	-	1				
Carried forward, -	26	9	35	Total, - - - -	71	47	118

SUICIDAL POISONING.

Coal Gas, - - - -	61	62	123	Brought forward, -	72	89	161
Carbon Monoxide, -	2	-	2	Tincture of Opium,			
Lysol, - - - - -	6	21	27	Chloral Hydrate and			
Carbolic Acid, - -	1	2	3	Potassium Bromide	1	-	1
Barbiturate Acid, -	-	1	1	Oxalic Acid, - - - -	-	1	1
Medinal, - - - - -	-	1	1	Sulphuric Acid, - -	1	-	1
Pheno-barbitone, -	-	1	1	Hydrochloric Acid, -	1	-	1
Morphine, - - - -	1	1	2	Ammonia, - - - - -	-	1	1
Morphine and Oxalic				Medicinal Veganin, -	-	1	1
Acid, - - - - -	1	-	1	Aspirin, - - - - -	-	1	1
Carried forward, -	72	89	161	Not stated, - - - -	1	-	1
				Total, - - - -	76	93	169

DEATHS UNDER ANÆSTHETICS (Secondary Cause).

Chloroform, - - - -	6	4	10	Brought forward, -	58	42	100
Chloroform and Ether,	7	3	10	Ethyl Chloride, - -	2	-	2
Ether, - - - - -	11	5	16	Cyclopropane, - -	1	1	2
Ether and Nitrous				Cocaine, - - - - -	1	1	2
Oxide, - - - - -	8	13	21	Cocaine and Procaine,	1	-	1
Nitrous Oxide, - -	12	4	16	Percaïne, - - - - -	2	2	4
Nitrous Oxide and				Percaïne and Nitrous			
Chloroform, - - -	2	-	2	Oxide, - - - - -	-	1	1
Procaine, - - - - -	6	6	12	Percaïne and Evipan-	-	1	1
Ethyl Chloride and Ether,	5	7	12	Pentothal Sodium, -	1	-	1
Ethyl Chloride, Chloro-				Evipan, - - - - -	2	-	2
form and Ether, -	1	-	1				
Carried forward, -	58	42	100	Total - - - -	68	48	116

TABLE 31.—Deaths in Scotland from Selected Causes of Children aged under One Year, 1942.

CAUSES OF DEATH.		Total (all ages).	Illegitimate only.	DEATHS—AGE.									
				Under 1 day.	1 to 6 days.	1 week.	2 weeks.	3 weeks & under 1 month.	1 to 2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.	
Cerebro-spinal fever	{ M F.	25 24	1 4	- -	- 1	- -	- -	- -	2 2	7 5	10 9	6 7	
Whooping-cough	{ M. F.	28 29	1 2	- -	- -	- -	1 1	1 2	7 1	8 15	7 7	5 3	
Diphtheria	{ M. F.	3 7	- -	- -	- -	- -	- -	- -	- -	1 5	- 2	2 -	
Erysipelas	{ M. F.	1 3	- -	- -	- -	1 1	- -	- -	1 2	- -	- -	- -	
Tubercular meningitis	{ M. F.	25 24	3 1	- -	- -	- -	- -	- -	1 -	5 7	10 7	9 10	
Abdominal tuberculosis	{ M. F.	5 10	- 4	- -	- -	- -	- -	- -	- 1	1 2	3 3	1 4	
Other tuberculous diseases	{ M. F.	20 14	4 2	- -	- -	- -	- -	- -	2 1	5 2	7 4	6 7	
Syphilis	{ M. F.	9 17	2 10	- 2	1 -	2 1	- 1	- 3	3 7	3 3	- -	- -	
Measles	{ M. F.	25 29	2 3	- -	- -	- -	- -	- -	1 1	5 6	10 9	9 13	
Convulsions	{ M. F.	98 81	9 9	- -	4 8	5 4	2 2	2 3	37 29	34 24	11 7	3 4	
Bronchitis	{ M. F.	131 81	12 7	- -	4 1	3 -	6 6	9 2	43 28	43 21	19 15	4 8	
Pneumonia (all forms)	{ M. F.	575 422	60 30	5 -	17 16	27 18	26 11	16 9	137 97	182 157	88 78	77 36	
Other respiratory diseases	{ M. F.	40 29	3 -	1 3	5 1	3 2	3 1	1 1	11 4	8 11	7 1	1 5	
Diarrhoea	{ M. F.	442 331	65 49	- -	4 1	30 25	26 22	19 12	135 85	145 122	50 41	33 23	
Other digestive diseases	{ M. F.	46 21	6 3	- -	- -	- -	3 1	1 2	13 2	12 8	12 4	5 4	
Congenital malformations	{ M. F.	368 278	31 29	36 49	114 66	26 36	24 15	27 15	82 46	36 29	14 13	9 9	
Congenital debility	{ M. F.	289 202	45 21	39 30	74 36	21 28	27 26	25 13	63 37	32 26	6 6	2 -	
Premature birth	{ M. F.	784 573	79 87	375 260	220 164	88 64	41 35	22 14	28 25	8 10	1 -	1 1	
Injury at birth	{ M. F.	198 127	18 12	76 44	86 60	16 12	10 4	1 3	8 2	1 1	- -	- 1	
Other infantile diseases	{ M. F.	231 161	25 16	91 55	82 59	20 16	13 9	8 7	9 9	6 3	1 -	1 3	
Accidental mechanical suffocation	{ M. F.	48 47	13 5	- 1	2 1	1 2	- 1	2 2	20 20	17 15	6 2	- 3	
All other causes	{ M. F.	225 157	43 23	10 9	5 9	10 6	15 7	16 9	52 43	51 33	41 24	25 17	
Total—Both Sexes	-	6283	-	1086	1041	467	338	247	1097	1115	535	357	
Males	-	3616	-	633	618	252	196	150	655	610	303	199	
Females	-	2667	-	453	423	215	142	97	442	505	232	158	
Illegitimate only—Both Sexes	-	-	743	124	102	61	46	32	157	134	52	35	
Males	-	-	427	65	56	30	20	20	103	75	32	26	
Females	-	-	316	59	46	31	26	12	54	59	20	9	

TABLE 32.—Month of Registration of Children aged under One Year dying from Selected Causes in Scotland in 1942.

CAUSES OF DEATH.	Total.	MONTH OF REGISTRATION OF DEATH.											
		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Cerebro-spinal fever - - -	49	4	4	10	4	1	2	7	3	4	2	4	4
Whooping-cough - - -	57	10	3	3	4	10	3	3	5	3	2	4	7
Diphtheria - - -	10	1	1	2	-	-	-	1	-	1	1	2	1
Erysipelas - - -	4	-	1	1	-	-	1	-	-	1	-	-	-
Tubercular meningitis - - -	49	4	4	5	5	5	8	2	2	5	3	2	4
Abdominal tuberculosis - - -	15	1	2	2	2	2	-	-	3	-	2	-	1
Other tuberculous diseases - -	34	3	3	1	5	3	7	1	1	1	4	3	2
Syphilis - - -	26	2	3	1	7	-	-	3	3	1	-	2	4
Measles - - -	54	1	2	3	4	7	8	7	5	5	3	2	7
Convulsions - - -	179	18	22	19	17	12	14	7	10	10	12	21	17
Bronchitis - - -	212	41	34	30	28	15	12	4	9	7	6	11	15
Pneumonia (all forms) - - -	997	162	159	121	78	93	56	49	42	37	58	67	74
Other respiratory diseases - -	69	12	6	11	8	7	5	1	2	8	4	2	3
Diarrhoea - - -	773	47	47	60	54	52	63	61	90	86	72	69	67
Other digestive diseases - - -	67	5	10	10	6	5	-	3	5	7	4	5	7
Congenital malformations - - -	646	52	67	55	52	52	44	61	50	53	54	54	52
Congenital debility - - -	491	57	40	56	36	36	50	44	32	32	30	30	48
Premature birth - - -	1357	134	120	134	139	113	106	102	91	93	111	104	110
Injury at birth - - -	325	23	16	30	26	26	34	31	31	22	34	26	26
Other infantile diseases - - -	392	46	28	40	32	40	27	41	25	26	23	31	33
Accidental mechanical suffocation -	95	17	6	19	7	5	6	2	7	4	4	4	14
All other causes - - -	382	43	47	33	38	29	28	24	24	22	28	29	32
Total - - -	6,283	684	625	651	552	513	479	454	440	428	457	472	523
<i>Illegitimate only - - -</i>	<i>743</i>	<i>70</i>	<i>65</i>	<i>63</i>	<i>96</i>	<i>53</i>	<i>50</i>	<i>55</i>	<i>50</i>	<i>53</i>	<i>51</i>	<i>56</i>	<i>71</i>

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
INVERNESS COUNTY . Inverness Burgh . Remainder of County .	1,401 634 891	74 31 43	528 608 483	6 31 43	89 50 48	14 50 22	284 75 44	1 123 7	20 34 57	20 34 57	18 34 57	18 34 57	18 34 57	18 34 57	18 34 57	18 34 57	18 34 57	18 34 57	18 34 57	18 34 57	18 34 57	18 34 57	18 34 57	18 34 57																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
KINCARDINE COUNTY	493	22	44	6	5	39	14	284	1	20	9	18	3	20	1	20	2	41	3	61	1	20	4	81	..																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
KINROSS COUNTY .	123	7	56	9	2	..	4	325	1	51	2	163	1	81	1	81	1	81	..	1	81																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
KIRKCUDBRIGHT COUNTY	577	34	589	2	33	14	243	4	69	4	69	4	69	2	35	..	4	69	7	121	8	139	3	52	2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
LANARK COUNTY . Airdrie Burgh . Glasgow Burgh . Hamilton Burgh . Motherwell & Wishaw Burgh Rutherglen Burgh . Remainder of County	30,733 634 976 23,618 882 1,292 394 5,997	2534 41 1866 1566 882 91 394 414	841 705 905 1857 757 704 787 690	235 .. 231 4 8 81 56	152 .. 231 4 157 2 167 124	1237 15 36 897 28 53 28 193	402 240 389 435 410 331 322	410 5 82 281 10 22 15 78	133 80 136 120 170 6 152	392 4 16 270 10 19 4 69	1248 64 164 131 120 147 115	194 4 5 158 8 15	63 64 51 36 62 25	154 2 20 124 2 2 19	50 32 60 24 2 376	87 .. 64 3 2 76	28 .. 32 3 2 3	455 5 13 321 72 18 82	148 80 133 156 108 137	516 11 387 161 113 8 77	168 176 188 188 132 62 178	230 9 7 101 6 7 39	75 14 72 72 54 25 65	146 64 41 108 39 28 23	48 4 6 9 5 6 38																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
MIDLOTHIAN COUNTY . Edinburgh Burgh . Remainder of County	8,971 7,386 1,585	505 415 90	563 562 568	64 59 5	99 106 59	264 216 48	294 292 303	107 92 15	119 125 95	78 59 19	87 97 120	39 33 6	43 45 38	19 17 2	23 20 13	21 15 7	23 20 6	77 63 10	86 85 83	91 97 63	55 40 15	61 54 95	27 24 3	30 32 19																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
MORAY COUNTY .	902	44	488	10	88	23	255	11	122	6	67	3	33	3	33	12	133	4	44	2	22	3	33																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
NAIRN COUNTY .	202	12	594	3	97	7	347	2	99	3	149	1	50	1	50	3	149	1	50	1	50																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
ORKNEY COUNTY .	434	16	331	3	75	11	227	6	124	4	83	1	21	4	83	1	21																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
PEEBLES COUNTY .	200	12	600	1	43	8	400	3	150	2	100	1	50	1	50	1	50	4	200																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
PERTH COUNTY . Perth Burgh . Remainder of County	2,084 613 1,471	133 51 82	644 832 565	21 19 9	85 127 49	78 31 47	378 506 324	23 13 15	111 131 103	27 13 14	131 212 96	10 8 8	48 33 55	5 33 4	24 16 28	13 7 6	63 114 41	16 17 9	78 114 62	18 131 10	87 131 69	18 4 14	87 65 56	3 2 2	15 16 14																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
RENFREW COUNTY . Greenock Burgh . Falkirk Burgh . Port-Glasgow Burgh . Remainder of County	5,878 1,580 1,668 502 2,123	470 165 161 36 99	800 1038 968 896 466	29 33 31 3 8	128 11 129 95 92	248 83 547 15 54	413 322 547 299 254	57 19 19 6 21	97 69 114 120 99	67 24 27 2 14	114 151 162 40 66	49 19 20 8	83 119 120 38	46 20 15 7	78 126 90 80 33	24 9 10 1 4	41 57 60 20 19	70 22 25 10 13	119 138 150 200 61	83 31 26 13 13	141 195 156 259 61	45 19 14 2 10	77 119 14 40 47	29 10 5 9 9	49 63 30 100 42	4 3 5 5 4																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
ROSS AND CROMARTY COUNTY	1,143	54	472	8	83	34	297	18	157	8	70	2	17	6	52	9	79	5	44	4	35	2	17																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
ROXBURGH COUNTY .	678	38	560	6	123	23	339	7	103	12	177	1	15	2	29	1	15	5	74	6	88	3	44	1	15																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
SALKIRK COUNTY .	320	16	500	3	125	11	344	5	156	3	94	1	31	2	63	3	94	1	31	1	31																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
STIRLING COUNTY . Falkirk Burgh . Stirling Burgh . Remainder of County	3,176 606 503 2,067	187 32 26 129	589 528 517 624	15 2 3 10	84 54 71 101	105 15 15 76	331 248 298 363	32 101 66 21	101 101 139 102	37 116 5 60	113 83 27 29	19 19 2 15	60 20 40 73	9 33 3 5	28 50 20 24	8 3 1 5	25 50 39 14	79 29 60 92	29 50 39 170	91 17 18 1	17 54 22 4	54 33 80 53	11 3 4 11	35 6 34 34

* Per 1000 Illegitimate Births.

Note.—Some of the above rates are based on very few observations and are therefore of limited value.

TABLE 34.—Meteorology of Scotland for 1942; also the Number of Births, Stillbirths, Deaths, Deaths under 1, and Marriages registered during each Month of the Year 1942.

	YEAR.	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
Mean Barometer (inch)	29.922	29.902	30.134	29.925	29.940	29.853	30.088	29.886	29.838	29.794	29.764	30.220	29.716
Mean of Max. Temp.	53°.3	39°.2	39°.3	45°.4	54° .3	58° .2	63° .1	65° .2	64° .9	60° .4	54° .5	47° .6	48° .0
" " Min. " "	40° .6	30° .9	28° .9	33° .6	38° .4	41° .7	47° .2	50° .3	52° .9	47° .4	43° .6	34° .7	37° .9
Mean Temperature.	47° .0	35° .0	34° .1	39° .5	46° .4	50° .0	55° .1	57° .7	58° .9	53° .9	49° .1	41° .2	42° .9
Absolute Maximum .	82°	56°	49°	63°	78°	71°	82°	78°	82°	78°	69°	62°	60°
Absolute Minimum .	-8°	8°	5°	-3°	21°	20°	29°	36°	36°	20°	23°	14°	12°
Rainfall (Normal 100)	102	131	72	68	75	111	74	111	113	155	139	34	115
Births (Living Children only)	90697	7344	6691	7850	8045	8111	7986	7981	7623	6982	7861	6826	7397
Stillbirths	3602	320	309	341	313	316	302	287	273	275	306	246	314
Deaths	64963	6448	6253	6743	5695	5365	5238	4869	4512	4402	4809	5182	5447
Deaths under 1	6232	684	625	651	552	513	479	454	440	428	457	472	528
Marriages	47514	5274	3533	3833	4751	2403	5084	4642	3540	3734	3411	2231	3978
Rates per 1000 of Estimated Population													
Births (Living Children only)	17.6	16.8	17.0	18.0	19.0	18.6	18.9	18.3	17.4	16.5	18.0	16.1	16.9
Stillbirths	38	42	44	42	37	37	36	35	35	33	37	35	41
Deaths (Civilian)	13.3	15.7	16.8	16.4	14.2	12.9	13.1	11.8	10.8	10.8	11.6	12.9	13.2
* Infantile Mortality	69	93	93	83	69	63	60	57	58	61	58	69	71
Marriages	9.2	12.3	9.0	8.8	11.2	5.5	12.0	10.6	8.1	8.8	7.8	7.6	9.1

* Rate per 1000 live births.

† Rate per 1000 births (including Stillbirths).

TABLE 35.—Deaths, Temperature, and Rainfall in Sixteen Large Burghs of Scotland during each Week of 1942.

No. of Week.	Week ended	Deaths (Corrected for Transfers).	Death-rate (Corrected) per 1000 of Population.	TEMPERATURE.			RAIN, in inches	No. of Week.	Week ending	Deaths (Corrected for Transfers).	Death-rate (Corrected) per 1000 of Population.	TEMPERATURE.			RAIN, in inches
				Maxi-mum.	Mini-mum.	Mean.						Maxi-mum.	Mini-mum.	Mean.	
1	January 10	709	16.0	50.0	22.8	35.2	0.15	26	July 4	562	12.6	76.0	40.0	59.2	0.15
2	17	721	16.2	41.6	17.0	33.3	0.44	27	11	532	13.1	71.0	41.8	57.4	0.75
3	24	763	17.2	44.0	23.0	32.2	2.66	28	18	524	11.8	73.0	42.0	58.1	0.56
4	31	816	18.4	47.0	24.0	34.2	1.19	29	25	568	12.3	75.0	43.0	58.1	0.89
5	February 7	852	19.2	43.0	22.0	33.5	1.07	30	August 1	514	11.6	78.0	40.6	58.0	0.29
6	14	814	18.3	47.4	23.0	36.2	0.23	31	8	505	11.4	78.0	37.4	58.0	1.00
7	21	804	18.1	49.0	17.0	33.4	0.09	32	15	538	12.1	72.0	47.0	59.2	1.04
8	28	752	16.9	45.8	15.6	32.9	0.30	33	22	532	12.0	68.0	45.0	58.3	0.63
9	March 7	768	17.3	47.4	22.0	33.7	0.61	34	29	521	11.7	77.0	41.0	59.4	0.66
10	14	789	17.8	50.0	16.0	35.0	0.19	35	September 5	491	11.1	70.0	46.0	57.9	1.43
11	21	822	18.5	57.0	33.0	43.4	0.68	36	12	480	10.8	73.0	42.0	56.2	0.44
12	28	714	16.1	62.0	27.2	42.7	0.07	37	19	503	11.3	66.0	37.0	54.6	0.64
13	April 4	712	16.0	58.2	31.0	43.5	1.09	38	26	523	11.8	65.0	27.0	49.5	1.66
14	11	733	16.5	61.0	31.0	46.4	1.18	39	October 3	548	12.3	64.0	27.0	50.7	0.59
15	18	635	14.3	71.0	30.0	49.0	0.00	40	10	518	11.7	60.0	34.0	50.2	1.03
16	25	637	14.3	63.0	32.6	46.2	0.20	41	17	542	12.2	64.0	30.0	50.4	1.09
17	May 2	640	14.4	70.4	25.0	45.7	0.00	42	24	550	12.4	63.0	31.0	51.2	1.15
18	9	699	15.7	68.0	27.6	48.1	0.01	43	31	517	11.6	54.0	25.0	42.9	0.60
19	16	635	14.3	67.0	28.0	48.1	0.27	44	November 7	576	13.0	54.5	21.0	37.8	0.37
20	23	664	14.9	67.4	35.0	52.9	1.00	45	14	618	13.9	61.0	26.0	44.0	0.16
21	30	574	12.9	63.0	36.0	50.9	1.53	46	21	589	13.3	56.0	24.0	42.1	0.02
22	June 6	596	13.4	80.0	36.0	58.3	0.39	47	28	615	13.8	56.0	21.0	41.6	0.03
23	13	529	11.9	65.0	36.8	50.1	0.59	48	December 5	602	14.9	48.0	21.0	37.1	0.65
24	20	635	14.3	72.0	37.6	53.4	0.42	49	12	619	13.9	59.0	34.0	47.3	1.44
25	27	552	12.4	71.4	36.0	56.6	0.23	50	19	615	13.8	55.0	33.0	45.4	0.73
								51	26	560	12.6	55.0	31.0	45.3	0.52
								52	Jan. (1943) 2	553	12.4	52.0	25.6	37.2	0.30

TABLE 36.—VACCINATIONS in SCOTLAND.

Year.	Total Births Registered.	Number Surviving.	Successfully Vaccinated.	Insusceptible of Vaccine Disease.			Died before Vaccination.	Statutory Declaration of Conscientious Objection.	Vaccination Postponed.	Removed from District before Vaccination, or otherwise unaccounted for.
				From previous Vaccination.	From Constitutional Insusceptibility.	From having had Small-pox				
NUMBERS.										
1931	92,188	86,328	44,333	254	1,677	0	5,860	35,415	1,746	2,903
1932	91,019	85,092	41,399	317	2,142	0	5,927	36,717	1,639	2,878
1933	86,539	81,066	37,741	166	1,971	0	5,483	36,654	1,611	2,913
1934	88,788	83,389	38,184	170	1,601	0	5,399	38,993	1,640	2,801
1935	87,935	82,356	37,049	214	1,378	0	5,579	39,522	1,502	2,691
1936	88,932	83,310	36,809	213	1,105	0	5,622	40,796	1,489	2,898
1937	87,805	82,267	35,394	157	1,087	0	5,538	41,484	1,400	2,745
1938	88,606	83,586	35,103	178	1,200	0	5,020	42,248	1,522	3,335
1939	86,900	81,644	35,061	237	1,146	0	6,256	39,580	1,663	4,007
1940	86,399	81,065	38,102	163	1,129	0	5,334	35,184	1,815	4,672
1941	89,748	83,632	45,183	239	1,073	0	6,116	31,267	1,284	4,586

RATE PER CENT. OF TOTAL BIRTHS.

1931	100·00	—	48·09	0·27	1·82	0·00	6·36	38·42	1·89	3·15
1932	100·00	—	45·48	0·35	2·35	0·00	6·51	40·34	1·80	3·16
1933	100·00	—	43·61	0·19	2·23	0·00	6·34	42·86	1·86	3·37
1934	100·00	—	43·01	0·19	1·80	0·00	6·03	43·92	1·85	3·15
1935	100·00	—	42·13	0·24	1·57	0·00	6·34	44·95	1·71	3·06
1936	100·00	—	41·39	0·24	1·24	0·00	6·32	45·87	1·67	3·26
1937	100·00	—	40·31	0·18	1·24	0·00	6·31	47·25	1·59	3·13
1938	100·00	—	39·62	0·20	1·35	0·00	5·66	47·68	1·72	3·76
1939	100·00	—	40·35	0·27	1·32	0·00	6·05	45·49	1·91	4·61
1940	100·00	—	44·10	0·19	1·31	0·00	6·17	40·72	2·10	5·41
1941	100·00	—	50·34	0·27	1·20	0·00	6·51	34·84	1·43	5·11

RATE PER CENT. OF CHILDREN SURVIVING.

1864-1873	—	100·00	96·19	0·22	0·23	0·05	—	—	0·77	2·49
1874-1883	—	100·00	96·12	0·29	0·16	0·01	—	—	1·21	2·21
1884-1893	—	100·00	94·72	0·25	0·24	0·00	—	—	2·13	2·66
1894-1903	—	100·00	93·84	0·32	0·47	0·00	—	—	2·36	3·01
1904-1913	—	100·00	76·24	0·57	0·53	0·00	—	14·88	2·69	5·04
1914-1923	—	100·00	59·94	0·33	0·67	0·00	—	32·44	2·46	4·16
1924-1933	—	100·00	55·99	0·30	1·60	0·00	—	36·15	2·38	3·59
1931	—	100·00	51·36	0·30	1·94	0·00	—	41·02	2·02	3·36
1932	—	100·00	45·65	0·37	2·52	0·00	—	43·15	1·93	3·33
1933	—	100·00	46·56	0·20	2·43	0·00	—	45·22	1·99	3·59
1934	—	100·00	45·79	0·20	1·92	0·00	—	46·76	1·97	3·36
1935	—	100·00	44·99	0·26	1·67	0·00	—	47·99	1·82	3·27
1936	—	100·00	44·18	0·26	1·33	0·00	—	48·97	1·79	3·43
1937	—	100·00	43·02	0·19	1·32	0·00	—	50·43	1·70	3·84
1938	—	100·00	42·00	0·21	1·44	0·00	—	50·54	1·82	3·99
1939	—	100·00	42·94	0·29	1·40	0·00	—	48·42	2·04	4·91
1940	—	100·00	47·00	0·20	1·39	0·00	—	43·40	2·24	6·76
1941	—	100·00	54·02	0·29	1·23	0·00	—	37·39	1·54	6·43

TABLE 37.—Deaths from Small-pox in Scotland, 1855-1941, with Vaccination Particulars, 1864-1941.

State of Vaccination of Children whose Births were Registered during the Years 1864 to 1941; Percentages (excluding those who Died before Vaccination).						Deaths from Small-pox, 1855 to 1941.					Deaths from Cow-pox and Effects of Vaccination, 1884-1941.
Year.	Successfully Vaccinated.*	Vaccination Postponed.†	Insusceptible of Vaccination.	Statutory Declarations of Consentitious Objection.	Unaccounted for.	Total (including Age Not Stated).	0-4 Years.	5-24 Years.	25-64 Years.	65 Years and upwards.	
Average 1855-1863	979	690	183	102	3	
1864-1873	96·4	0·8	0·3	..	2·5	763	259	282	216	6	
1874-1883	96·4	1·2	0·2	..	2·2	145	33	64	47	1	
1884-1893	95·0	2·1	0·2	..	2·7	18	2	5	11	0	3
1894-1903	94·2	2·4	0·5	..	3·0	64	9	10	44	1	1
1904-1913	76·8	2·7	0·6	14·9	5·0	22	4	2	15	1	1
1914-1923	60·3	2·5	0·7	32·4	4·2	18	3	4	10	1	1
1924-1933	56·3	2·4	1·6	36·1	3·6	1
1929	54·8	2·5	2·5	36·1	4·1
1930	54·1	2·2	1·5	38·6	3·6	2	..	1	1	..	1
1931	51·7	2·0	1·0	41·0	3·4	1
1932	49·0	1·9	2·5	43·1	3·4
1933	46·8	2·0	2·4	45·2	3·6
1934	46·0	2·0	1·9	46·3	3·4
1935	45·2	1·8	1·7	48·0	3·3
1936	44·4	1·8	1·3	49·0	3·5
1937	43·2	1·7	1·3	50·4	3·5	1
1938	42·2	1·8	1·4	50·6	4·0	1
1939	43·2	2·1	1·4	48·4	4·9	2
1940	47·2	2·2	1·4	43·4	5·8	1
1941	54·3	1·5	1·3	37·4	5·5	1

* Including such as were certified as Insusceptible of Vaccination "on the ground of previous successful vaccination," the children having been vaccinated by persons unauthorised to grant certificates.

† At the end of the year following that of registration of birth.

GENERAL REGISTRATION SUMMARY.

18	Lanark	295,375	291,861	5,717	251	254	3,378	2	2,529	2,199	5	72	461	3,175	93	230	0,230
19	Midlothian	87,286	86,113	1,109	60	28	792	752	627	9	48	432	19	33	1,174
20	Moray	40,806	41,558	931	106	33	607	...	2	356	644	55	143	12	49	917
21	Nairn	8,294	8,790	192	24	4	117	69	119	12	36	3	8	179
22	Orkney	22,077	24,111	469	35	17	409	198	132	14	285	3	14	420
23	Peebles	15,051	15,332	257	19	8	152	119	191	5	45	3	15	264
24	Perth	82,742	92,164	1,073	120	20	1,048	...	2	519	881	48	190	6	44	1,133
25	Renfrew	102,946	99,305	1,902	64	62	1,407	954	1,035	1	98	702	63	63	1,988
26	Ross and Cromarty	62,799	70,818	1,056	69	35	803	62	...	378	440	41	239	10	174	913
27	Roxburgh	45,788	44,369	592	33	14	551	361	370	13	66	...	2	294
28	Selkirk	22,608	22,607	374	23	7	268	193	210	97	812	36	65	1,894
29	Stirling	105,334	104,157	1,735	69	52	1,291	887	357	11	21	77	...	27	229
30	Sutherland	16,101	17,802	198	22	5	239	5	...	98	102	74	691	15	21	1,333
31	West Lothian	81,431	83,960	1,300	43	38	755	671	523	45	112	10	61	656
32	Wigtown	29,331	30,733	602	70	22	411	314	407	3	45	112	10	4	293
33	Zetland	21,421	25,520	374	34	15	333	10	...	153	30	4	254
LARGE BURGHS.																			
	Glasgow	1,093,337	1,056,436	21,723	1,646	1,036	15,684	1	12,501	10,135	58	389	1,921	6,187	84	1,529	20,303
	Edinburgh	439,010	420,264	8,751	725	360	7,146	1	4,887	5,266	42	97	477	1,847	66	258	8,053
	Dundee	176,424	169,123	3,104	333	167	2,488	1,072	...	19	227	1,705	10	72	3,105
	Aberdeen	169,803	161,193	3,313	343	136	2,676	2,440	24	31	249	358	43	95	3,240
	Paisley	86,445	84,837	1,661	85	66	1,243	672	5	13	199	805	169	11	1,874
	Greenock	79,012	81,207	1,555	77	80	990	395	...	7	98	875	10	79	1,464
	Motherwell & Wishaw	65,611	69,956	1,293	39	57	581	476	...	3	77	687	118	21	1,382
	Clydebank	46,991	46,626	227	9	6	190	76	1	19	112	4	40	255
	Kirkcaldy	44,559	44,935	1,106	57	54	546	373	2	9	57	576	129	...	1,139
	Coatbridge	43,312	44,223	696	22	26	436	319	5	61	299	13	47	783
	Kilmarnock	38,681	36,683	903	34	42	532	432	...	15	54	40	25	...	936
	Hamilton	38,112	39,746	935	44	30	399	418	...	8	73	541	5	30	987
	Ayr	38,905	37,504	1,261	76	93	722	526	693	6	134	393	27	80	1,336
	Falkirk	36,566	34,419	1,030	44	44	577	418	394	58	468	31	11	976
	Dunfermline	35,058	39,899	1,164	54	39	625	455	501	14	62	489	36	37	1,143
	Perth	35,051	33,339	986	109	39	690	517	644	60	196	6	34	983
	Airdrie	26,734	26,215	851	32	32	295	329	390	9	58	366	6	31	863
	Rutherglen	25,182	24,777	237	3	4	176	905	125	19	90	12	1	260
	Dumfries	22,818	21,857	999	126	53	412	351	473	61	263	1	53	855
	Stirling	23,547	23,145	935	73	49	453	286	490	56	193	3	119	870
	Inverness	22,583	20,944	770	77	31	485	441	377	47	222	...	140	794
	Dumbarton	21,764	23,176	405	17	10	361	187	107	30	230	4	11	386
	Port-Glasgow	19,588	21,038	381	16	8	206	224	130	35	166	3	40	379
	Arbroath	17,653	19,521	243	22	16	286	210	162	19	184	...	19	341

* Adjusted for alterations of boundary.

CAUSES OF DEATH IN SCOTLAND DURING THE YEAR 1942.

International Nos.	CAUSES OF DEATH.	All Ages.	Ages.																100 and over						
			-1	1-5	5-10	10-15	15-20	20-25	25-30	30-35	35-40	40-45	45-50	50-55	55-60	60-65	65-70	70-75		75-80	80-85	85-90	90-95		
			6283	1429	639	536	1188	1629	1470	1401	1559	1860	2345	3108	4091	5390	7293	7867		7686	5496	2781	733	141	11
	All Causes—Both Sexes	-	*64963	6283	1429	639	536	1188	1629	1470	1401	1559	1860	2345	3108	4091	5390	7293	7867	7686	5496	2781	733	141	11
	Total Males	-	+33813	3616	768	352	284	636	967	798	750	853	1023	1343	1807	2228	2919	3940	4124	3651	2368	1028	231	39	1
	Total Females	-	+31150	2667	661	287	252	552	662	672	651	706	837	1002	1301	1803	2471	3353	3743	4035	3127	1753	502	102	10
	I. INFECTIVE AND PARASITIC DISEASES.																								
	<i>Diseases due to Bacteria.</i>																								
1	Typhoid fever	- { M. F.	3053	192	309	116	87	253	233	197	215	214	189	217	210	195	156	122	76	45	18	6	3	1	-
			2770	185	297	113	103	346	385	290	200	151	111	99	90	93	79	81	54	46	29	13	4	1	-
2	Paratyphoid fevers	- { M. F.	13	-	-	-	-	1	-	4	1	2	1	1	1	1	1	-	-	-	-	-	-	-	-
			7	-	-	-	-	2	-	2	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-
6	Cerebro-spinal (meningococcal) meningitis	- { M. F.	96	25	27	10	1	6	4	6	1	3	4	4	2	1	1	1	1	-	-	-	-	-	-
			84	24	20	10	5	2	5	4	2	1	-	3	4	2	2	-	-	-	-	-	-	-	-
8	Scarlet fever	- { M. F.	12	-	4	3	1	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
			12	2	3	3	-	-	-	-	1	2	-	-	-	-	-	1	-	-	-	-	-	-	-
9	Whooping-cough	- { M. F.	41	28	12	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
			51	29	20	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
10	Diphtheria	- { M. F.	137	3	75	29	12	6	3	3	-	1	1	1	1	1	1	1	-	-	-	-	-	-	-
			153	7	78	37	11	4	4	3	5	1	1	1	2	-	-	-	-	-	-	-	-	-	-
11	Erysipelas	- { M. F.	15	1	1	1	-	-	-	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1	-
			12	3	1	-	-	-	1	-	-	-	-	1	1	-	1	1	1	1	1	1	1	1	-
12	Tetanus	- { M. F.	18	1	1	1	1	2	3	-	1	-	2	2	-	1	-	-	-	-	-	-	-	-	-
			4	-	-	1	1	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

[illegible]

Note.—Sub-headings indicated by letters (*a*, *b*, *c*, &c.) correspond with the International List.
 * 28 age not stated. + 27 age not stated.
 Those indicated by numbers (1, 2, 3, &c.) apply to the Scottish List only.
 + 1 age not stated.

CAUSES OF DEATH IN SCOTLAND DURING THE YEAR 1942—continued.

International Nos. Detailed Long List.	CAUSES OF DEATH.	All Ages.	Ages.																			100 and over		
			-1	1-5	5-10	10-15	15-20	20-25	25-30	30-35	35-40	40-45	45-50	50-55	55-60	60-65	65-70	70-75	75-80	80-85	85-90		90-95	
I. INFECTIVE AND PARASITIC DISEASES—continued.																								
<i>Dysentery.</i>																								
27	Dysentery - - - - - { M. F.	25 31	12 4	4 3	- -	1 1	2 2	- -	1 -	1 1	- -	- -	- -	- -	- -	- -	- -	2 1	1 3	1 3	2 4	1 -	- -	- -
<i>Diseases due to Protozoa.</i>																								
28	Malaria (29) - - - - - { M. F.	4 1	- -	- -	- -	- -	- -	- -	1 -	1 -	- -	- -	- -	- -	- -	- -	- -	1 1	- -	- -	- -	- -	- -	- -
<i>Diseases due to Spirochetes.</i>																								
30. a	Locomotor ataxia (tabes dorsalis) - { M. F.	26 4	- -	- -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	3 2	4 1	3 1	10 1	3 -	2 -	- -	- -	- -	- -	- -
b	General paralysis of insane - { M. F.	62 14	- -	- -	- -	1 -	- 2	1 2	3 -	4 3	6 2	11 3	10 8	11 1	7 5	3 1	4 14	2 17	2 6	- 2	- 1	- -	- -	- -
c	Aneurysm of aorta - - - - - { M. F.	72 24	- -	- -	- -	- -	- -	- -	- -	1 2	2 -	7 1	5 1	3 1	5 1	11 5	14 3	17 2	6 2	6 2	1 1	- -	- -	- -
d	Syphilis, congenital or unspecified - { M. F.	70 34	9 17	- -	- -	1 1	5 1	2 1	2 1	7 -	2 -	5 2	2 1	8 4	6 1	10 2	5 4	4 1	2 -	2 -	- -	- -	- -	- -
32	Other spirochetal diseases (31) - { M. F.	9 2	- -	- -	- 2	- -	- -	- -	- -	- -	- -	1 1	2 -	1 -	1 1	1 1	- -	- -	- -	- -	- -	- -	- -	- -
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)

CAUSES OF DEATH IN SCOTLAND DURING THE YEAR 1942—continued.

International Nos. Detailed Long List	CAUSES OF DEATH.	All Ages.	Ages.																100 and over					
			-1	1-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-		75-	80-	85-	90-	95-
44. b	I. INFECTIVE AND PARASITIC DISEASES—continued.																							
	<i>Other Infective or Parasitic Diseases.</i>																							
	Pernicious lymphogranulomatosis (Hodgkin's disease) — { M. F.	48 29	—	1	1	3	5	2	4	2	6	2	1	3	2	1	4	1	—	—	—	—	—	—
	Other infective or parasitic diseases (a, c) { M. F.	1 2	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—
45	II. CANCER AND OTHER TUMOURS.																							
	TOTAL — — { M. F.	4186 4597	2 3	10 12	6 9	12 15	13 11	8 8	32 32	49 73	82 135	139 195	223 281	352 392	449 517	578 612	772 698	719 669	456 533	203 288	67 106	6 14	1 3	—
	Cancer and other malignant tumours— (Total) { M. F.	4119 4438	1 7	7 5	6 9	12 9	12 5	28 28	45 65	78 124	133 180	195 254	216 278	346 378	447 503	568 602	769 687	714 658	455 524	200 232	67 104	6 14	1 3	—
	Buccal cavity and pharynx — — { M. F.	305 100	—	—	1	1	1	—	—	2	2	1	7	14	33	45	68	55	43	19	12	1	1	—
46	Digestive organs and peritoneum — { M. F.	2473 2268	—	—	1	1	3	1	11	21	34	75	112	179	246	347	498	486	302	121	32	3	—	
	Respiratory system — — { M. F.	616 252	—	—	—	—	1	1	8	8	23	33	63	104	112	90	79	52	31	11	—	1	—	
47	Uterus — — — — — F.	526	—	—	—	—	—	—	4	18	27	44	60	65	78	64	60	46	39	14	7	—	—	
48	(a)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)

	(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)
49	Other female genital organs	-	F. 229	-	-	-	1	1	-	2	10	6	13	17	27	27	37	35	27	16	8	1	1	-	-
50	Breast	-	{ M. 6 F. 718 }	-	-	-	-	-	-	-	-	1	33	37	89	83	103	102	80	64	40	18	3	-	-
51	Male genital organs	-	M. 263	-	-	-	-	4	2	1	2	3	3	3	11	17	26	53	65	41	23	9	-	-	-
52	Urinary organs	-	{ M. 184 F. 109 }	-	2	1	-	-	1	1	2	2	6	11	14	19	27	33	23	20	14	3	-	-	-
53	Skin (scrotum excepted)	-	{ M. 54 F. 61 }	-	-	-	-	-	-	-	1	1	1	1	-	-	2	8	11	8	5	8	-	-	-
54	Brain and nervous system	-	{ M. 51 F. 26 }	-	1	1	3	-	-	1	4	2	7	10	9	7	2	3	1	-	1	-	-	-	-
55	Other or unspecified organs	-	{ M. 167 F. 149 }	-	4	1	5	5	6	6	5	11	8	8	15	11	22	24	18	7	7	3	-	-	-
	Tumours, non-malignant, or of undetermined nature (56)—				2	2	3	4	2	3	2	7	7	7	18	15	14	26	15	9	8	5	-	-	-
57.a	Ovaries	-	F. 37	-	-	-	-	-	-	2	-	2	4	3	-	4	5	5	6	3	2	1	-	-	-
b	Uterus	-	F. 56	-	-	-	-	-	-	2	2	6	7	19	7	4	2	3	1	1	2	-	-	-	-
c	Other female genital organs	-	F. -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
d	Brain and nervous system	-	{ M. 43 F. 43 }	-	1	1	2	2	1	4	2	4	3	5	5	1	7	2	1	1	-	-	-	-	-
e.1	Bladder	-	{ M. 14 F. 6 }	-	-	-	-	-	-	-	-	-	2	2	-	1	1	1	4	3	2	-	-	-	-
2	Other and unspecified organs	-	{ M. 10 F. 17 }	-	2	-	1	1	1	-	2	1	1	1	1	-	2	-	3	2	-	1	-	-	-
III. RHEUMATISM, DISEASES OF NUTRITION AND OF ENDOCRINE GLANDS, OTHER GENERAL DISEASES AND VITAMIN DEFICIENCY DISEASES.																									
	TOTAL	-	{ M. 328 F. 735 }	15	12	14	15	15	15	5	13	10	14	7	15	13	24	41	44	43	10	3	-	-	-
58.c	Acute rheumatic heart conditions (a, b)	-	{ M. 48 F. 37 }	8	2	11	14	19	13	18	19	24	21	22	36	72	88	102	122	91	36	13	3	1	-
d	Other forms of acute rheumatism	-	{ M. 5 F. 13 }	-	5	9	7	8	3	-	4	2	2	-	4	2	2	2	1	1	-	-	-	-	-

CAUSES OF DEATH IN SCOTLAND DURING THE YEAR 1942—continued.

International Nos. Detailed Long List.	CAUSES OF DEATH.	All Ages.	Ages																	100 and over				
			-1	1-5	5-10	10-15	15-20	20-25	25-30	30-35	35-40	40-45	45-50	50-55	55-60	60-65	65-70	70-75	75-80		80-85	85-90	90-95	
III. RHEUMATISM, ETC.—continued.																								
59	Chronic rheumatism and other rheu- matic diseases — — — — — {M. — {F.	20 97	—	—	—	—	—	—	—	1	1	1	—	2	2	2	6	6	4	2	—	—	—	
61	Diabetes mellitus — — — — — {M. — {F.	182 457	—	3	2	5	9	1	7	6	9	5	6	8	16	33	31	33	6	1	—	—	—	
62	Diseases of the pituitary gland — — — — — {M. — {F.	4 7	—	1	1	1	—	—	1	—	—	1	1	—	1	—	—	—	—	—	—	—	—	
63.b	Exophthalmic goitre — — — — — {M. — {F.	9 66	—	—	—	1	—	2	—	—	1	9	10	9	7	5	1	2	—	1	—	—	—	
c	Myxedema and cretinism — — — — — {M. — {F.	4 32	—	—	—	—	—	—	—	—	—	2	1	5	2	6	10	3	2	1	—	—	—	
e	Other diseases of thyroid and para- thyroid (a, d) — — — — — {M. — {F.	3 4	—	—	—	1	—	1	—	—	—	—	—	—	1	—	—	1	—	—	1	—	—	
64	Diseases of thymus (including status lymphaticus) — — — — — {M. — {F.	16 3	6	7	1	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
65.a	Addison's disease (not tuberculous) — — — — — {M. — {F.	5 3	1	—	—	—	—	1	1	—	1	—	—	—	—	—	1	1	—	—	—	—	—	
b	Other diseases of adrenal glands — — — — — {M. — {F.	2 1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	
66	Other general diseases (60) — — — — — {M. — {F.	10 8	4	2	—	—	—	—	—	—	—	—	1	1	1	1	—	1	—	—	1	—	—	
70	<i>Vitamin Deficiency Diseases.</i> Rickets — — — — — {M. — {F.	5 4	3	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
71	Other vitamin deficiency diseases (67, 68, 69) — — — — — {M. — {F.	6 3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	3	—	—	—	—	—	
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)

CAUSES OF DEATH IN SCOTLAND DURING THE YEAR 1942—continued.

International Nos. Detailed Long List			CAUSES OF DEATH.		All Ages.	Ages.																	100 and over		
						1-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-		85-	90-
VI. DISEASES OF NERVOUS SYSTEM AND OF SENSE ORGANS.																									
TOTAL - - { M. F.			3907 4618	144 118	45 44	21 20	19 17	39 27	33 20	26 38	37 36	56 56	80 87	113 126	152 191	261 272	434 456	566 671	688 781	631 805	398 563	144 215	16 66	3 9	1 -
80.a	Intra-cranial abscess - - { M. F.		14 13	- -	1 -	- 1	1 2	1 1	1 1	1 1	1 1	- 1	1 1	2 -	1 -	1 -	2 2	- 1	- 1	- 1	- -	- -	- -	- -	- -
b	Other forms of encephalitis (non- epidemic) - - - { M. F.		25 27	3 4	3 4	3 4	3 2	2 1	1 3	1 -	- -	1 2	1 2	2 -	2 2	3 3	2 -	- -	- -	1 1	- -	- -	- -	- -	- -
81	Meningitis (not meningococcal) - - { M. F.		97 72	28 28	18 15	8 5	8 3	5 4	2 1	1 1	1 1	5 1	3 2	5 1	3 5	6 1	1 2	1 -	1 -	- -	- -	- -	- -	- -	- -
82.1	Motor neurone disease - - - { M. F.		46 31	- -	- -	- -	3 -	1 -	- -	1 -	1 -	1 1	2 3	3 -	7 7	5 3	6 6	10 2	5 2	2 1	1 1	- -	- -	- -	
2	Sub-acute combined degeneration - { M. F.		9 6	- -	- -	- -	- -	- -	- -	- 1	- -	- -	1 -	- -	1 1	1 2	1 -	2 -	3 2	- -	- -	- -	- -	- -	- -
3	Myelitis of unstated origin - - { M. F.		19 14	- -	- -	- 2	1 2	- 1	1 1	1 1	2 1	2 1	3 3	2 -	1 2	3 -	- 1	4 3	1 1	- -	1 -	- -	- -	- -	- -
4	Other diseases of medulla and of spinal cord - - - - { M. F.		23 15	- 2	2 -	- -	- -	- 1	1 1	1 -	2 -	3 1	2 -	1 -	6 2	3 1	2 4	2 -	- -	- -	- -	- -	- -	- -	- -
83.a	Cerebral hæmorrhage, apoplexy - { M. F.		2044 2539	4 2	3 3	1 1	5 3	5 4	3 12	3 13	19 18	30 35	56 69	82 113	162 164	272 293	331 440	403 481	347 481	219 317	79 121	8 30	2 3	1 -	
b	Cerebral embolism and thrombosis - { M. F.		922 1096	- 1	- -	2 -	- -	1 -	1 2	1 4	1 6	7 9	16 18	19 29	46 52	92 94	142 142	192 209	205 234	139 188	49 74	7 28	1 6	- -	- -
(a)		(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)
83.c	Softening of brain - - - {M. F.	61 76	-	-	-	-	-	-	-	-	1	1	-	-	1	2	13	10	16	13	6	-	-	
d	Hemiplegia and other paralysees of unstatic origin - - - {M. F.	159 188	-	-	2	-	-	-	1	-	2	2	2	3	10	18	29	40	31	16	4	-	-	
e	Other intra-cranial effusions - - {M. F.	9 5	1	1	-	-	1	1	-	-	1	-	-	1	1	1	2	1	1	-	-	-	-	
84	Mental disorders and deficiency - {M. F.	38 74	5	2	2	4	2	4	2	4	13	5	5	13	3	2	2	2	1	-	-	-	-	
85	Epilepsy - - - {M. F.	99 91	1	4	5	2	9	11	5	8	10	4	8	11	3	8	3	4	1	1	1	-	-	
86	Convulsions (age under 5 yrs.) - {M. F.	106 90	8	3	3	2	5	4	13	7	3	7	7	11	8	6	4	2	5	1	-	-	-	
87.a	Chorea - - - {M. F.	2	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
b	Neuritis - - - {M. F.	11 11	-	-	-	-	-	1	1	1	1	2	2	-	2	1	2	1	2	-	1	-	-	
c	Paralysis agitans - - - {M. F.	44 62	-	-	-	-	-	-	-	-	1	3	-	1	-	5	11	10	10	4	2	-	-	
d	Disseminated sclerosis - - - {M. F.	96 79	-	-	-	-	-	1	6	8	9	13	9	13	9	6	13	6	3	1	-	-	-	
e	Other diseases of nervous system - {M. F.	38 41	1	1	1	1	4	1	2	1	1	2	2	4	1	6	4	3	1	2	2	-	-	
88	Diseases of organs of vision. - - {M. F.	4 1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	
89.a	Otitis and other diseases of ear - {M. F.	21 19	3	2	1	2	3	3	1	1	1	2	1	2	1	1	1	1	1	1	-	-	-	
b	Diseases of mastoid - - - {M. F.	22 16	-	3	2	2	1	2	1	-	2	3	1	1	1	1	1	1	1	-	1	-	-	

CAUSES OF DEATH IN SCOTLAND DURING THE YEAR 1942—continued.

International Nos. Detailed Long List.	CAUSES OF DEATH.	All Ages.	Ages.																			100 and over		
			-1	1-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-		90-	95-
VII. DISEASES OF CIRCULATORY SYSTEM.																								
	TOTAL - - {M. F.	*8202 8346	6 5	5 8	4 9	13 24	35 46	34 44	40 78	55 87	86 101	160 151	249 209	367 285	600 440	846 694	1337 1073	1504 1281	1415 1523	935 1290	405 768	92 195	13 31	4
	(Total) {M. F.	*7428 7641	2 3	4 5	13 24	34 46	33 42	33 42	33 72	50 85	82 97	151 142	240 191	347 259	564 408	766 654	1254 997	1359 1162	1249 1396	808 1166	349 684	78 163	10 26	4
90.a	Chronic rheumatic pericarditis - {M. F.	1 2	- -	1 1	- -	1 -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	-
b	Other pericarditis - - {M. F.	16 17	- 2	1 1	2 2	1 1	1 3	1 3	1 3	1 3	1 1	1 1	2 2	1 -	- -	2 3	2 -	1 -	1 -	1 -	1 -	- -	- -	-
91.a	Acute bacterial endocarditis (b) - {M. F.	36 44	- 1	1 1	1 5	4 6	3 5	3 9	2 5	4 5	4 4	3 3	3 1	2 -	4 -	1 2	2 -	2 -	- -	- -	- -	- -	- -	-
c	Other acute endocarditis - - {M. F.	8 13	- -	2 1	1 -	3 -	1 -	1 -	1 -	1 -	1 -	1 -	1 -	2 -	1 -	1 -	1 -	1 -	- -	- -	- -	- -	- -	-
92.a	Aortic valvular disease (without mitral) - - {M. F.	93 48	- -	- -	- -	- -	1 1	1 -	1 -	- -	2 2	7 1	5 2	7 6	10 4	22 5	15 7	11 5	9 5	2 3	1 7	- -	- -	-
b	Mitral and other specified valvular dis. (inc. sequelae of rheumatic fever) {M. F.	326 537	- 2	1 1	7 6	14 9	12 17	11 33	15 37	23 35	23 35	18 40	20 38	11 29	31 42	22 43	54 62	35 48	36 43	9 11	6 4	1 4	- -	-
c	Valvular disease, endocarditis—un-specified - - {M. F.	473 651	1 -	1 1	1 5	7 12	6 14	8 12	11 17	8 17	17 33	13 33	19 30	27 38	34 55	47 64	96 95	81 72	62 59	39 59	10 24	1 2	1 -	-
93.a	Acute myocarditis - - {M. F.	65 79	1 -	1 -	- -	2 1	1 -	- -	1 -	1 2	1 -	1 1	3 4	4 4	8 -	7 14	8 12	9 13	10 6	1 3	2 -	- -	- -	-
b	Chronic rheumatic myocarditis - {M. F.	10 24	- -	- -	- -	2 -	- -	- -	1 -	1 -	1 3	3 3	3 -	1 -	2 -	2 2	2 1	1 4	1 2	1 -	1 1	1 -	1 -	-
c	Cardio-vascular degeneration - {M. F.	1320 1404	- -	- -	- -	- -	- -	1 -	- -	3 -	1 -	5 2	9 5	13 18	40 29	74 63	192 127	274 222	321 317	242 320	115 228	25 60	6 9	3
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)
c2	Fatty degeneration of heart -	{ M. 25 F. 53	-	-	-	-	-	-	1	1	4	-	-	3	1	5	3	6	2	4	1	1	-	-
3	Chronic myocarditis, other myocardial degeneration -	{ M. 1698 F. 1969	-	-	-	1	-	2	1	4	3	6	18	51	84	130	250	336	357	264	122	36	2	-
d	Myocarditis not specified as acute or chronic -	{ M. 1176 F. 1196	-	-	-	3	2	3	2	2	2	8	17	28	52	85	144	208	236	204	130	47	8	-
94.1	Diseases of coronary arteries -	{ M. *1672 F. 1053	-	-	-	1	1	2	1	5	2	11	18	28	49	53	118	155	202	244	173	111	18	3
2	Angina pectoris -	{ M. 89 F. 34	-	-	-	-	2	1	1	2	2	4	3	16	14	14	16	11	8	-	-	-	-	-
95.b	Rheumatic heart disease (undefined) -	{ M. 13 F. 14	-	-	-	1	1	2	1	2	2	1	3	2	1	1	1	1	1	1	-	-	-	-
c	Other diseases of heart (a) -	{ M. 407 F. 473	-	-	-	2	3	1	2	4	8	14	16	26	40	43	64	89	61	29	9	-	1	-
96	Aneurysm (heart and aorta excepted) -	{ M. 17 F. 8	-	-	-	-	-	-	3	1	1	-	2	1	1	2	2	5	-	-	1	-	-	-
97	Arterio-sclerosis -	{ M. 461 F. 419	-	-	-	-	-	-	-	-	-	1	3	5	10	41	44	99	114	96	39	8	2	-
98	Gangrene -	{ M. 116 F. 91	-	-	-	-	-	-	1	1	-	-	-	1	2	6	5	18	30	14	8	1	3	-
99	Other diseases of arteries -	{ M. 47 F. 36	-	-	-	-	-	-	1	1	1	2	3	5	3	7	9	2	8	4	1	-	-	-
100	Diseases of veins -	{ M. 20 F. 51	-	-	-	-	-	-	1	1	1	2	3	4	6	9	5	5	4	3	1	-	-	-
101	Diseases of lymphatic system -	{ M. 9 F. 12	3	1	-	-	1	-	-	-	1	1	2	-	-	1	1	1	1	1	1	-	-	-
102	High blood pressure (idiopathic) -	{ M. 101 F. 86	-	-	-	-	-	-	1	1	3	1	6	3	7	16	16	14	12	4	1	-	-	-
103	Other diseases of circulatory system -	{ M. 3 F. 2	1	-	-	-	-	-	1	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-

* 1 age not stated.

CAUSES OF DEATH IN SCOTLAND DURING THE YEAR 1942—continued.

International Nos.	Detailed Long List.	CAUSES OF DEATH.	All Ages.	Ages.																100 and over					
				-1	1-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-		75-	80-	85-	90-	95-
104		VIII. DISEASES OF RESPIRATORY SYSTEM. TOTAL - - { M. 3598 F. 2592	{ M. 15 F. 9	746	142	20	8	14	20	38	47	83	106	161	254	296	320	346	363	302	203	91	36	2	
				532	129	12	11	17	30	37	46	40	59	52	84	120	158	227	265	299	266	147	46	15	
				2	1	-	-	1	1	3	1	3	1	-	-	1	-	-	1	-	-	1	-	-	-
105		{ M. 16 F. 8	4	7	1	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	1	-	-	
			2	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
106		{ M. 1450 F. 989	{ M. 150 F. 989	131	21	1	1	4	9	10	12	20	37	57	115	134	147	184	202	168	121	58	17	1	
				81	21	-	3	5	4	5	2	5	14	14	32	52	79	104	128	158	155	89	27	11	
1		{ M. 579 F. 367	{ M. 579 F. 367	2	-	-	-	-	1	1	3	7	13	20	47	72	68	95	88	88	47	23	4	-	
				1	-	-	1	-	-	1	-	-	1	5	3	19	20	44	56	61	64	59	25	4	3
2		{ M. 7 F. 8	{ M. 7 F. 8	-	-	-	-	-	-	-	-	-	-	1	2	-	1	1	1	1	-	-	-	-	
				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3		{ M. 864 F. 614	{ M. 864 F. 614	129	21	1	1	4	8	9	9	13	24	36	66	62	78	88	113	80	73	35	13	-	
				80	21	-	2	5	4	3	2	4	8	11	13	30	35	46	67	93	95	64	23	8	-
107		{ M. 869 F. 719	{ M. 869 F. 719	441	72	7	3	3	2	4	6	18	12	19	23	31	40	55	54	41	27	5	5	1	
				324	74	5	4	3	5	8	9	7	6	4	18	21	17	32	48	56	44	21	11	2	-
108		{ M. 474 F. 299	{ M. 474 F. 299	51	19	4	-	3	5	8	12	16	17	33	57	56	54	51	37	28	14	7	2	-	
				42	16	4	-	5	12	8	12	12	12	9	22	17	33	28	21	9	2	2	-	-	-
109		{ M. 262 F. 159	{ M. 262 F. 159	83	14	3	1	1	1	6	2	9	7	13	17	25	15	23	15	16	8	-	3	-	
				56	12	2	2	1	3	2	6	2	4	1	3	6	8	13	19	15	4	-	-	-	-
110		{ M. 86 F. 55	{ M. 86 F. 55	2	4	1	-	-	-	2	4	3	7	7	10	7	7	5	12	6	4	5	-	-	
				5	2	-	2	-	2	2	7	2	6	3	2	3	2	3	5	2	7	2	2	1	-
111. ^a		{ M. 34 F. 26	{ M. 34 F. 26	1	-	-	-	-	-	-	1	3	3	3	2	3	3	7	3	4	1	1	-	-	
				1	-	-	-	-	-	2	2	2	2	3	4	3	1	2	2	2	2	2	-	-	-
^c		{ M. 147 F. 171	{ M. 147 F. 171	27	3	1	-	-	-	-	1	2	1	1	3	2	10	8	9	15	25	19	14	8	
				20	1	-	-	-	-	2	1	1	1	3	4	2	7	16	20	33	29	24	5	2	
(a)				(a)	(b)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)
112	Asthma - - - - -	{ M. 146 F. 140 }	3 1	1	2	1	2	2	2	6	4	11	15	18	19	21	10	14	6	1	1	-	-
113	Pulmonary emphysema - - - - -	{ M. 25 F. 1 }	-	-	-	-	-	-	-	-	1	2	3	3	3	1	3	4	2	-	-	-	-
114.a	Occupational diseases of respiratory system (b) - - - - -	{ M. 28 F. - }	-	-	-	-	-	-	-	-	-	1	2	3	3	11	4	2	1	-	1	-	-
c.1	Chronic interstitial pneumonia (not occupational) - - - - -	{ M. 20 F. 11 }	-	-	-	-	-	1	1	1	5	-	2	1	4	1	2	1	1	-	-	-	-
2	Other diseases of respiratory system (c, d) - - - - -	{ M. 26 F. 5 }	1 5	1	-	-	-	1	2	-	3	6	2	2	2	-	3	-	1	-	-	-	-
IX. DISEASES OF DIGESTIVE SYSTEM.																							
TOTAL - - - - -		{ M. 1759 F. 1415 }	488 352	66 54	24 24	13	24 13	39 21	23 20	48 22	68 23	72 55	98 53	109 68	116 83	137 132	147 125	107 116	94 122	45 76	19 31	5 7	- 1
115.a	Diseases of teeth and gums - - - - -	{ M. 6 F. 2 }	2	-	-	-	-	-	-	-	1	-	-	-	1	1	-	1	-	1	-	-	-
b	Septic sore throat - - - - -	{ M. 12 F. 9 }	1	-	1	-	-	1	2	2	1	3	1	1	1	1	-	-	-	-	-	-	-
c	Other diseases of pharynx and tonsils - - - - -	{ M. 23 F. 13 }	3 13	1 2	4 1	1	3 1	3 1	2 1	-	-	1	1	1	2	2	1	2	1	-	1	-	-
d	Other diseases of buccal cavity - - - - -	{ M. 5 F. 8 }	-	1	-	-	-	-	-	-	-	-	1	1	-	2	-	1	1	1	1	-	-
116	Diseases of oesophagus - - - - -	{ M. 7 F. 1 }	2	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	1	-	-	-
117.a	Ulcer of stomach - - - - -	{ M. 210 F. 104 }	-	-	-	-	-	2 1	-	9 1	10 3	16 8	24 6	32 10	22 10	23 14	25 11	22 13	14 8	3 3	2 1	1 1	-
b	Ulcer of duodenum - - - - -	{ M. 232 F. 41 }	-	-	-	-	1	1	4	25 9	25 1	14 1	26 2	33 7	31 2	27 3	29 4	10 8	11 7	4 1	2 1	-	-
118	Other diseases of stomach - - - - -	{ M. 60 F. 52 }	14 9	3 1	1 1	-	-	-	1	1	1	1	2	3	2	4	7	7	5	6	1	1	-

CAUSES OF DEATH IN SCOTLAND DURING THE YEAR 1942—continued.

International Nos.	Detailed Long List.	CAUSES OF DEATH.	All Ages.	Ages.														100 and over.						
				-1	1-5	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-		70-	75-	80-	85-	90-	95-
IX. DISEASES OF DIGESTIVE SYSTEM—continued.																								
119		Diarrhoea, enteritis (under 2 years of age) — — — — —	{ M. 465 F. 356 }	442 331	23 25	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
120. <i>a</i>		Diarrhoea, enteritis (over 2 years of age) — — — — —	{ M. 71 F. 110 }	—	13 15	5 5	2 1	1 4	1 1	—	1 3	3 3	4 4	5 10	9 11	4 7	2 6	—	—	—	—	—	—	—
<i>b</i>		Ulceration of intestines — — — — —	{ M. 22 F. 29 }	—	—	—	2 2	—	2 1	3 1	2 4	3 4	2 2	3 4	2 2	1 1	2 2	—	—	—	—	—	—	—
121		Appendicitis — — — — —	{ M. 178 F. 113 }	1 4	14 10	12 10	18 10	23 7	6 8	7 5	12 3	12 5	9 6	11 9	16 7	6 5	4 3	1 —	—	—	—	—	—	—
122. <i>a</i>		Hernia — — — — —	{ M. 130 F. 136 }	4 —	2 —	—	—	1 1	1 1	4 2	5 3	6 6	4 7	13 20	16 25	17 20	12 4	8 —	1 —	—	—	—	—	—
<i>b</i>		Intestinal obstruction — — — — —	{ M. 103 F. 93 }	15 11	7 5	2 —	2 1	2 2	3 1	4 2	5 5	7 2	3 2	8 3	12 6	9 14	5 9	4 7	1 4	1 2	—	—	—	—
123		Other diseases of intestines — — — — —	{ M. 41 F. 45 }	—	—	—	—	—	—	—	3 4	2 1	7 6	11 4	14 9	1 1	2 3	1 —	—	—	—	—	—	—
124		Cirrhosis of liver — — — — —	{ M. 86 F. 38 }	1 —	—	—	—	1 1	1 1	—	4 2	1 2	7 6	11 2	17 8	1 1	2 3	1 —	—	—	—	—	—	—
125. <i>a</i>		Acute yellow atrophy of liver (not associated with pregnancy) — — — — —	{ M. 8 F. 14 }	—	—	1 1	—	2 2	1 2	3 1	5 3	1 2	2 2	2 2	1 1	3 4	2 2	—	—	—	—	—	—	—
<i>b</i>		Other diseases of liver — — — — —	{ M. 21 F. 20 }	—	1 —	—	—	2 —	—	1 1	—	2 1	3 2	2 2	1 1	4 5	2 2	—	—	—	—	—	—	—
126		Biliary calculi — — — — —	{ M. 22 F. 68 }	—	—	—	—	—	—	—	—	1 3	9 7	7 14	3 14	5 9	3 5	4 5	2 2	—	—	—	—	—
127		Other diseases of gall bladder and bile ducts — — — — —	{ M. 26 F. 134 }	—	—	1 —	—	—	—	2 1	3 8	5 5	9 1	12 23	22 15	2 9	5 5	2 2	1 —	—	—	—	—	—
128		Diseases of pancreas — — — — —	{ M. 8 F. 17 }	—	—	—	—	—	—	—	—	—	1 2	1 4	2 5	1 2	5 1	—	—	—	—	—	—	—
129		Peritonitis without stated cause — — — — —	{ M. 23 F. 12 }	3 1	1 —	2 —	—	—	—	4 1	1 2	3 1	1 1	4 2	1 1	3 1	1 —	—	—	—	—	—	—	—
(<i>a</i>)		(<i>b</i>)		(<i>d</i>) (<i>c</i>)	(<i>e</i>) (<i>f</i>)	(<i>g</i>) (<i>h</i>)	(<i>i</i>) (<i>j</i>)	(<i>k</i>) (<i>l</i>)	(<i>m</i>) (<i>n</i>)	(<i>o</i>) (<i>p</i>)	(<i>q</i>) (<i>r</i>)	(<i>s</i>) (<i>t</i>)	(<i>u</i>) (<i>v</i>)	(<i>w</i>) (<i>x</i>)	(<i>y</i>)									

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)
	X. DISEASES OF URINARY AND GENITAL SYSTEMS (not Venereal or connected with Pregnancy or the Puerperium).																							
	TOTAL	1614 936	16 16	7 8	3 3	5 6	12 12	25 14	16 31	17 29	30 47	43 50	45 69	88 62	101 87	139 92	232 115	286 115	279 92	191 61	68 20	9 6	2 1	-
130	Acute nephritis	62 65	3 3	4 7	1 1	3 4	4 3	9 1	2 5	4 1	1 3	2 5	5 3	5 5	6 7	5 4	2 9	1 4	-	-	-	-	-	-
131	Chronic nephritis	542 546	-	-	2 1	2 1	8 8	9 15	9 11	10 28	22 30	28 41	27 31	56 45	47 55	66 45	83 72	69 74	62 75	38 41	12 6	1 5	1 -	-
132	Nephritis unspecified (over 10 years of age)	124 104	-	-	-	-	-	3 1	2 4	1 2	4 3	4 4	5 10	6 7	8 16	11 16	25 19	20 16	23 10	9 1	5 1	-	-	
133	Other diseases of kidney and ureters	92 85	10 12	3 1	-	-	-	3 3	1 8	2 8	2 3	4 2	1 8	4 4	6 7	11 11	10 9	17 6	10 4	4 1	4 6	-	-	
134	Calculi of urinary passages	31 17	-	-	-	-	-	1 -	1 -	1 -	2 2	2 2	4 -	7 1	3 2	3 6	4 1	4 3	1 -	-	-	-	-	
135	Diseases of bladder	81 48	1 -	-	-	-	-	-	-	1 1	1 1	1 1	-	1 5	2 2	2 3	5 10	12 7	23 7	19 7	8 7	-	-	
136	Diseases of urethra, urinary abscess	43 2	1 -	-	-	-	-	-	1 -	1 1	1 -	1 -	3 -	4 -	7 -	4 1	10 -	5 -	4 -	2 -	-	-	-	
137	Diseases of prostate	635	-	-	-	-	-	-	-	-	-	1	-	5	18	43	92	158	152	119	39	8	-	
138	Diseases of other male genital organs	4	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	
139.a	Diseases of ovaries, Fallopian tubes and parametria	29	-	-	-	-	1	3	5	3	3	7	6	-	-	-	1	-	-	-	-	-	-	
b	Diseases of uterus	36	-	-	-	-	-	-	2	2	3	3	7	6	6	4	1	1	1	-	-	-	-	
c	Diseases of breast	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
d	Other diseases of female genital organs	4	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	1	-	-	-	-	-	

CAUSES OF DEATH IN SCOTLAND DURING THE YEAR 1942—continued.

International Nos. Detailed Long List.	CAUSES OF DEATH.	All Ages.	Ages.														95- 100 and over							
			-1	1-5	5-10	10-15	15-20	20-25	25-30	30-35	35-40	40-45	45-50	50-55	55-60	60-65		65-70	70-75	75-80	80-85	85-90	90-95	
	XL DISEASES OF PREGNANCY, CHILD-BIRTH AND THE PUERPERAL STATE.																							
	TOTAL - - F.	382	-	-	1	10	72	90	94	82	32	1	-	-	-	-	-	-	-	-	-	-	-	-
140	Post-abortive sepsis - - F.	44	-	-	-	1	10	10	14	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141	Abortion not specified as septic - F.	10	-	-	-	-	-	4	1	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
142	Ectopic gestation - - F.	6	-	-	-	-	1	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
143.a	Placenta prævia (pregnancy) - - F.	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
b	Accidental hæmorrhage of pregnancy F.	6	-	-	-	-	-	-	2	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
c	Other and unspecified hæmorrhages of pregnancy - - - F.	5	-	-	-	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
144.a	Eclampsia of pregnancy - - F.	22	-	-	-	2	2	4	4	6	4	-	-	-	-	-	-	-	-	-	-	-	-	-
b	Albuminuria and nephritis of pregnancy F.	6	-	-	-	-	1	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
c	Acute yellow atrophy of liver with pregnancy - - - F.	3	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
d1	Uncontrollable vomiting - - F.	10	-	-	1	-	3	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Other toxæmias of pregnancy - - F.	14	-	-	-	-	5	2	3	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-
145	Other diseases and accidents of pregnancy - - - F.	7	-	-	-	-	3	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
146.a	Placenta prævia (with childbirth) - F.	5	-	-	-	-	-	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
b	Accidental hæmorrhage of childbirth F.	3	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
c	Other hæmorrhages of childbirth - F.	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
d	Other hæmorrhages after childbirth - F.	30	-	-	-	2	4	7	9	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)
147.b	Puerperal sepsis (a) - - - - F.	84	-	-	-	-	1	18	24	20	15	6	-	-	-	-	-	-	-	-	-	-	-	-
d	Puerperal embolism and thrombo- phlebitis (c) - - - - F.	33	-	-	-	-	1	8	4	8	6	6	-	-	-	-	-	-	-	-	-	-	-	-
148.a	Puerperal eclampsia - - - - F.	32	-	-	-	-	2	6	8	8	7	1	-	-	-	-	-	-	-	-	-	-	-	-
b	Puerperal albuminuria and nephritis -	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
c	Acute yellow atrophy of liver (post partum) - - - - F.	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
d	Other puerperal toxæmias - - - - F.	3	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
149	Other accidents of childbirth - - - F.	44	-	-	-	-	1	8	9	10	11	5	-	-	-	-	-	-	-	-	-	-	-	-
150	Other or unspecified conditions of child- birth and the puerperal state - - - F.	9	-	-	-	-	-	2	2	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-
XII. DISEASES OF SKIN AND CELLULAR TISSUE.																								
	TOTAL - - - - { M. F. }	124	32	6	1	1	-	3	4	4	5	2	5	5	7	6	15	10	13	2	3	-	-	-
151	Carbuncle, boils - - - - { M. F. }	95	17	5	1	-	1	2	2	1	2	3	3	5	9	11	5	9	9	5	4	1	-	-
152	Cellulitis, acute abscess - - - - { M. F. }	21	1	-	-	-	-	1	1	2	1	-	1	1	1	2	6	2	1	1	1	-	-	-
153	Other diseases of skin and cellular tissue - - - - { M. F. }	66	20	4	1	1	-	2	2	1	3	1	4	3	3	3	6	4	6	1	1	-	-	-
	- - - - { M. F. }	55	10	5	1	-	1	2	2	-	1	2	2	2	7	4	3	4	4	2	3	-	-	-
	- - - - { M. F. }	37	11	2	-	-	-	-	1	1	1	1	-	1	3	2	3	4	6	-	1	-	-	-
	- - - - { F. }	30	7	-	-	-	-	-	-	1	-	1	-	2	1	5	2	4	3	2	1	1	-	-
XIII. DISEASES OF BONES AND OF ORGANS OF MOVEMENT.																								
	TOTAL - - - - { M. F. }	78	4	1	7	12	9	2	3	1	2	3	3	5	5	6	8	3	2	2	-	-	-	-
154	Osteomyelitis and periostitis - - - - { M. F. }	40	3	5	8	-	-	1	2	1	1	-	2	2	2	5	1	1	3	3	-	-	-	-
155	Other diseases of bones - - - - { M. F. }	56	3	1	7	11	7	1	3	1	1	2	-	4	2	4	4	2	1	2	-	-	-	-
156	Diseases of joints and other organs of movement - - - - { M. F. }	19	-	2	3	5	-	1	-	-	-	-	1	1	2	-	-	1	1	2	-	-	-	-
	- - - - { M. F. }	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	-	-	-	-
	- - - - { M. F. }	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	- - - - { M. F. }	20	1	-	-	-	2	1	-	-	1	1	3	1	3	2	4	-	1	-	-	-	-	-
	- - - - { F. }	15	-	1	2	3	-	-	2	1	1	-	-	-	2	2	-	-	-	-	-	-	-	-

CAUSES OF DEATH IN SCOTLAND DURING THE YEAR 1942—continued.

CAUSES OF DEATH.			All Ages.	Ages.																100 and over					
International Nos. Detailed Long List.				-1	1-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95-	(y)
XIV. CONGENITAL MALFORMATIONS.																									
	TOTAL	- { M. F.	418 313	368 278	22 11	11 6	2 4	4 2	4 2	1 4	1 2	4 1	1 1	1 1	-	1 1	-	-	-	-	-	-	-	-	-
157. <i>a</i>	Congenital hydrocephalus	- { M. F.	44 46	34 40	7 1	1 3	-	-	1 1	-	-	1 -	-	-	-	-	-	-	-	-	-	-	-	-	-
<i>b</i>	Spina bifida and meningocele	- { M. F.	92 106	91 101	1 4	-	1 -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<i>c</i>	Congenital malformation of heart	- { M. F.	123 90	108 76	4 2	5 6	1 2	2 2	3 -	1 3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<i>e</i>	Congenital pyloric stenosis	- { M. F.	50 11	48 11	1 -	-	1 -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<i>j</i>	Other or unspecified congenital mal- formations (<i>d, f, g, h, i</i>)	- { M. F.	109 60	87 50	9 5	1 1	2 -	2 -	1 1	1 1	-	3 -	1 1	1 1	-	1 1	-	-	-	-	-	-	-	-	-
XV. DISEASES PECULIAR TO THE FIRST YEAR OF LIFE.																									
	TOTAL	- { M. F.	1502 1063	1502 1063	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158	Congenital debility	- { M. F.	289 202	289 202	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	- { M. F.	784 573	784 573	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
160	Injury at birth	- { M. F.	198 127	198 127	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
161. <i>a</i>	Asphyxia at birth, atelectasis	- { M. F.	104 59	104 59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<i>b</i>	Maternal toxæmia	- { M. F.	44 31	44 31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(<i>a</i>)	(<i>b</i>)	(<i>c</i>)	(<i>d</i>)	(<i>e</i>)	(<i>f</i>)	(<i>g</i>)	(<i>h</i>)	(<i>i</i>)	(<i>j</i>)	(<i>k</i>)	(<i>l</i>)	(<i>m</i>)	(<i>n</i>)	(<i>o</i>)	(<i>p</i>)	(<i>q</i>)	(<i>r</i>)	(<i>s</i>)	(<i>t</i>)	(<i>u</i>)	(<i>v</i>)	(<i>w</i>)	(<i>x</i>)	(<i>y</i>)	

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)
c	Infections of newly born -	(M. 12 F. 11)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
d	Meleena neonatorum -	(M. 29 F. 25)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
e	Other specified diseases -	(M. 42 F. 35)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
162	XVI. SENILITY. Senility, senile dementia -	(M. 783 F. 1287)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	22	72	190	247	179	52	17
164	XVII. DEATHS FROM VIOLENCE. TOTAL -	(M. 13273 F. 1132)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	30	106	272	368	333	133	32
168	Suicide (163) -	(M. 260 F. 127)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17	22	9	5	1	1	1	-
168	Homicide (165-167) -	(M. 26 F. 15)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
169	<i>Accidental Deaths.</i> Railway accidents -	(M. 97 F. 10)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	5	2	-	-	-	-	-
170	Motor vehicle accidents -	(M. 695 F. 184)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35	44	28	25	13	1	-	-
171	Other road transport accidents -	(M. 86 F. 26)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	10	11	11	6	1	-	-
172	Water transport accidents— 1. Drowning -	(M. 4105 F. -)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	2	1	-	-	-	-
173	2. Otherwise -	(M. 47 F. -)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	-	-	-	-	-	-
173	Air transport accidents -	(M. 10 F. -)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
174	Accidents in mines and quarries -	(M. 126 F. -)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* 1 age not stated.

† 25 age not stated.

‡ 2 age not stated.

CAUSES OF DEATH IN SCOTLAND DURING THE YEAR 1942—continued.

International Nos. Detailed Long List.	CAUSES OF DEATH.	All Ages.	Ages.																				100 and over	
			-1	1-5	5-10	10-15	15-20	20-25	25-30	30-35	35-40	40-45	45-50	50-55	55-60	60-65	65-70	70-75	75-80	80-85	85-90	90-95		
176	XVII. DEATHS FROM VIOLENCE— continued. Accidents caused by machinery — { M. F.	31 3	-	1	2	3	1	3	2	3	4	4	1	3	1	3	-	-	-	-	-	-	-	
177	Food poisoning — { M. F.	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
178	Accidental absorption of poisonous gas { M. F.	42 38	-	2	-	2	1	5	2	3	3	5	5	2	3	2	2	3	1	1	5	-	-	
179	Other acute accidental poisoning — { M. F.	29 9	-	-	-	-	-	-	1	2	3	8	4	1	3	-	1	-	-	-	-	-	-	
180	Conflagration — { M. F.	12 9	-	1	-	-	-	1	1	1	1	1	3	1	1	-	1	1	-	-	-	-	-	
181	Accidental burns (conflagration ex- cepted) — { M. F.	80 180	2 4	5 16	2 8	2 4	2 3	2 3	3 6	2 2	5 3	3 3	5 3	2 4	2 5	2 12	3 8	4 14	4 4	3 5	2	-	-	
182	Accidental mechanical suffocation — { M. F.	65 50	48 47	4 1	-	1	1	1	-	-	1	5	1	2	-	-	1	-	-	-	-	-	-	
183	Drowning—accidental and unspecified (M. (excluding water transport) — { F.	*219 59	1 -	13 4	12 5	16 1	12 4	18 2	10 2	9 4	13 8	18 5	18 4	16 3	15 4	13 3	10 1	2 1	5 -	1	-	-	-	
184	Accidental injury by firearms — { M. F.	11 3	-	-	-	2	1	2	2	2	1	-	1	-	1	-	1	-	-	-	-	-	-	
186	Accidental fall, crushing, &c. — { M. F.	+382 401	1 2	5 7	9 3	17 1	6 3	18 2	18 -	23 4	16 3	20 3	24 3	28 12	28 13	36 43	44 67	29 76	28 70	18 59	5 20	8	-	
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)
189	Hunger or thirst	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
190	Weather agencies (191, 192)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
193	Electricity (lightning excepted)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
195.a	Vaccinia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
d	Other and unspecified accidents (175, 185, 187, 188, 194, 195 b, c)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Other Violent Deaths—																							
196	War operations—																							
	Military	†781	-	-	-	-	53	391	214	69	13	14	5	3	1	-	-	1	-	-	-	-	-	-
197	Civilian	52	-	-	-	-	18	5	2	1	3	2	4	1	1	1	3	-	-	1	-	-	-	-
		30	-	-	-	-	6	2	1	1	2	1	1	1	2	2	-	1	1	-	-	-	-	-
198	Execution	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XVIII. ILL-DEFINED CAUSES OF DEATH.																								
	TOTAL	§ 709	34	7	2	1	2	9	4	9	17	9	46	55	66	86	127	106	67	41	15	5	-	-
		386	20	9	3	1	2	1	2	5	3	9	13	19	25	47	56	54	62	33	17	5	-	-
199	Sudden death	114	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		50	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200a.1	Heart failure	445	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		224	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Other ill-defined causes	128	23	6	2	1	-	3	1	3	1	2	4	10	7	12	20	19	5	4	4	1	-	-
		98	15	7	3	-	-	-	-	-	-	6	2	5	2	10	12	10	11	9	4	-	-	-
c	Cause not specified (b)	22	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		14	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

|| 1 age not stated.

§ 1 age not stated.

† 17 age not stated.

* 5 age not stated.

† 1 age not stated.

CAUSES OF DEATH IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND (BOTH SEXES)—1942.

INTERNATIONAL LONG LIST.															SCOTLAND.																																
															Aberdeen B.	Remn. of Aberdeen B.	Arbroath B.	Dundee B.	Remn. of Angus Co.	Argyll Co.	Ayr B.	Kilmarnock B.	Remn. of Ayr Co.	Banff Co.	Berwick Co.	Gaithness Co.	Black-mannan Co.	Clydebank B.	Dumfries B.	Remn. of Dumfries Co.	East Lothian Co.	Dunfermline B.	Kirkcaldy B.	Remainder of Fife Co.	Inverness B.	Remn. of Inverness B.	Kincardine Co.	Kincross Co.	Kirkcudbright Co.								
All Causes															64,963	2,224	1,668	282	2,329	1,111	1,025	519	454	2,692	601	371	313	374	423	366	295	1098	315	808	526	479	551	2,404	314	307	323	106	404				
I. INFECTIVE AND PARASITIC DISEASES.															5,823	182	88	11	247	72	57	47	37	212	48	16	20	22	22	45	34	89	18	50	24	28	34	165	17	56	19	9	17				
<i>Diseases due to Bacteria.</i>																																															
1. Typhoid fever															20	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1				
2. Paratyphoid fevers															180	3	6	6	6	2	3	2	22	4	4	4	4	4	4	4	4	3	3	3	1	4	2	6	2	2	2	2	2	2			
6. Cerebro-spinal (meningococcal) meningitis															24	5	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	1	3	2	2	4	1	3	1	1	1			
8. Scarlet fever															42	15	2	1	28	4	2	1	15	2	2	2	2	2	2	2	3	3	2	2	2	1	3	2	2	4	1	3	1	1	1		
10. Whooping-cough															290	5	2	1	1	1	2	1	15	7	1	4	1	1	1	1	2	3	2	2	2	1	3	2	2	4	1	3	1	1	1		
11. Diphtheria															33	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	2	1	1	1	1	1		
11. Erysipelas															33	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	2	1	1	1	1	1		
12. Tetanus															22	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1		
Tuberculosis—																																															
18. Respiratory system															3,998	107	61	8	162	47	36	29	27	125	21	7	8	13	15	34	29	57	16	33	14	14	14	105	11	41	10	8	11	11	11	11	
19. Central nervous system															3,043	76	38	7	122	37	29	21	19	84	15	5	7	9	11	30	19	41	12	18	7	13	12	76	10	27	6	6	8	2	2	2	
19. Intestines and peritoneum															313	15	9	1	19	4	3	4	4	28	3	1	1	2	3	8	8	9	2	5	5	1	1	2	8	1	1	1	2	2	2	2	
19. Vertebral column															188	1	3	1	2	4	4	3	1	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
19. Other bones and joints															57	2	2	1	2	2	1	1	1	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
19. Skin and sub-cutaneous tissue															29	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
19. Lymphatic system															15	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
19. Genito-urinary system															27	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
21. a. Addison's disease (specified as tuberculous)															12	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
b. Other organs															8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
22. Disseminated															157	11	7	13	13	4	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
24. Purulent infection and septicaemia															119	3	5	3	3	4	4	2	2	2	3	1	2	1	2	2	2	3	1	3	1	1	2	3	1	1	1	1	1	1	1	1	
26. Other bacterial dis. (3-5, 7, 23, 25)															17	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
<i>Dysentery.</i>																																															
27. Dysentery															56	9	1	1	11	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
<i>Diseases due to Protozoa.</i>																																															
28. Malaria (29)															5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

Note.—Sub-headings indicated by letters (a, b, c, &c.) correspond with those in the International List. Those indicated by numbers (1, 2, 3, &c.) apply to the Scottish List only.

INTERNATIONAL LONG LIST.																													
Airtrié B.	Coatbridge B.	Glasgow B.	Hamilton B.	Motherwell and Wishaw B.	Rutherglen B.	Rem. of Lanark Co.	Edinburgh B.	Rem. of Midloth. Co.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth B.	Rem. of Perth Co.	Greenock B.	Paisley B.	Port-Glasgow B.	Rem. of Renfrew Co.	Ross and Cromarty Co.	Roxburgh Co.	Selkirk Co.	Falkirk B.	Stirling B.	Rem. of Stirling Co.	Sutherland Co.	West Lothian Co.	Wigtown Co.	Zetland Co.	Unallocated Deaths.
322	528	14,673	476	763	3,490	6,152	999	542	108	380	182	489	1,193	1,037	1,173	264	1,547	874	586	278	994	317	1,252	243	859	402	302	1653	
I. INFECTIVE AND PARASITIC DISEASES.																													
Diseases due to Bacteria.																													
1.																													
2.		8		1		1	2	1									1												2
3.																													6
6.	1	1	49	2		8	14	4	1	1						1			1		1	2		5		2			
8.							5	1								1													
9.			27	1		1	2	1	5						2	4	1		2	1				1					
10.			89	4		3	31	2	5	1					1	3	6		7				3	2					4
11.			8				2																						
12.			1			2	3	1								1				1	2								
Tuberculosis—																													
13.	20	41	1,399	38	54	19	356	33	15	2	13	3	21	48	110	101	76	105	40	21	40	14	16	56	10	24	18	12	109
14.	13	33	1,098	27	42	15	289	21	9	2	7	3	21	33	86	76	13	85	33	14	7	11	13	97	9	17	10	7	78
15.	3	3	198	6	10	4	22	24	2		4			7	16	15	2	9	8	3	1	1	6	1	3	4	2	16	
16.			2				5	1	1																				
17.			20				3	1	1					2	2	1	1	5	2	1	1		2	8		1	2		
18.			5				2	4						1	2	2													
19.			1				3																						
20.	1		1				2								1														
21.	a.		4				3	1	1							3			1	1									
b. Other diseases—																													
22.			1																										
23.	3	2	45	2		9	17	2	1					3	2			5	1	2	1	1	1			2	2	3	3
24.			16			5	19	2	3		3			1	2			2	2	1	1					2	1		1
25.			2															1	1										
Dysentery.																													
27.							7											2					1	2		2			1
Diseases due to Protozoa.																													
28.																													
Malaria (29)																													

Note.—Sub-headings indicated by letters (a, b, c, &c.) correspond with those in the International List. Those indicated by numbers (1, 2, 3, &c.) apply to the Scottish List only. * Service deaths from all causes, and all deaths from war operations.

CAUSES OF DEATH IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND (BOTH SEXES)—1942—continued.

INTERNATIONAL LONG LIST.	Airdrie B.	Coatbridge B.	Glasgow B.	Hamilton B.	Motherwell B.	Wishaw B.	Rutherglen B.	Renn. of Lanark Co.	Edinburgh B.	Renn. of Midloth. Co.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth B.	Renn. of Perth Co.	Greenock B.	Paisley B.	Port-Glasgow B.	Renn. of Renfrew Co.	Ross and Cromarty Co.	Roxburgh Co.	Sal Kirk Co.	Falkirk B.	Stirling B.	Renn. of Stirling Co.	Sutherland Co.	West Lothian Co.	Wigtown Co.	Zetland Co.	Unallocated Deaths.*
I. INFECTIVE AND PARASITIC DISEASES—continued.																															
<i>Diseases due to Spirochetes.</i>																															
30. <i>a.</i> Locomotor ataxia (tabes dorsalis)			7	1	2			3	4			1			1			1		1			1								
<i>b.</i> General paralysis of insane			16	1	1			8	16						1					2											
<i>c.</i> Aneurysm of aorta	1		28	1	1			5	9	3					2			3		1	4										
<i>d.</i> Syphilis, congenital or unspecified			87	1	1			1	15	2	1			1	3					1		1									
32. <i>a.</i> Other spirochetal diseases (31)				1	1			1	1																						
<i>Diseases due to Filterable Viruses.</i>																															
<i>Influenza—(Total)</i>	3	5	51	4	5			16	41	3		3		6	1		8	5	10	4	4	8	8	8	8	8	8	8	8	8	8
33. <i>a</i> 1. With pneumonia		4	16	1	2			7	19	1		1					2	2	2	1	1	1	1	1	1	1	1	1	1	1	1
2. With other respiratory complications			14	1				3	3								1	2	1	1	1	1	1	1	1	1	1	1	1	1	1
<i>b</i> 1. With non-respiratory complications	1	1	15	2	3			1	4	2	2	2	1	2	1	4	2	1	1	1	2	2	2	1	1	1	1	1	1	1	1
2. Without stated complications	2		6					2	9								3	6	3	1	1	1	1	1	1	1	1	1	1	1	1
35. Measles	1	2	64	2	2			11	10	2																					
36. Acute poliomyelitis and poliomyelitis			4						2																						
37. <i>a.</i> Lethargic encephalitis—acute																															
<i>c.</i> Other or unspecified lethargic encephalitis (<i>c</i>)			19		1			4	8	4				1	4				3			1	1	1	1	2	1	2	2	2	2
38. Other diseases due to viruses (34)			8					1	6																						
<i>Diseases due to Rickettsia.</i>																															
39. Typhus fever																															
<i>Diseases due to Helminths.</i>																															
42. Diseases due to helminths (40, 41)																															
<i>Diseases due to Fungi.</i>																															
43. Mycoses			3						2																						
<i>Other Infective or Parasitic Diseases.</i>																															
44. <i>b.</i> Pernicious lymphogranulomatosis (Hodgkin's disease)		1	19		1			5	9		2		1			1				2	1										
<i>d.</i> Other infective or parasitic diseases (<i>a</i> , <i>c</i>)									1					1																	

* Service deaths from all causes, and all deaths from war operations.

CAUSES OF DEATH IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND (Both Sexes)—1942—continued.

INTERNATIONAL LONG LIST.	Airdrie B.	Coatbridge B.	Glasgow B.	Hamilton B.	Motherwell and Wishaw B.	Rutherglen B.	Remn. of Lanark Co.	Edinburgh B.	Remn. of Midloth. Co.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth B.	Remn. of Perth Co.	Greenock B.	Paisley B.	Port Glasgow B.	Remn. of Hentree Co.	Ross and Cromarty Co.	Roxburgh Co.	Selkirk Co.	Palkirk B.	Stirling B.	Remn. of Stirling Co.	Sutherland Co.	West Lothian Co.	Wigtown Co.	Zeland Co.	Unallocated Deaths.*
	45	67	1,971	60	107	43	466	995	143	63	13	42	21	63	178	129	157	29	241	94	70	37	59	44	177	35	131	56	32	47
II. CANCER AND OTHER TUMOURS.																														
Cancer and other malignant tumours—																														
45. Buccal cavity and pharynx	42	69	1,936	87	106	41	452	972	140	62	13	42	21	61	172	128	155	23	237	90	68	36	57	43	172	25	125	56	32	47
46. Digestive organs and peritoneum	26	40	2	96	5	5	19	51	8	3	3	2	1	6	105	5	7	1	10	6	6	1	1	2	3	7	25	6	56	43
47. Respiratory system	3	6	281	81	67	28	246	501	74	86	10	23	12	34	105	6	81	18	116	55	36	21	40	27	93	25	72	83	13	14
48. Uterus	3	4	123	2	7	7	49	111	17	3	5	3	2	2	9	13	21	1	21	6	8	9	1	4	14	1	13	8	2	15
49. Other female genital organs	1	1	80	2	4	4	12	39	6	2	1	6	3	2	8	1	6	1	14	6	6	6	1	3	10	4	1	8	4	1
50. Breast	1	2	145	5	7	4	35	101	9	6	1	6	3	2	20	11	8	1	26	9	3	5	6	16	4	4	5	8	6	1
51. Male genital organs	1	1	65	2	6	6	14	32	4	3	1	2	1	1	6	2	4	7	13	1	1	3	2	16	3	2	5	1	2	2
52. Urinary organs	1	1	42	2	2	1	15	87	3	3	1	1	1	1	6	5	6	1	14	3	2	2	1	3	2	2	5	5	2	2
53. Skin (scrotum excepted)	1	1	21	2	1	1	12	12	1	1	1	1	1	1	1	1	1	1	3	2	2	1	1	2	1	1	1	1	1	1
54. Brain and nervous system	1	1	18	1	1	1	5	9	4	1	1	1	1	1	1	1	1	1	3	2	2	1	1	1	2	1	1	1	1	1
55. Other or unspecified organs	1	3	71	3	4	4	24	86	7	1	1	1	1	1	4	3	7	1	11	5	2	1	3	1	4	1	5	1	1	1
Tumours, non-malignant, or of undetermined nature (56)—																														
57. a. Ovaries	1	1	9	1	1	1	2	3	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
b. Uterus	1	1	13	1	1	1	7	4	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
c. Other female genital organs	1	1	11	2	1	1	4	6	1	1	1	1	1	1	2	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1
d. Brain and nervous system	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
e. 1. Bladder	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
2. Other and unspecified organs	1	1	2	1	1	1	1	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
III. RHEUMATISM, DISEASES OF NUTRITION, AND OF ENDOCRINE GLANDS, OTHER GENERAL DISEASES, AND VITAMIN DEFICIENCY DISEASES.																														
58. c. Acute rheumatic heart conditions (a, b)	6	12	214	10	23	6	63	93	17	14	3	6	5	11	24	12	16	2	27	18	10	5	8	4	24	6	16	3	5	6
d. Other forms of acute rheumatism (a, b)	1	1	28	1	2	1	7	7	2	1	1	1	1	1	8	1	3	1	1	1	1	1	1	1	1	1	1	1	1	2
59. Chronic rheumatism and other rheumatic diseases	1	1	20	3	1	1	4	12	1	1	1	1	1	2	1	2	1	1	1	3	1	1	3	1	8	1	1	1	1	1
61. Diabetes mellitus	8	8	126	5	17	5	42	52	12	10	1	5	3	7	19	8	9	1	17	11	8	5	4	2	17	4	12	1	2	2
62. Diseases of the pituitary gland	1	1	8	1	1	1	4	5	2	1	1	1	1	1	1	1	1	1	4	1	1	1	1	1	1	1	1	1	1	1
63. b. Exophthalmic goitre	1	1	14	1	3	1	1	5	1	1	1	1	1	1	1	1	1	1	4	1	1	1	1	1	1	1	1	1	1	1
c. Myxedema and cretinism	1	1	1	1	1	1	2	4	1	1	1	1	1	1	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1
64. Other diseases of thyroid and parathyroid (a, d)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

* Service deaths from all causes, and all deaths from war operations.

CAUSES OF DEATH IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND (BOTH SEXES)—1942—continued.

INTERNATIONAL LONG LIST.		SCOTLAND.	Aberdeen B.	Remainder of Aberdeen Co.	Arbroath B.	Dundee B.	Remainder of Angus Co.	Argyll Co.	Ayr B.	Kilmarnock B.	Remainder of Ayr Co.	Banff Co.	Barwick Co.	Bute Co.	Cathness Co.	Blackman Co.	Clydebank B.	Dumfries B.	Remainder of Dumfries Co.	Dumfries Co.	Remainder of Dumfries Co.	East Lothian Co.	Dunfermline B.	Kirkcaldy B.	Remainder of Fife Co.	Inverness B.	Inverness Co.	Kinross Co.	Kirkcaldy B.	
III. RHEUMATISM, ETC. — continued.																														
64.	Diseases of thymus (including status lymphaticus)	10	.	.	.	1	1	1	1	.	.	1
65. a.	Andison's disease (not tuberc.)	8	.	1	.	.	1	1
66.	Other diseases of adrenal glands	3	.	.	.	3	2	.	.	.	1	.	1
b. Other general diseases (66)		18
Vitamin Deficiency Diseases.																														
70.	Rickets	9	.	1	.	1
71.	Other vitamin deficiency diseases (67, 68, 69)	9
IV. DISEASES OF BLOOD, AND OF BLOOD-FORMING ORGANS.																														
687		22	14	2	32	10	4	8	7	39	7	7	2	2	5	5	5	1	11	4	7	5	2	5	26	7	8	7	1	3
72.	Purpura, hæmophilia	84	1	1	.	1	.	1	5	5	1	8	3	2	2	2	3	1	5	3	5	1	1	2	1	14	5	4	.	1
73. a.	Pernicious anæmia (7)	950	8	6	.	22	6	1	5	29	1	8	3	2	2	2	3	1	5	3	5	1	1	2	1	14	5	4	.	1
73. d.	Other anæmias (c)	132	2	2	.	7	2	1	1	6	2	2	2	2	2	1	1	1	5	3	5	1	1	2	1	14	5	4	.	1
74.	Leukæmia, aleukæmia	129	8	5	1	1	2	1	1	2	1	2	2	2	2	1	1	1	4	1	2	1	1	1	3	1	1	1	.	1
75.	Diseases of spleen	28	1	.	1	1	1
76.	Other diseases of blood and of blood-forming organs	14	2	1
V. CHRONIC POISONING AND INTOXICATION.																														
35		.	.	.	1	2	1	.	.	2	1	.	1	.	.	.
77.	Alcoholism.	31	.	.	1	2	1	.	.	2	1
78.	Lead poisoning	1
79.	Chronic poisoning by other mineral and organic substances	3
VI. DISEASES OF NERVOUS SYSTEM AND OF SENSE ORGANS.																														
8925		367	230	62	301	171	151	65	65	397	79	50	47	49	51	47	40	160	47	124	68	63	80	382	46	100	53	11	66	
80. a.	Intra-cranial abscess	27	1	.	1	4	1	.	.	1	2
80. b.	Other forms of encephalitis (non-epidemic)	52	1	.	2	1	.	.	.	5	1	.	1	.	1	.	.	4
81.	Meningitis (not meningococcal).	169	5	3	4	3	5	3	1	5	1	.	1	.	.	2	2	5	.	.	.	2	2	6	2	.	.	1	2	

CAUSES OF DEATH IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND (BOTH SEXES) - 1942—continued.

INTERNATIONAL LONG LIST.	Airdrie B.	Coatbridge B.	Glasgow B.	Hamilton B.	Motherwell and Wishaw B.	Rutherglen B.	Remn. of Lanark Co.	Edinburgh B.	Remn. of Midloth. Co.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth B.	Remn. of Perth Co.	Greenock B.	Paisley B.	Port-Glasgow B.	Remn. of Renfrew Co.	Ross and Cromarty Co.	Knoxburgh Co.	Selkirk Co.	Falkirk B.	Stirling B.	Remn. of Stirling Co.	Sutherland Co.	West Lothian Co.	Wigtown Co.	Zetland Co.	Unallocated Deaths.*	
III. RHEUMATISM, ETC.—continued.																															
64. Diseases of thymus (including status lymphaticus)			7					1	1			1					1						1						1		
65. a. Addison's disease (not tuberc.)			1					2													1										
b. Other diseases of adrenal glands							2												1		1										
66. Other general diseases (60)			4																1		1										
Vitamin Deficiency Diseases.																															
70. Rickets			5				1	1					1				1														
71. Other vitamin deficiency diseases (67, 68, 69)								4																							
IV. DISEASES OF BLOOD AND OF BLOOD-FORMING ORGANS.																															
72. a. Purpura, hemophilia	1	6	146	2	8	5	40	69	13	4	1	5		3	13	10	12	2	21	5	5	4	7	4	13	3	14	7		8	
b. Pernicious anæmia (b)			4		1	1	1	2	1							1	2		1											2	
c. Other anæmias (c)			73	1	6	3	16	84	7	3	1	3		3	4	5	4		12	1	2	3	6		3	1	2	5		1	
74. Leukæmia, aleukæmia			84				7	16	3	1		1			7	2	4	1	12	1	2	1	1	3	2	2	5	1		1	
75. Diseases of spleen			27		1		12	12	1			1			2			2	6	3	1			1	3		1	1		1	
76. Other diseases of blood and of blood-forming organs			8				2	3											1											1	
V. CHRONIC POISONING AND INTOXICATION.																															
77. Alcoholism			12					7				1					2				1						1	1		2	
78. Lead poisoning			9					7				1					2				1						1	1		2	
79. Chronic poisoning by other mineral and organic substances			1																												
VI. DISEASES OF NERVOUS SYSTEM AND OF SENSE ORGANS.																															
80. a. Intra-cranial abscess	39	47	1630	65	96	40	453	819	156	102	25	51	32	94	171	106	153	21	217	120	86	45	64	38	179	42	133	62	59	28	
b. Other forms of encephalitis (non-epidemic)			4	1				7	2	1						1	2		2		1								1	1	
81. Meningitis (not meningococcal)	2	6	36	4	1		20	15	2	2		3			1	4	3	1	3	1					5	1	2	2			

* Service deaths from all causes, and all deaths from war operations.

CAUSES OF DEATH IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND (Both Sexes)—1942—continued.

INTERNATIONAL LONG LIST.		SCOTLAND.																										Kirkcaldy.				
		Aberdeen	Remn. of Aberdn. Co.	Arbroath	Dundee B.	Remn. of Angus Co.	Argyll Co.	Ayr B.	Kilmarnock	Remn. of Ayr Co.	Banff Co.	Berwick	Bute Co.	Guthrie Co.	Clack- mannan Co.	Glydebank	Dumfries B.	Dumfries Co.	Dumfries B.	Remn. of Dumfries Co.	Dumfries Co.	East Dumfries Co.	Lothian Co.	Dumfries line B.	Kirkcaldy B.	Remn. of Fife Co.	Inverness B.	Remn. of Inver. Co.	Kincardine Co.	Kinross Co.	Kirkcaldy.	
VI. DISEASES OF NERVOUS SYSTEM, ETC.—continued.		77	2	1	2	2	8		1	1	1	1				1	3	3	3	3	3	1	1	1	1	1	2	3	3	3	1	
82.	1. Motor neurone disease	15			1		1		3	3																						
	2. Sub-acute combined degeneration	33			1				1																							
	3. Myelitis of unstated origin	38			1				1																							
	4. Other diseases of medulla and of spinal cord	4,633	221	113	33	148	115	87	36	211	52	38	24	27	33	33	24	93	24	24	24	76	32	30	46	194	25	64	19	8	25	
83.	a. Cerebral hæmorrhage, apoplexy	2,018	95	74	20	104	26	27	13	16	92	12	6	13	11	15	1	7	28	16	16	26	22	13	16	86	11	21	18		23	
	b. Cerebral embolism and thrombosis	137	1	3	3				1	11	1	2	1	1	1	1	1	3	3	2	2	1	2	3	11	11	4	5			7	
	c. Softening of brain	347	10	9	2	12	6	21	2	18	3							5	5	2	2	1	1	1	11	11	4	5				
	d. Hemiplegia and other paralyses of unstated origin																															
	e. Other intra-cranial effusions	14							1	1	1	1																				
84.	Mental disorders and deficiency	112	3	2	1		1	2	1	10	2	1	1	1	1	1	1	5	3	3	3	1	3	1	3	11	4	4	1	1	1	
85.	Epilepsy	190	6	2	8	6	1	1	1	11	1	2	1	1	1	1	2	2	3	1	1	3	3	2	2	8	2	3	1	1	1	
86.	Convulsions (age under 5 years)	136	3	8						6	1							1	1	1	1	4	8	2	2							
87.	a. Chorea	2			1																											
	b. Neuritis	22								2																						
	c. Paralysis agitans	106	7	9					4	2	2	1	3	1	1	1	1	4	4	1	1	1	1	3	3	4	1	1	3			
	d. Disseminated sclerosis	175	8	4	3	2	1	1	1	10	1	1	1	1	1	1	2	5	5	4	4	4	2	3	3	6	2	2	1	1	2	
	e. Other diseases of nervous system	79	1						2	3	2	1																				
88.	Diseases of organs of vision	5																														
89.	a. Otitis and other diseases of ear	40	1						1	2	1							1	1													
	b. Diseases of mastoid	38		1						4																						
VII. DISEASES OF CIRCULATORY SYSTEM.		16,548	603	528	85	688	347	290	135	111	687	188	117	94	96	110	78	86	299	98	255	155	135	161	659	70	188	102	36	116		
Heart disease—		15,069	522	476	83	639	320	264	126	102	639	170	102	91	78	102	70	82	279	94	232	142	123	153	606	65	161	84	33	109		
90.	a. Chronic rheumatic pericarditis	3																														
	b. Acute bacterial pericarditis	33		1	1				3	3	1	1	1																			
91.	a. Acute bacterial endocarditis (r)	80	3	1	3				1	1	1	1	1						2	1	1	1	1	1	1	1	1	1	1	1		
	b. Other acute endocarditis	21								3	2	1							1	1	1	1	3	1	1	2	1	1	1	1		
92.	a. Aortic valvular disease (without mitral)	141	8	6	7	3		1		3									1	1	1	1	3	1	1	6	1	1	1	1		
	b. Mitral and other spec. valvular dis. (includ. sequelæ of rheum. fever)	863	29	27	5	38	12	16	3	5	40	7	6	3	5	4	2		11	7	9	10	5	7	36	4	17	1	1	8		
	c. Valvular disease, endocarditis— unspecified	1,124	29	32	2	40	20	13	16	8	47	19	7	4	2	8	7	13	14	21	24	7	5	15	46	6	16		2	5		
93.	a. Acute myocarditis	144	4	2	1	9	1	5		2	2				1	4	1	7	4	1	3	1		1	17		2	1				
	b. Chronic rheumatic myocarditis	34																														
	c.1. Cardio-vascular degeneration	2,724	140	135	7	100	62	85	13	21	94	20	15	21	11	13	9	2	92	10	47	21	11	33	85	11	17	22	6	38		
	c.2. Fatty degeneration of heart	78	2	4						1	1	1	1	1	1	1	1	1	4	1	1	1	1	1	1	7	1	1	1	1		
	3. Chronic myocarditis, other myocardial degeneration	3,667	74	83	39	276	110	115	28	13	155	42	29	36	23	19	12	9	70	17	74	30	29	31	145	15	52	30	13	25		
	d. Myocarditis, not specified as acute or chronic	2,872	66	65	8	31	36	24	35	16	108	17	8	12	12	25	12	24	41	13	20	25	40	25	94	6	22	9	3	8		

CAUSES OF DEATH IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND (BOTH SEXES)—1942—continued.

INTERNATIONAL LONG LIST.		Airdrie B.	Coatbridge B.	Glasgow B.	Hamilton B.	Motherwell and Wishaw B.	Rutherglen B.	Lanark Co. B.	Edinburgh B.	Remk. of Midloth. Co.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth B.	Remk. of Perth Co.	Greenock B.	Paisley B.	Port-Glasgow B.	Remk. of Renfrew Co.	Cromarty Co.	Roxburgh Co.	Selkirk Co.	Falkirk B.	Stirling B.	Remk. of Stirling Co.	Sutherland Co.	West Lothian Co.	Wicktown Co.	Zetland Co.	Deaths,*	
VI. DISEASES OF NERVOUS SYSTEM, ETC.—continued.																																
82.	1. Motor neurone disease			18				3	13	1	1					1				3		1	1	1	1						2	1
	2. Sub-acute combined degeneration							1	1		2					2																
	3. Myelitis of unstated origin			1				1	3							1																
	4. Other diseases of medulla and of spinal cord			9				1	6							1																
83. a.	Cerebral hemorrhage, apoplexy	27	24	836	37	54	22	265	382	77	54	6	26	25	52	95	60	94	17	183	49	78	48	19	30	17	102	32	83	32	35	14
	b. Cerebral embolism and thrombosis	8	9	352	9	19	5	84	260	44	24	5	15	5	27	45	22	29	1	49	15	23	17	23	11	35	5	27	19	10	5	
	c. Softening of brain			36		7	1	4	18						1	3			1	2	2	1	4	3	7	16					3	1
	d. Hemiplegia and other paralyzes of unstated origin	1	1	71	5	2	6	20	28	8	5	1	1	2	3	5	2	4		6	6	7										
	e. Other intra-cranial effusions			6					1											1												2
84.	Mental disorders and deficiency			22	1	1		5	14	3	1	1	1	1		4	1	1														
85.	Epilepsy			37	2	2	3	1	15	1	4	1	2		2	4	3	6		5												3
86.	Convulsions (age under 5 years)	1	3	82	3	3		8	6	7	1				1	1	4	2														1
87. a.	Chorea																															
	b. Neuritis							2	6									1														
	c. Paralysis agitans							8	9																							
	d. Disseminated sclerosis							13	19	4	4	1				1		3	5													
	e. Other diseases of nervous system							5	4	2					1	2		2		4												
88.	Diseases of organs of vision																			8												
89. a.	Otitis and other diseases of ear			14				6	4	1						1		1														
	b. Diseases of mastoid			11				1	3	1								2														1

VII. DISEASES OF CIRCULATORY SYSTEM.		82	194	3,280	117	169	84	867	1,700	270	164	25	113	50	108	359	243	231	51	432	232	198	83	110	79	316	65	196	110	82	61	
Heart disease—		80	117	3,095	104	157	77	704	1,455	212	145	22	110	48	96	325	213	219	47	307	202	179	79	103	69	225	59	180	106	81	52	
90. a.	Chronic rheumatic pericarditis								1																							
	b. Acute rheumatic pericarditis			11		1		2	8																							1
91. a.	Acute bacterial endocarditis (b)			16	2	1	1	4	8																							5
	b. Other acute endocarditis			2																												1
92. a.	Aortic valvular disease (without mitral)	1		29	3	3		8	25	3				1	3		1	2		2	3										1	
	b. Mitral and oth. spec. valvular dis. (incl. sequelae of rheum. fever)	2	3	180	5	7	5	41	91	13	4	1	12	2	4	16	6	36	1	27	14	4	4	2	3	24	5	16	6	2		2
c. Valvular disease, endocarditis—																																
	unspecified	12	14	218	15	15	4	66	73	14	13		13	2	4	25	20	17	8	24	19	10	6	9	8	28	9	22	8	19	1	1
93. a.	Acute myocarditis	1	1	22	1	2	1	14	3	8																						
	b. Chronic rheumatic myocarditis			7				1	4																							
	c.1. Cardio-vascular degeneration	6	35	519	21	15	18	156	307	48	52	1	11	22	9	91	24	43	5	89	33	54	21	6	9	27	10	28	24	9		
	2. Fatty degeneration of heart			17				5	9																							
94. a.	Chronic myocarditis, other myocardial degeneration	26	21	664	17	27	18	133	331	70	31	9	15	11	36	92	56	53	8	56	72	53	24	24	21	79	19	42	17	24	4	
	b. Myocarditis not specified as acute or chronic	17	25	769	19	50	13	135	124	20	15	4	33	1	6	24	56	57	9	80	50	11	6	29	10	57	7	12	10	16	2	

VII. DISEASES OF CIRCULATORY SYSTEM.

Heart disease—

(Total)

90. a. Chronic rheumatic pericarditis

b. Other pericarditis

91. a. Acute bacterial endocarditis (b)

c. Other acute endocarditis

92. a. Aortic valvular disease (without mitral)

b. Mitral and other spec. valvular dis. (incl. sequelae of rheum. fever)

c. Valvular disease, endocarditis—unspecified

93. a. Acute myocarditis

b. Chronic rheumatic myocarditis

c. Cardio-vascular degeneration

94. a. Fatty degeneration of heart

b. Chronic myocarditis, other myocardial degeneration

c. Myocarditis not specified as acute or chronic

* Service deaths from all causes, and all deaths from war operations.

CAUSES OF DEATH IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND (BOTH SEXES)—1942—continued.

INTERNATIONAL LONG LIST.		Airdrie B.	Coatbridge B.	Glasgow B.	Hamilton B.	Motherwell and Wishaw B.	Rutherglen B.	Lanark Co. Rem. of	Edinburgh B.	Rem. of Midloth. Co.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth B.	Rem. of Perth Co.	Greenock B.	Paisley B.	Port-Glasgow B.	Rem. of Renfrew Co.	Ross and Cromarty Co.	Stirling Co.	Stirling B.	Sutherland Co.	West Lothian Co.	Wigtown Co.	Zetland Co.	Unallocated* Deaths.					
VII. DISEASES OF CIRCULATORY SYSTEM—continued.																																	
94.	1. Diseases of coronary arteries	12	15	449	16	31	14	155	279	41	28	4	8	6	18	54	26	42	6	89	23	38	14	25	14	52	5	35	30	9	83		
95.	2. Angina pectoris	1	1	20	•	•	1	8	16	•	•	•	•	•	1	2	3	•	1	3	5	•	•	•	•	3	2	•	•	2			
95. b.	Rheumatic heart disease (un- fined)	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•			
96.	Other diseases of heart (a)	2	2	148	4	5	1	54	177	14	8	2	10	8	15	12	11	7	1	13	11	5	2	3	3	18	2	12	8	1	2		
96.	Aneurysm (heart and aorta ex- cepted)	•	•	•	•	•	•	•	5	•	•	•	•	•	•	•	•	•	•	2	•	•	•	•	•	•	•	•	•	•	•		
97.	Arterio-sclerosis	1	5	180	10	9	5	46	145	22	6	1	1	2	7	24	19	9	2	20	12	14	3	3	6	12	2	8	2	•	•		
98.	Gangrene	1	1	39	2	1	•	10	28	2	2	2	•	•	2	7	2	6	2	5	11	1	1	1	3	4	2	3	2	•	•		
99.	Other diseases of arteries	•	•	•	1	1	1	1	4	9	1	•	•	•	•	•	1	•	•	4	•	•	•	•	•	•	•	•	•	•	•	•	
100.	Diseases of veins	•	•	•	•	•	•	•	11	1	1	•	•	•	•	•	•	3	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
101.	Diseases of lymphatic system	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
101.	High blood pressure (idiopathic)	•	•	•	•	•	•	•	46	•	•	•	•	•	•	1	7	1	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
102.	Other dis. of circulatory system	•	1	38	•	1	1	9	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
103.		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
VIII. DISEASES OF RESPIRATORY SYSTEM.																																	
104.	Dis. of nasal fossae and annexa	•	1	8	•	•	•	2	3	•	1	•	1	1	•	•	1	•	•	1	•	•	•	•	•	•	•	•	•	•	•	•	
105.	Diseases of larynx	16	27	706	17	42	13	152	279	39	9	4	16	5	19	31	52	12	42	1	29	14	5	15	13	47	9	43	12	5	8		
106.	Bronchitis—	8	10	302	6	16	6	57	102	12	2	•	•	•	7	6	15	23	4	21	9	6	2	6	6	17	2	18	1	3	1	•	
1.	With heart dis. secondary	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
2.	With chronic nephritis sec- ondary	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
3.	Otherwise defined	8	17	402	11	26	6	74	176	25	7	4	12	5	12	25	37	19	8	31	20	8	8	9	7	30	7	25	9	2	7		
107.	Broncho-pneumonia	14	19	514	11	9	6	83	185	10	4	1	1	1	8	30	40	89	21	28	10	19	1	18	5	28	4	32	7	5	0	9	
108.	Lobar pneumonia	•	5	246	11	3	1	53	84	13	4	1	1	•	3	14	19	15	3	16	5	7	3	6	5	13	3	9	2	0	9	4	
109.	Pneumonia (unspecified)	•	4	103	5	22	2	31	53	6	1	5	•	•	7	4	11	10	2	9	•	•	•	•	•	•	•	•	1	1	4	4	
110.	Pleurisy	•	•	•	•	•	•	•	14	4	2	1	1	•	1	3	2	4	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
111. a.	Phlegmy embolism, throm- bosis, infarct	2	1	45	•	•	•	1	7	1	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
b.	Phlegmy embolism, throm- bosis, infarct	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
c.	Constipation of lung (b)	1	1	68	•	1	1	17	98	5	3	1	1	•	2	5	2	9	2	3	4	3	3	1	3	•	•	5	•	8	1	1	
112.	Asthma	•	3	46	1	4	1	12	33	•	•	•	•	•	4	3	5	4	2	10	7	3	2	3	1	4	•	7	2	•	1	•	
113.	Pulmonary emphysema	1	1	6	•	•	•	•	6	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
114. a.	Occupational diseases of re- spiratory system (b)	•	1	2	•	•	•	8	1	2	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
b1.	Chronic interstitial pneumonia (not occupational)	•	1	7	2	•	•	3	2	•	•	•	•	•	•	1	1	•	•	1	1	•	•	•	•	•	•	1	•	•	1	1	
2.	Other diseases of respiratory system (c, d)	•	•	9	•	1	•	2	6	1	2	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	3

* Service deaths from all causes, and all deaths from war operations.

CAUSES OF DEATH IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND (BOTH SEXES)—1942—continued.

INTERNATIONAL LONG LIST.																																	
IX. DISEASES OF DIGESTIVE SYSTEM.																																	
115. a.	Diseases of teeth and gums	14	29	825	23	43	17	193	246	49	33	2	14	7	27	52	68	47	20	73	39	28	8	14	16	54	5	42	13	11	60	Unallocated Deaths*	
b.	Sore throat			4				3	1		1	1	1				1				1					1							
c.	Other diseases of pharynx and tonsils				1			1	2																								
d.	Other diseases of buccal cavity			2																													
116. a.	Diseases of esophagus																																
b.	Ulcer of stomach			61	1	6	4	16	23	9	5																						
117. a.	Ulcer of duodenum			2				11	32	5	4																						
b.	Other diseases of stomach			2				8	5	2	1																						
118.	Diarrhea, enteritis (under 2 years of age)			357	8	13	5	64	43	3	5																						
119.	Diarrhea, enteritis (over 2 years of age)			85	1	7		14	12	5	1																						
120. a.	Ulceration of intestines			16																													
b.	Appendicitis			50	3			23	16	4	2	5																					
121.	Hernia			1				13	19	10	5																						
122. a.	Intestinal obstruction			41	5	1		7	19	2	1	1																					
b.	Other diseases of intestines			1				1	3	12	1	1																					
123.	Cirrhosis of liver			27	1			4	23	1																							
124.	Acute yellow atrophy of liver (not associated with preg.)			5																													
125. a.	Other diseases of liver			4				1	2	2	1																						
b.	Biliary calculi			2				1	6	9	3	1																					
126.	Other diseases of gall bladder and bile ducts			19				13	13	3	1																						
127.	Diseases of pancreas			2																													
128.	Peritonitis without stated cause			4				1	4	2																							
129.				11																													
X. DISEASES OF URINARY AND GENITAL SYSTEMS (not Venereal or connected with Pregnancy or the Puerperium).																																	
130.	Acute nephritis	10	16	488	12	40	15	120	259	42	21	3	14	8	20	63	26	45	8	77	26	31	12	20	16	57	14	35	16	13	24		
131.	Chronic nephritis	7	10	202	4	13	8	56	124	4	2	1	3	6	32	14	18	2	1	29	11	16	2	6	7	26	1	5	7	6	8		
132.	Nephritis unspecified (over 10 years of age)			62	2			7	14		1	1	1	4	3	15	3	1	1	2	1	1	1	1	1	7	2	16	2	1	3		
133.	Orchitis of kidney and ureters			38		4		6	22		2																						
134.	Calculi of urinary passages			10	1			1	6																								
135.	Diseases of bladder			24	1	4	1	6	18		2	1																					
136.	Diseases of urethra, urinary abscess			14	1	1	1	5	2																								
137.	Diseases of prostate	3	2	97	1	6	4	23	60	12	6	1	7	2	8	16	6	5	3	18	10	11	3	4	5	15	4	8	4	4	1		
138.	Diseases of other male genital organs			3																													

* Service deaths from all causes, and all deaths from war operations.

CAUSES OF DEATH IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND (BOTH SEXES)—1942—continued.

INTERNATIONAL LONG LIST.																													
Airdrie B.	Coatbridge B.	Glasgow B.	Hamilton B.	Motherwell and Wishaw B.	Rutherglen B.	Renf. of Lanark Co.	Edinburgh B.	Renf. of Midloth. Co.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth B.	Renf. of Perth Co.	Greenock B.	Paisley B.	Port-Glasgow B.	Renf. of Glasgow Co.	Ross and Cromarty Co.	Roxburgh Co.	Selkirk Co.	Falkirk B.	Stirling B.	Renf. of Stirling Co.	Sutherland Co.	West Lothian Co.	Wicktown Co.	Zetland Co.	Unallocated Deaths.
XII. DISEASES OF SKIN AND CELLULAR TISSUE.																													
151.																													
XIII. DISEASES OF BONES AND OF ORGANS OF MOVEMENT.																													
154.																													
XIV. CONGENITAL MALFORMATIONS.																													
157. <i>a.</i>																													
XV. DISEASES PECULIAR TO THE FIRST YEAR OF LIFE.																													
158.																													
																								</					

* Service deaths from all causes, and all deaths from war operations.

CAUSES OF DEATH IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND (Both Sexes)—1942—continued.

INTERNATIONAL LONG LIST.		Airdrie B.	Coatbridge B.	Glasgow B.	Hamilton B.	Motherwell B.	Wishaw B. and Rutherglen B.	Remur. of Lanark Co.	Edinburgh B.	Remur. of B.	Midloth. Co.	Murray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth B.	Perth Co.	Greenock B.	Paisley B.	Port-Glasgow B.	Remur. of Renfrew Co.	Ross and Cromarty Co.	Roxburgh Co.	Selkirk Co.	Falkirk B.	Stirling B.	Remur. of Stirling Co.	Sutherland Co.	West Lothian Co.	Wigton Co.	Zetland Co.	Unallocated Deaths.*	
XVII. DEATHS FROM VIOLENCE.		9	27	773	16	24	10	185	297	52	18	4	21	8	28	47	49	51	24	81	35	31	8	13	18	72	8	48	26	9	1209		
164.	Suicide (163)		2	63		3	1	12	44	1	3				8	4		2	2	9		4	2			1	6	1	4		1	37	
168.	Homicide (165-167)		1	11		3		1	1						3		1	1	1	1		1					2	1	3			9	
<i>Accidental Deaths—</i>																																	
169.	Railway accidents		1	3	20	1	3	1	3	5																						12	
170.	Motor vehicle accidents		4	3	202	5	6	3	42	44	8	6			6	12	11	3	4	21	7	7	3		6	15	3	9	4	3	165		
171.	Other road transport accidents		1	2			1	9	16							2			1	6	1	1										44	
172.	Water transport accidents—																																
172.	1. Drowning			10					2		1			6			4			3	6						1			1	17		
172.	2. Otherwise			15					4								2			1	3											5	
173.	Air transport accidents								4											1												1	
174.	Accidents in mines and quarries		2	2	1			32	4	13					1					1						1						1	
176.	Accidents caused by machinery		2	4		3		4	1						1		2		1	1						9			12			2	
177.	Food poisoning														1																	4	
178.	Accidental absorption of poisonous gas			12				1	8						1			4	1							3			1			4	
179.	Other acute accidental poisoning			14				1	2								1															2	
180.	Confagration		2	1	56		3		20	22	4			2		1	2	3	6	6						4						2	
181.	Accidental burns (confagration excepted)																																
182.	Accidental mechanical suffocation		1	27	1	1	1	4	10	1	1	1	1	1	2	2	1	6	1	5						1	1	1	1	1	4	25	
183.	Drowning—accidental and unspec. (excl. water transport)		5	70		1	1	7	12	2			4	2	1	6	2	3	1	10	4	2				2	1	1	1	4			
184.	Accidental injury by firearms		1	5	1	3	3	42	111	1							1	16	10	1	12					1	14	1	6	9	3	23	
186.	Accidental fall, crushing, &c.			182	5			3	42	15	3	2	5	1	4	18	16									6	4	1	1	9	3	1	
189.	Hunger or thirst																																1
190.	Weather agencies (191, 192)																																1
193.	Electricity (lightning excepted)							3																									3
195.	a. Vaccinia								3																								1
195.	d. Other and unspecified accidents			20	2			3	8	3	2	1	2	1	1	1	3	1		3	1	4					2	1	2	1	1	10	
<i>Other violent deaths—</i>																																	
196.	(175, 183, 187, 188, 194, 195 b, c)																																774
197.	War operations—Military																																82
197.	War operations—Civilian																																
198.	Execution																																
XVIII. ILL-DEFINED CAUSES OF DEATH.		4	12	356	12	10	3	58	36	13	8	1	20	7	4	20	16	13	7	16	37	7	2	5	11	17	4	11	6	8	13		
199.	Sudden death		7	91	1	3	1	9	1								1	4		1	2	1					1					2	
200.	a. Heart failure		4	284	4	6	2	31	28	8	5	1	7	1		12	10	8	3	11	22	7				11	1	10	5	3	8	3	
	2. Other ill-defined causes			37	7	1		18	7	4	1		11		4	7	5	1	4	4	6	1	4	5	6		2	1	1	3	1	3	
	c. Cause not specified (b)			4						1	1		2			1					7											2	

* Service deaths from all causes, and all deaths from war operations.

CAUSES OF DEATH IN SCOTLAND (BOTH SEXES), BY MONTHS, IN 1942.

International Nos. Detailed Long List.		Total.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
	All Causes	64963	6448	6253	6743	5695	5365	5238	4869	4512	4402	4809	5182	5447
	I. INFECTIVE AND PARASITIC DISEASES.	5823	538	562	596	567	515	503	474	399	370	378	442	479
	<i>Diseases due to Bacteria.</i>													
1	Typhoid fever	20	2	2	6	3	-	1	2	1	-	1	2	-
2	Paratyphoid fevers	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebro-spinal (meningococcal) meningitis	180	21	25	26	20	12	13	14	10	10	8	13	8
8	Scarlet fever	24	2	4	-	2	1	2	2	1	1	3	2	4
9	Whooping-cough	92	18	5	4	7	12	5	7	8	5	6	6	9
10	Diphtheria	290	43	38	34	22	18	17	19	10	20	22	27	20
11	Erysipelas	25	3	6	4	4	3	2	1	-	1	-	-	1
12	Tetanus	22	1	1	1	1	5	2	2	1	-	2	2	4
	Tuberculosis— (Total)	3998	336	353	393	414	360	372	327	294	260	274	301	314
13	Respiratory system	3043	270	269	291	304	283	272	253	216	186	212	249	238
14	Central nervous system	515	30	40	63	56	45	58	48	86	40	33	27	39
15	Intestines and peritoneum	138	9	11	14	14	11	16	5	16	10	12	5	15
16	Vertebral column	57	4	4	4	9	7	3	6	2	6	4	4	4
17	Other bones and joints	29	1	1	5	4	1	3	3	4	1	2	2	2
18	Skin and sub-cutaneous tissue	5	1	-	1	-	1	-	-	-	-	-	-	2
19	Lymphatic system	12	2	-	2	-	2	2	1	-	-	1	1	1
20	Genito-urinary system	27	3	3	1	4	-	4	3	4	3	-	-	2
21.a	Addison's disease (specified as tuberculous)	12	2	2	1	2	-	2	1	2	-	-	-	-
b	Other organs	3	1	-	-	-	-	-	-	1	-	1	-	-
22	Disseminated	157	13	23	11	21	10	12	7	13	14	9	13	11
24	Purulent infection and septicæmia	119	9	10	14	9	11	8	13	8	8	10	8	11
26	Other bacterial dis. (3-5, 7, 23, 25)	7	1	1	-	2	-	-	2	-	1	-	-	-
	<i>Dysentery.</i>													
27	Dysentery	56	4	1	7	4	8	3	7	2	6	5	6	3
	<i>Diseases due to Protozoa.</i>													
28	Malaria (29)	5	-	-	-	-	1	1	1	-	-	1	1	-
	<i>Diseases due to Spirochetes.</i>													
30.a	Locomotor ataxia (tabes dorsalis)	30	2	5	-	3	3	1	1	3	2	3	3	4
b	General paralysis of insane	76	5	7	9	7	7	3	6	7	8	5	4	8
c	Aneurysm of aorta	96	11	7	6	9	4	11	7	7	11	5	11	7
d	Syphilis, congenital or unspecified	104	9	16	10	13	3	7	10	7	5	5	6	13
32	Other spirochætal diseases (31)	11	1	1	-	1	3	-	-	1	1	1	1	1
	<i>Diseases due to Filterable Viruses.</i>													
	Influenza— (Total)	308	48	58	59	22	23	16	8	8	7	10	19	30
33.a.1	With pneumonia	107	11	21	25	8	12	7	2	-	4	4	8	5
2	„ other respiratory complications	50	9	13	9	3	1	2	1	2	-	2	4	4
51	„ non-respiratory complications	100	15	9	18	9	9	6	3	5	3	3	6	14
2	Without stated complications	51	13	15	7	2	1	1	2	1	-	1	1	7
35	Measles	144	3	5	8	10	24	22	17	16	11	5	6	17
36	Acute poliomyelitis and polioencephalitis	10	1	1	1	1	-	-	1	2	-	-	2	1
37.a	Lethargic encephalitis—acute	6	1	-	-	1	-	-	-	-	-	-	3	1
c	Other or unspecified lethargic encephalitis (b)	76	7	7	7	6	13	7	10	5	4	2	3	5
38	Other diseases due to viruses (34)	31	-	2	2	-	-	2	6	-	-	7	5	7
	<i>Diseases due to Rickettsia.</i>													
39	Typhus fever	-	-	-	-	-	-	-	-	-	-	-	-	-

Note.—Sub-headings indicated by letters (a, b, c, &c.) correspond with those in the International List. Those indicated by numbers (1, 2, 3, &c.) apply to the Scottish List only.

International Nos. Detailed Long List.		Total.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
	I. INFECTIVE AND PARASITIC DISEASES—continued.													
	<i>Diseases due to Helminths.</i>													
42	Diseases due to helminths (40, 41)	1	1	-	-	-	-	-	-	-	-	-	-	-
	<i>Diseases due to Fungi.</i>													
43	Mycoses - - - - -	12	-	1	-	1	-	2	1	1	2	1	1	2
	<i>Other Infective or Parasitic Diseases.</i>													
44. b	Pernicious lymphogranulomatosis (Hodgkin's disease)	77	9	6	5	5	4	6	8	7	6	2	10	9
d	Other infective or parasitic diseases (a, c)	3	-	-	-	-	-	-	2	-	1	-	-	-
	II. CANCER AND OTHER TUMOURS.	8783	716	717	781	715	697	775	746	708	730	757	702	739
	Cancer and other malignant tumours— (Total)	8557	693	701	763	693	681	753	728	695	709	737	685	719
45	Buccal cavity and pharynx -	405	36	26	46	37	32	39	34	30	23	36	36	30
46	Digestive organs and peritoneum	4741	394	399	398	404	362	415	404	375	393	400	378	419
47	Respiratory system - - -	863	55	83	70	70	71	69	67	77	79	79	77	71
48	Uterus - - - - -	526	43	39	50	34	43	52	47	53	39	54	38	34
49	Other female genital organs	229	16	16	19	18	19	23	17	18	30	23	14	16
50	Breast - - - - -	724	72	57	77	55	59	52	53	70	52	57	68	52
51	Male genital organs - - -	263	9	22	29	18	28	24	27	14	25	28	19	20
52	Urinary organs - - - - -	293	29	22	31	19	26	30	30	28	22	14	22	25
53	Skin (scrotum excepted) - -	115	10	7	14	9	12	10	10	8	15	6	7	7
54	Brain and nervous system -	77	9	3	4	8	3	7	6	8	7	9	5	8
55	Other or unspecified organs	316	20	27	25	21	26	32	33	19	24	31	21	37
	Tumours, non-malignant, or of undetermined nature (56)—													
57. a	Ovaries - - - - -	37	7	4	2	4	2	6	2	-	4	3	2	1
b	Uterus - - - - -	56	3	2	-	8	4	7	6	4	7	9	2	4
c	Other female genital organs	-	-	-	-	-	-	-	-	-	-	-	-	-
d	Brain and nervous system -	86	9	5	9	9	6	4	8	5	7	4	8	12
e. 1	Bladder - - - - -	20	1	-	4	-	2	1	-	1	2	1	5	3
2	Other and unspecified organs	27	3	5	3	1	2	4	2	3	1	3	-	-
	III. RHEUMATISM, DISEASES OF NUTRITION, AND OF ENDOCRINE GLANDS, OTHER GENERAL DISEASES AND VITAMIN DEFICIENCY DISEASES.	1063	118	95	121	90	82	75	62	73	73	85	86	103
59. c	Acute rheumatic heart conditions (a, b)	85	9	6	9	9	8	11	4	7	5	6	2	9
d	Other forms of acute rheumatism -	18	2	1	3	1	4	2	-	-	1	1	3	-
59	Chronic rheumatism and other rheumatic diseases	126	9	12	13	16	6	8	6	9	8	13	12	14
61	Diabetes mellitus - - - -	639	76	55	70	52	56	35	39	41	45	52	54	64
62	Diseases of the pituitary gland -	11	1	-	2	1	-	2	1	1	1	-	-	2
63. b	Exophthalmic goitre - - -	75	6	4	8	4	3	7	7	7	7	5	9	8
c	Myxœdema and cretinism - -	36	5	7	5	2	1	4	1	4	2	4	1	-
e	Other diseases of thyroid and parathyroid (a, d)	7	1	2	1	2	-	-	-	-	-	-	1	-
64	Diseases of thymus (including status lymphaticus)	19	3	3	1	-	-	3	1	2	2	1	-	3
65. a	Addison's disease (not tuberculous)	8	-	1	2	1	-	-	-	-	-	3	1	-
b	Other diseases of adrenal glands -	3	1	1	1	-	-	-	-	-	-	-	-	-
66	Other general diseases (60) - -	18	2	2	4	1	3	1	-	1	2	-	1	1
	<i>Vitamin deficiency diseases.</i>													
70	Rickets - - - - -	9	1	1	1	1	1	1	1	-	-	-	1	1
71	Other vitamin deficiency diseases (67, 68, 69)	9	2	-	1	-	-	1	2	1	-	-	1	1

International Nos. Detailed Long List.		Total.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
	IV. DISEASES OF BLOOD AND OF BLOOD-FORMING ORGANS.	687	56	60	104	66	76	55	41	49	52	43	46	39
72	Purpura, hæmophilia - - -	34	6	1	5	3	2	4	1	3	2	4	2	1
73.a	Pernicious anæmia (b) - - -	350	24	28	58	43	47	20	24	16	26	21	23	20
d	Other anæmias (c) - - -	132	10	8	17	7	15	15	8	19	11	8	6	8
74	Leukæmia, aleukæmia - - -	129	11	21	16	9	7	12	7	7	12	6	13	8
75	Diseases of spleen - - -	28	5	1	8	2	4	2	2	2	1	1	2	-
76	Other diseases of blood and of blood-forming organs	14	-	1	-	2	1	2	1	2	-	3	-	2
	V. CHRONIC POISONING AND INTOXICATION.	35	3	2	1	5	2	4	4	4	2	3	2	3
77	Alcoholism - - -	31	2	1	1	4	1	4	4	4	2	3	2	3
78	Lead poisoning - - -	1	-	-	-	1	-	-	-	-	-	-	-	-
79	Chronic poisoning by other mineral and organic substances	3	1	1	-	-	1	-	-	-	-	-	-	-
	VI. DISEASES OF NERVOUS SYSTEM AND OF SENSE ORGANS.	8525	758	844	853	713	721	746	646	599	584	665	688	708
80.a	Intra-cranial abscess - - -	27	1	3	1	4	4	2	-	2	3	1	3	3
b	Other forms of encephalitis (non-epidemic)	52	3	3	4	5	5	7	-	3	6	6	5	5
81	Meningitis (not meningococcal) -	169	13	20	9	17	20	17	12	11	10	14	12	14
82.1	Motor neurone disease - - -	77	5	5	8	5	4	11	3	2	8	8	4	14
2	Sub-acute combined degeneration	15	2	4	1	2	1	-	-	1	-	1	1	2
3	Myelitis of unstated origin - -	33	2	4	5	5	1	4	3	2	3	-	3	1
4	Other diseases of medulla and of spinal cord	38	4	1	5	2	7	4	3	1	2	4	2	3
83.a	Cerebral hæmorrhage, apoplexy -	4633	397	456	470	356	397	414	349	342	319	372	370	391
b	Cerebral embolism and thrombosis	2018	183	200	200	192	160	162	165	145	137	138	172	164
c	Softening of brain - - -	137	20	17	20	7	9	5	13	7	7	7	12	13
d	Hemiplegia and other paralyses of unstated origin	347	29	34	29	28	30	41	23	26	29	31	25	22
e	Other intra-cranial effusions	14	1	2	-	3	-	2	1	-	1	1	1	2
84	Mental disorders and deficiency -	112	13	10	11	6	12	12	12	10	3	9	6	8
85	Epilepsy - - -	190	15	19	26	20	18	16	19	7	12	15	14	9
86	Convulsions (age under 5 years) -	196	19	25	21	19	13	16	9	12	11	13	21	17
87.a	Chorea - - -	2	1	-	-	-	-	-	-	-	1	-	-	-
b	Neuritis - - -	22	-	-	2	4	3	2	1	-	5	1	2	2
c	Paralysis agitans - - -	106	12	12	9	7	9	8	11	6	2	9	9	12
d	Disseminated sclerosis - - -	175	22	20	15	11	13	14	15	7	12	16	13	17
e	Other diseases of nervous system -	79	10	6	7	9	7	4	3	9	6	9	7	2
88	Diseases of organs of vision - -	5	-	-	-	-	1	-	-	-	1	1	1	1
89.a	Otitis and other diseases of ear -	40	3	1	3	7	4	2	3	3	3	5	3	3
b	Disease of mastoid - - -	38	3	2	7	4	4	2	1	3	3	4	2	3
	VII. DISEASES OF CIRCULATORY SYSTEM.	16548	1720	1590	1806	1505	1378	1345	1163	1108	1026	1180	1349	1378
	Heart disease— (Total)	15069	1567	1442	1624	1364	1273	1235	1046	1011	943	1076	1235	1253
90.a	Chronic rheumatic pericarditis -	3	1	-	-	-	-	1	1	-	-	-	-	-
b	Other pericarditis - - -	33	4	1	5	4	4	1	1	2	2	2	6	1
91.a	Acute bacterial endocarditis (b) -	80	11	7	5	5	9	5	6	9	3	9	6	5
c	Other acute endocarditis - - -	21	1	4	3	2	2	3	2	-	-	2	1	1
92.a	Aortic valvular disease (without mitral)	141	9	14	24	9	12	14	15	9	9	9	7	10
b	Mitral and other specified valvular disease (including sequelæ of rheumatic fever)	863	81	82	96	87	65	60	61	65	66	56	65	79
c	Valvular disease, endocarditis — unspecified	1124	108	108	120	109	100	97	85	69	65	71	104	88

International Nos. Detailed Long List.		Total.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
VII. DISEASES OF CIRCULATORY SYSTEM—continued.														
93. <i>a</i>	Acute myocarditis - - - -	144	23	10	14	12	12	11	10	11	7	9	13	12
<i>b</i>	Chronic rheumatic myocarditis - -	34	2	4	5	6	3	3	3	1	1	3	-	3
<i>c</i> 1.	Cardio-vascular degeneration - -	2724	268	260	316	231	243	210	168	182	166	209	230	241
2.	Fatty degeneration of heart - -	78	6	6	10	3	10	5	7	3	6	6	3	13
3.	Chronic myocarditis, other myocardial degeneration - -	3667	384	404	380	316	304	300	262	238	223	267	284	305
<i>d</i>	Myocarditis, not specified as acute or chronic - -	2372	271	214	245	218	215	209	160	150	160	160	199	171
94.1	Diseases of coronary arteries - -	2755	274	238	286	272	201	232	195	193	177	198	244	245
2	Angina pectoris - - - -	123	16	5	8	12	14	12	14	10	6	10	8	8
95. <i>b</i>	Rheumatic heart disease (undefined) - -	27	3	2	2	2	3	1	4	1	2	2	3	2
<i>c</i>	Other diseases of heart (<i>a</i>) - -	880	105	83	105	76	76	71	52	68	50	63	62	69
96	Aneurysm (heart and aorta excepted) - -	25	-	1	4	2	1	-	5	5	1	2	2	2
97	Arterio-sclerosis - - - -	880	88	95	119	77	65	68	70	61	41	59	59	78
98	Gangrene - - - -	207	22	15	22	28	19	11	12	11	18	14	17	18
99	Other diseases of arteries - -	83	12	7	9	10	2	7	7	1	7	6	11	4
100	Diseases of veins - - - -	71	7	6	5	5	7	7	9	6	3	6	7	3
101	Diseases of lymphatic system - -	21	2	2	1	4	-	2	-	2	1	2	-	5
102	High blood pressure (idiopathic) - -	187	22	21	22	15	11	14	14	11	11	15	17	14
103	Other dis. of circulatory system - -	5	-	1	-	-	-	1	-	-	-	-	1	1
VIII. DISEASES OF RESPIRATORY SYSTEM.														
		6190	871	865	785	532	490	380	359	280	272	349	496	511
104	Diseases of nasal fossæ and annexa - -	24	1	2	2	6	1	3	1	1	3	2	2	-
105	Diseases of larynx - - - -	24	5	2	3	1	2	2	1	-	2	4	1	1
106	Bronchitis— (Total) - - - -	2439	363	383	349	217	181	129	132	87	85	109	198	206
1	With heart disease secondary - -	946	142	158	126	77	67	56	58	32	29	35	86	80
2	With chronic nephritis secondary - -	15	2	4	1	1	1	3	1	-	-	1	1	-
3	Otherwise defined - - - -	1478	219	221	222	139	113	70	73	55	56	73	111	126
107	Broncho-pneumonia - - - -	1588	234	231	193	131	139	102	94	82	67	95	114	106
108	Lobar pneumonia - - - -	773	107	89	96	59	68	64	50	33	24	43	63	77
109	Pneumonia (unspecified) - - - -	421	54	53	45	33	34	24	28	20	17	32	35	46
110	Pleurisy - - - -	141	9	14	11	14	14	13	11	14	6	8	15	12
111. <i>a</i>	Pulmonary embolism, thrombosis, infarct - - - -	60	9	7	4	4	3	3	3	7	3	5	7	5
<i>c</i>	Congestion of lung (<i>b</i>) - - - -	318	39	38	42	29	25	18	14	15	25	17	30	26
112	Asthma - - - -	286	33	29	30	26	15	13	18	17	34	22	24	25
113	Pulmonary emphysema, - - - -	26	6	2	3	1	1	-	2	1	3	4	2	1
114. <i>a</i>	Occupational diseases of respiratory system (<i>b</i>) - -	28	3	2	-	3	5	3	2	2	2	1	3	2
<i>e</i> 1	Chronic interstitial pneumonia (not occupational) - -	31	5	5	4	4	2	2	1	-	1	5	1	1
2	Other diseases of respiratory system (<i>c</i> , <i>d</i>) - -	31	3	8	3	4	-	4	2	1	-	2	1	3
IX. DISEASES OF DIGESTIVE SYSTEM.														
		3174	258	263	295	264	271	268	239	268	260	252	262	274
115. <i>a</i>	Diseases of teeth and gums - - -	8	-	1	1	2	-	-	-	1	2	-	1	-
<i>b</i>	Septic sore throat - - - -	21	3	3	1	1	2	4	2	-	3	1	-	1
<i>c</i>	Other diseases of pharynx and tonsils - - - -	36	6	2	1	7	4	2	4	1	1	4	2	2
<i>d</i>	Other diseases of buccal cavity - -	13	-	1	3	-	1	2	2	1	-	-	1	2
116	Diseases of œsophagus - - - -	8	1	-	1	-	2	1	-	-	-	3	-	-
117. <i>a</i>	Ulcer of stomach - - - -	314	35	25	39	22	23	16	26	20	25	29	22	32
<i>b</i>	Ulcer of duodenum - - - -	273	37	40	30	21	26	25	16	15	14	14	14	21
118	Other diseases of stomach - - - -	112	10	16	15	12	9	13	3	6	8	9	4	7

International Nos. Detailed Long List.		Total.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
IX. DISEASES OF DIGESTIVE SYSTEM—continued.														
119	Diarrhoea, enteritis (under 2 years of age)	821	50	49	64	59	54	73	64	96	94	75	73	70
120.a	Diarrhoea, enteritis (over 2 years of age)	181	15	18	9	14	11	14	21	18	17	18	11	15
b	Ulceration of intestines - - -	51	5	3	3	5	6	4	3	3	6	4	6	3
121	Appendicitis - - - - -	291	23	19	33	21	29	22	22	28	18	24	29	23
122.a	Hernia - - - - -	266	22	30	16	28	27	23	16	20	13	18	29	24
b	Intestinal obstruction - - -	196	16	8	15	26	19	16	15	15	19	9	19	19
123	Other diseases of intestines - -	86	4	7	9	6	14	10	5	5	6	7	8	
124	Cirrhosis of liver - - - - -	124	8	14	8	10	12	9	8	8	12	16	9	10
125.a	Acute yellow atrophy of liver (not associated with pregnancy)	22	-	2	2	2	2	-	2	1	3	1	5	2
b	Other diseases of liver - - - -	41	1	2	6	1	5	7	4	4	2	1	2	6
126	Biliary calculi - - - - -	90	5	9	19	6	8	12	6	6	4	3	3	9
127	Other diseases of gall bladder and bile ducts	160	15	8	12	15	14	9	13	16	8	15	19	16
128	Diseases of pancreas - - - -	25	1	5	3	1	3	3	2	2	-	-	4	1
129	Peritonitis without stated cause -	35	1	1	5	5	-	3	5	2	6	2	2	3
X. DISEASES OF URINARY AND GENITAL SYSTEMS (not Venereal or connected with Pregnancy or the Puerperium).														
		2550	242	233	263	218	220	219	214	213	181	175	171	201
130	Acute nephritis - - - - -	127	8	12	13	9	12	8	18	14	7	7	8	11
131	Chronic nephritis - - - - -	1,088	103	98	107	95	99	97	93	88	78	78	63	89
132	Nephritis unspecified (over 10 years of age)	228	30	28	21	15	18	14	21	16	17	15	16	17
133	Other dis. of kidney and ureters -	177	13	17	16	14	15	18	18	13	9	8	21	15
134	Calculi of urinary passages - -	48	4	2	6	4	4	6	2	6	3	6	2	3
135	Diseases of bladder - - - - -	129	12	13	6	12	5	17	12	14	11	8	6	13
136	Dis. of urethra, urinary abscess -	45	1	3	4	5	3	4	1	7	3	7	2	5
137	Diseases of prostate - - - - -	635	66	54	82	58	54	49	44	48	49	42	51	38
138	Dis. of other male genital organs	4	-	-	2	-	-	-	1	1	-	-	-	-
139.a	Diseases of ovaries, Fallopian tubes and parametria	29	1	1	4	4	5	2	2	1	3	2	1	3
b	Diseases of uterus - - - - -	36	3	5	2	2	4	4	2	4	1	2	-	7
c	Diseases of breast - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
d	Other dis. of female genital organs	4	1	-	-	-	1	-	-	1	-	-	1	-
XI. DISEASES OF PREGNANCY, CHILDBIRTH AND THE PUERPERAL STATE.														
		382	36	31	51	31	40	26	35	30	21	28	27	26
140	Post-abortion sepsis - - - - -	44	3	7	4	1	4	2	2	4	3	7	5	2
141	Abortion not specified as septic -	10	1	2	2	-	2	-	-	1	-	-	-	2
142	Ectopic gestation - - - - -	6	1	-	1	-	2	-	1	-	-	1	-	-
143.a	Placenta prævia (pregnancy)	2	-	-	1	-	-	-	-	1	-	-	-	-
b	Accidental hæmorrhage of pregnancy	6	-	-	-	3	-	-	-	2	1	-	-	-
c	Other and unspecified hæmorrhages of pregnancy	5	-	-	2	-	-	-	-	-	1	-	1	1
144.a	Eclampsia of pregnancy - - -	22	3	2	5	2	3	1	1	-	-	1	2	2
b	Albuminuria and nephritis of pregnancy	6	-	-	1	-	1	-	-	2	1	-	-	1
c	Acute yellow atrophy of liver with pregnancy	3	-	-	-	1	-	-	1	1	-	-	-	-
d1	Uncontrollable vomiting - - -	10	1	2	-	2	-	-	1	-	1	1	-	2
2	Other toxæmias of pregnancy -	14	-	2	3	3	1	-	2	-	1	-	1	1
145	Other diseases and accidents of pregnancy	7	2	2	-	1	-	1	-	-	1	-	-	-

International Nos. Detailed Long List.		Total.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
	XI. DISEASES OF PREGNANCY, CHILDBIRTH AND THE PUERPERAL STATE—<i>contd.</i>													
146. <i>a</i>	Placenta prævia (with childbirth) -	5	-	-	1	1	-	-	-	1	-	1	-	1
<i>b</i>	Accidental hæmorrhage of child- birth	3	-	-	-	1	-	-	-	-	-	1	1	-
<i>c</i>	Other hæmorrhages of childbirth -	2	-	-	-	-	2	-	-	-	-	-	-	-
<i>d</i>	Other hæmorrhages after child- birth	30	6	1	6	1	1	1	5	2	1	-	3	3
147. <i>b</i>	Puerperal sepsis (<i>a</i>) - - -	84	7	7	11	7	10	7	11	5	5	5	6	3
<i>d</i>	Puerperal embolism and thrombo- phlebitis (<i>c</i>)	33	2	4	4	4	2	3	1	2	-	4	2	5
148. <i>a</i>	Puerperal eclampsia - - -	32	3	-	3	2	5	3	4	3	3	2	1	3
<i>b</i>	Puerperal albuminuria and neph- ritis	1	-	-	-	-	1	-	-	-	-	-	-	-
<i>c</i>	Acute yellow atrophy of liver (post- partum)	1	-	-	-	-	-	-	-	-	-	1	-	-
<i>d</i>	Other puerperal toxæmias - -	3	1	-	-	-	1	-	-	1	-	-	-	-
149	Other accidents of childbirth -	44	6	2	7	2	3	7	5	3	3	4	2	-
150	Other or unspecified conditions of childbirth and the puerperal state	9	-	-	-	-	2	1	1	2	-	-	3	-
	XII. DISEASES OF SKIN AND CELLULAR TISSUE.	219	11	20	25	23	12	20	22	13	17	15	21	20
151	Carbuncle, boils - - - -	31	2	2	5	3	4	2	2	2	3	1	3	2
152	Cellulitis, acute abscess - -	121	6	12	13	10	6	10	11	9	11	7	12	14
153	Other diseases of skin and cellular tissue	67	3	6	7	10	2	8	9	2	3	7	6	4
	XIII. DISEASES OF BONES AND OF ORGANS OF MOVEMENT.	118	10	4	14	8	15	9	9	10	5	13	10	11
154	Osteomyelitis and periostitis -	75	5	2	9	2	11	6	6	7	1	10	5	11
155	Other diseases of bones - -	8	2	-	2	-	1	2	-	-	-	-	1	-
156	Diseases of joints and other organs of movement	35	3	2	3	6	3	1	3	3	4	3	4	-
	XIV. CONGENITAL MALFOR- MATIONS.	731	62	70	66	58	57	52	71	57	59	64	59	56
157. <i>a</i>	Congenital hydrocephalus - -	90	9	6	6	8	9	6	10	12	9	8	2	5
<i>b</i>	Spina bifida and meningocele -	198	17	25	17	14	14	11	18	15	15	19	18	15
<i>c</i>	Congenital malformation of heart -	213	19	17	16	22	14	18	20	18	14	18	18	19
<i>e</i>	Congenital pyloric stenosis - -	61	4	6	8	3	6	3	8	3	5	5	8	2
<i>j</i>	Other or unspecified congenital malformations (<i>d, f, g, h, i</i>)	169	13	16	19	11	14	14	15	9	16	14	13	15
	XV. DISEASES PECULIAR TO THE FIRST YEAR OF LIFE.	2565	260	204	260	233	215	217	218	179	173	198	191	217
158	Congenital debility - - -	491	57	40	56	36	36	50	44	32	32	30	30	48
159	Premature birth - - - -	1357	134	120	134	139	113	106	102	91	93	111	104	110
160	Injury at birth - - - -	325	23	16	30	26	26	34	31	31	22	34	26	26
161. <i>a</i>	Asphyxia at birth, atelectasis -	163	23	14	16	11	14	11	14	11	15	5	11	18
<i>b</i>	Maternal toxæmia - - - -	75	5	4	9	3	14	5	10	3	3	6	5	8
<i>c</i>	Infections of newly born - -	23	1	1	2	4	3	2	3	1	-	2	1	3
<i>d</i>	Melæna neonatorum - - -	54	11	4	7	6	3	2	5	2	1	5	4	4
<i>e</i>	Other specified diseases - -	77	6	5	6	3	6	7	9	8	7	5	10	-

International Nos. Detailed Long List.		Total.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
	XVI. SENILITY.													
162	Senility, Senile dementia - -	2070	231	219	235	194	157	145	154	122	128	148	167	170
	XVII. DEATHS FROM VIOLENCE.	4405	431	369	378	392	334	319	347	332	366	358	368	411
164	Suicide (163) - - - -	377	24	29	36	33	34	30	46	31	20	37	28	29
168	Homicide (165-167) - - -	41	2	3	1	6	3	5	3	-	4	2	6	6
	<i>Accidental Deaths.</i>													
169	Railway accidents - - - -	107	9	20	8	4	2	12	7	6	9	10	11	9
170	Motor vehicle accidents - -	879	85	64	68	70	62	64	72	59	75	88	96	76
171	Other road transport accidents -	112	12	5	3	9	4	6	7	8	6	21	13	18
	Water transport accidents—													
172.1	Drowning - - - - -	105	16	8	14	16	5	1	5	2	12	7	10	9
2	Otherwise - - - - -	47	4	3	4	11	3	2	4	2	1	5	4	4
173	Air transport accidents - -	10	-	2	3	1	1	-	-	1	1	-	1	-
174	Accidents in mines and quarries -	126	9	13	9	7	6	17	12	13	10	7	14	9
176	Accidents caused by machinery -	34	4	3	4	1	5	1	3	1	4	4	2	2
177	Food poisoning - - - - -	2	-	-	-	-	1	-	1	-	-	-	-	-
178	Accidental absorption of poisonous gas	80	13	11	10	3	6	2	2	4	4	9	7	9
179	Other acute accidental poisoning -	38	2	1	-	16	5	-	4	3	-	2	4	1
180	Conflagration - - - - -	21	6	2	-	-	-	-	-	7	-	-	1	5
181	Accidental burns (conflagration excepted)	210	33	31	26	8	13	9	12	13	12	14	14	25
182	Accidental mechanical suffocation	115	19	8	19	9	7	9	4	8	6	6	6	14
183	Drowning—accidental and unspecified (excluding water transport)	278	26	24	28	23	23	26	29	22	16	17	23	21
184	Accidental injury by firearms -	14	2	-	-	4	1	-	3	-	1	1	-	-
186	Accidental fall, crushing, &c. -	783	94	74	78	60	62	65	55	57	59	53	55	71
189	Hunger or thirst - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
190	Weather agencies (191, 192) -	*13	5	3	3	1	-	-	-	-	-	-	-	1
193	Electricity (lightning excepted) -	17	2	1	-	1	-	1	2	2	2	2	2	2
195.a	Vaccinia - - - - -	21	-	1	-	1	-	-	6	-	-	3	4	6
d	Other and unspecified accidents (175, 185, 187, 188, 194, 195 b, c)	112	13	12	9	9	13	8	9	5	6	11	8	9
	<i>Other Violent Deaths.</i>													
196	War operations—Military - -	781	39	44	51	88	73	59	53	78	107	54	55	80
197	" " Civilian - - - - -	82	12	7	4	11	5	2	8	17	4	5	4	3
198	Execution - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
	XVIII. ILL-DEFINED CAUSES OF DEATH.	1095	127	105	109	81	83	80	65	68	83	98	95	101
199	Sudden death - - - - -	164	14	24	14	16	10	8	8	5	18	12	17	18
200.a.1	Heart failure - - - - -	669	79	55	64	54	52	56	38	47	39	67	59	59
2	Other ill-defined causes - -	226	31	26	21	11	19	10	19	15	20	16	17	21
c	Cause not specified (b) - -	36	3	-	10	-	2	6	-	1	6	3	2	3

* All cases of exposure.

**CAUSES OF DEATH IN THE PUBLIC HEALTH DISTRICTS
OF SCOTLAND, 1942.**

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1942.

CAUSES OF DEATH.		ABERDEEN BURGH (including part in Kincardine Co.)													ABERDEEN COUNTY (excluding Aberdeen Burgh).																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
		All Ages.	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
International Nos.	Short List.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
1	Typhoid fever (including typhoid)	M. {F.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1942.

International Nos. Short List.	CAUSES OF DEATH.	ARROATH BURGH.											DUNDEE BURGH.														
		All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.
	All Causes—Both Sexes	282	25	1	.	1	4	6	15	20	38	82	71	19	2,329	187	70	28	15	62	62	107	191	354	618	520	115
	Males	149	15	.	.	1	2	1	7	12	26	42	37	6	1,065	107	33	12	8	21	28	49	109	168	301	203	26
	Females	133	10	1	.	.	2	5	8	8	12	40	34	13	1,264	80	37	16	7	41	34	58	82	186	317	89	
1	Typhoid fever (including typhoid)														1									1			
14 (1)	Cerebro-spinal fever														4	1	3							1			
3	Scarlet fever														1		1										
4	Whooping-cough																										
5	Diphtheria														5	1	4										
6	Tuberculosis of respiratory system	6					1	1	1	3					11		8	2		2				1			
7	Other forms of tuberculosis	1	1												63		1		1	11	12	7	15	7	4	1	
9	Syphilis	2	1									1			16	2	4	2	2	1	2	2	2	3	1		
10	Influenza														24	3	8	1	4	3		2	2	3			
12	Measles														8							1	1				
14 (2)	Other infectious or parasitic diseases (2, 8, 11, 13)*	1								1					3	1											
15	Cancer, malignant tumours	19							2	1	7	7	2		11	2	1	1	2	2	1	2	1	1	2	2	
16	Tumours, non-malignant or not defined	14						1	2	1	4	4	2		141			1			1	2	21	31	59	24	1
20 (1)	Acute rheumatism	1													181				1		1	1	3	2	2	1	
18	Diabetes mellitus	1													11			1						1			
20 (2)	Other general diseases, (17, 19)	1							1						4				1		1	2	1	3	6	1	1
21	Meningitis, diseases of spinal cord	4							2	1					14	2		1			1	1		4	10	9	2
(a)		1													6	2	1						1	1	1		(n)
		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1942.

International Nos.	CAUSES OF DEATH.	ANGUS COUNTY (excluding Large Burghs).												ARGYLL COUNTY.													
		All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.
	All Causes—Both Sexes . . .	1,111	64	15	12	6	21	45	86	67	145	292	295	113	1,025	49	8	7	4	17	27	44	62	123	246	908	128
	Males . . .	518	39	9	7	6	12	22	17	34	71	135	126	40	1,497	29	4	2	2	11	16	24	31	56	123	150	48
	Females . . .	593	25	6	5	.	9	23	19	33	74	157	169	73	828	20	4	5	2	6	11	20	31	67	123	153	80
1	Typhoid fever (including Para-typhoid) . . . {M. {F.
14 (1)	Cerebro-spinal fever . . . {M. {F.	1	1	1
3	Scarlet fever . . . {M. {F.	1	.	.	1
4	Whooping-cough . . . {M. {F.	2	2
5	Diphtheria . . . {M. {F.	2	.	1	1	1	1	1	1	1	.	1	1	1	1	1
6	Tuberculosis of respiratory system . {M. {F.	17	.	.	.	3	8	2	8	4	3	1	1	14	14	.	.	.	1	1	4	3	1	2	2	1	1
7	Other forms of tuberculosis . . {M. {F.	7	1	2	.	1	1	1	1	1	1	1	.	3	3	2	1	1	1	1	1
9	Syphilis . . . {M. {F.	5	2	2	1	1	1	1	1	.	.	.
10	Influenza . . . {M. {F.	3	.	.	.	1	1	.	.	.	1	.	1	6	6	1	1	1	2	1	1
12	Measles . . . {M. {F.	1	1	.	1
14 (2)	Other infectious or parasitic diseases (2, 8, 11, 13.) . . {M. {F.	5	1	.	.	2	1	.	1	1	2	1	.	4	4	1	1	2	1
15	Cancer, malignant tumours. . . {M. {F.	65	.	.	1	1	1	3	2	8	17	24	12	1	68	.	1	5	8	4	30	21	4
16	Tumours, non-malignant or not defined . . {M. {F.	71	1	1	.	6	13	29	19	78	78	1	1	.	1	1	1	.	.
20 (1)	Acute rheumatism . . . {M. {F.	1	1	1	.	.	.	8	.	1	4
18	Diabetes mellitus . . . {M. {F.	2	1	1	1	4	3	2	.	4	1	1	.	2	2	1	1	.
20 (2)	Other general diseases (17, 19) . . {M. {F.	5	2	1	1	4	1	2	6	.	.	.	1	1	1	1	1	3	4	1	1
21	Meningitis, diseases of spinal cord (2) . {M. {F.	2	1	1	1	1	1	1	3	7	1	1	1	1	1	1	2	1	1	1	1	1
(2)		3	1	3	3	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1942.

International Nos.	CAUSES OF DEATH.	AYR BURGH.											KILMARNOCK BURGH.											85 and over.		
		All Ages.	-1	5-	10-	15-	25-	35-	45-	55-	65-	75-	All Ages.	-1	5-	10-	15-	25-	35-	45-	55-	65-	75-			
	All Causes—Both Sexes	519	57	21	6	7	9	27	19	44	82	104	35	454	58	12	11	5	21	17	20	37	58	106	86	23
	Males	262	27	12	1	6	5	6	12	26	47	58	51	11	240	35	3	9	3	11	8	10	25	37	61	32
	Females	257	30	9	5	1	4	21	7	18	35	50	24	214	23	9	2	2	10	9	10	12	21	45	54	17
1	Typhoid fever (including Para-typhoid) {M. F.}	1	1
14 (1)	Cerebro-spinal fever {M. F. . . .}	1	1	1	1	.	.	.	1
3	Scarlet fever {M. F. . . .}
4	Whooping-cough {M. F. . . .}
5	Diphtheria {M. F. . . .}	1	.	.	1
6	Tuberculosis of respiratory system . {M. F. . . .}	10	.	.	2	.	1	1	1	2	4	.	.	13	1	.	.	.	4	2	2	4
7	Other forms of tuberculosis . . . {M. F. . . .}	11	4	3	1	2	.	.	.	6	.	.	.	3	1	2
9	Syphilis {M. F. . . .}	4	1	.	.	2	1	.	4	.	1	.	.	1	.	.	.	1	.	.	.
10	Influenza {M. F. . . .}	1	1
12	Measles {M. F. . . .}	4	1	3
14 (2)	Other infections or parasitic diseases {M. F. . . .} (2, 8, 11, 13)*	1	.	.	1	1	.	1	.	2	.	2	.	.	3
15	Cancer, malignant tumours . . . {M. F. . . .}	29	.	.	.	1	.	2	2	3	6	10	7	34	2	1	4	11	12	8	1	
16	Tumours, non-malignant or not defined {M. F. . . .}	30	2	.	2	11	6	7	22	.	.	.	1	1	1	1	3	10	4	2	
20 (1)	Acute rheumatism {M. F. . . .}	.	.	.	1	1	.	.	1	.	.	.	1
18	Diabetes mellitus {M. F. . . .}	1	1	4	3	1	.	.
20 (2)	Other general diseases (17, 19) . {M. F. . . .}	4	2	1	1	2	.	.	4	2	1	1	.
21	Meningitis, diseases of spinal cord {M. F. . . .}	2	.	.	1	1	1	2	1	1	1	.	.	.
(a)		1	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)

(a)	(c)	(c)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)
22	Cerebral hemorrhage, &c.	M. 23 F. 24	2	1	1	1	1	1	1	1	1	1	1	1	1
23	Other diseases of nervous system	M. 23 F. 24	2	1	1	1	1	1	1	1	1	1	1	1	1
24	Heart disease	M. 63 F. 63	63	1	1	1	1	1	1	1	1	1	1	1	1
25	Other circulatory diseases	M. 4 F. 5	4	1	1	1	1	1	1	1	1	1	1	1	1
26	Bronchitis	M. 6 F. 6	6	1	1	1	1	1	1	1	1	1	1	1	1
27	Pneumonia	M. 10 F. 12	10	1	1	1	1	1	1	1	1	1	1	1	1
28	Other respiratory diseases	M. 2 F. 3	2	1	1	1	1	1	1	1	1	1	1	1	1
29	Gastric and duodenal ulcer	M. 1 F. 5	1	1	1	1	1	1	1	1	1	1	1	1	1
30	Diarrhoea (all ages)	M. 7 F. 6	7	1	1	1	1	1	1	1	1	1	1	1	1
31 (1)	Appendicitis	M. 3 F. 1	3	1	1	1	1	1	1	1	1	1	1	1	1
31 (2)	Cirrhosis of liver	M. 1 F. 1	1	1	1	1	1	1	1	1	1	1	1	1	1
32 (1)	Other diseases of liver	M. 1 F. 2	1	1	1	1	1	1	1	1	1	1	1	1	1
32 (2)	Other digestive diseases	M. 6 F. 5	6	1	1	1	1	1	1	1	1	1	1	1	1
33	Nephritis, acute or chronic	M. 4 F. 8	4	1	1	1	1	1	1	1	1	1	1	1	1
34	Other diseases of genito-urinary system	M. 12 F. 1	12	1	1	1	1	1	1	1	1	1	1	1	1
35	Puerperal sepsis	M. 1 F. 1	1	1	1	1	1	1	1	1	1	1	1	1	1
36	Other puerperal causes	M. 2 F. 2	2	1	1	1	1	1	1	1	1	1	1	1	1
37	Diseases of skin and organs of movement	M. 15 F. 17	15	1	1	1	1	1	1	1	1	1	1	1	1
38	Congenital debility, premature birth, malformation, &c.	M. 9 F. 10	9	1	1	1	1	1	1	1	1	1	1	1	1
39	Old age	M. 2 F. 2	2	1	1	1	1	1	1	1	1	1	1	1	1
40	Suicide	M. 3 F. 3	3	1	1	1	1	1	1	1	1	1	1	1	1
42	Road transport accidents	M. 1 F. 1	1	1	1	1	1	1	1	1	1	1	1	1	1
43	Other violence (41)	M. 10 F. 5	10	1	1	1	1	1	1	1	1	1	1	1	1
44	Causes ill-defined or unknown	M. 9 F. 7	9	1	1	1	1	1	1	1	1	1	1	1	1

* Including erysipelas, septicaemia, dysentery, acute poliomyelitis, and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1942.

International Nos. Short List.	CAUSES OF DEATH.		AYR COUNTY (excluding Large Burghs).												BANFF COUNTY.													
	All Ages.		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75- and over.	85 and over.	All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75- and over.	85 and over.	
		All Causes—Both Sexes . . .	2,692	308	72	27	15	88	106	114	194	370	678	571	154	601	48	9	9	6	16	15	22	49	64	141	157	65
		Males . . .	1,351	184	44	12	9	42	48	57	98	212	380	258	57	288	26	2	4	3	7	6	8	22	34	76	70	30
		Females . . .	1,341	124	28	15	6	46	58	57	96	158	343	313	97	313	22	7	5	3	9	14	27	30	65	87	35	
1		Typhoid fever (including typhoid) {M. F.	1	1
14 (1)		Cerebro-spinal fever {M. F.	12	5	3	1	.	.	1	.	1	1	.	.	2	2	1	1
3		Scarlet fever {M. F.	1	.	1
4		Whooping-cough {M. F.	1	1	1	1
5		Diphtheria {M. F.	6	4	4	3	1	1	.	1	5	2	2	1	1	1
6		Tuberculosis of respiratory system . {M. F.	34	.	.	.	1	9	6	8	4	4	2	.	9	2	1	1	6	2
7		Other forms of tuberculosis . . . {M. F.	50	.	.	.	15	18	6	4	4	3	.	.	6	2	2
9		Syphilis {M. F.	21	6	7	8	1	3	2	1	3	1	.	.	3	1	1	1	1	1	.
10		Influenza {M. F.	9	1	1	2	.	3	1	1	1	1	1
12		Measles {M. F.	2
14 (2)		Other infections or parasitic diseases {M. (2, 8, 11, 13)* {F.	13	1	1	1	1	1	1	2	4	1	1	.	5	3	1	.	2	1	1	1	.	1	1	.	.	.
15		Cancer, malignant tumours . . . {M. F.	158	.	.	.	2	6	5	17	43	57	24	4	32	1	2	8	17	5	2	.	.
16		Tumours, non-malignant or not defined {M. F.	186	4	4	1	.	.	1	2	4	1	.	.	3	1	2	15	13	13	.	.	.
20 (1)		Acute rheumatism {M. F.	2	1	.	1	1	.	.	1	.	1	1	1
18		Diabetes mellitus {M. F.	12	.	.	.	1	1	3	1	5	4	4	1	2
20 (2)		Other general diseases (17, 19) . {M. F.	19	1	.	1	5	6	3	4	.	.	.	2	.	.	.	1	2	3	.	.	.
21	(a)	Meningitis, diseases of spinal cord {M. F.	34	1	.	.	2	.	2	(f)	3	1	1	1	1	1	(d)	(e)	(f)	(g)	(h)	(i)	(k)	(l)	(m)	(n)	(o)	

(n)	(o)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
22	Cerebral hemorrhage, &c.	{ M. 123 F. 205 }																							
23	Other diseases of nervous system	{ M. 38 F. 23 }	4	3																					
24	Heart disease	{ M. 307 F. 322 }																							
25	Other circulatory diseases	{ M. 322 F. 26 }	1																						
26	Bronchitis	{ M. 50 F. 30 }	4	2																					
27	Pneumonia	{ M. 61 F. 43 }	12																						
28	Other respiratory diseases	{ M. 10 F. 23 }	3																						
29	Gastric and duodenal ulcer	{ M. 19 F. 7 }																							
30	Diarrhea (all ages)	{ M. 80 F. 15 }	23	5																					
31 (1)	Appendicitis	{ M. 12 F. 4 }																							
31 (2)	Cirrhosis of liver	{ M. 2 F. 2 }																							
32 (1)	Other diseases of liver	{ M. 12 F. 15 }																							
32 (2)	Other digestive diseases	{ M. 15 F. 12 }	2																						
33	Nephritis, acute or chronic	{ M. 34 F. 27 }																							
34	Other diseases of genito-urinary system	{ M. 46 F. 13 }																							
35	Puerperal sepsis	{ M. 8 F. 8 }																							
36	Other puerperal causes	{ M. 7 F. 9 }																							
37	Diseases of skin and organs of movement	{ M. 9 F. 7 }																							
38	Congenital debility, premature birth, malformation, &c.	{ M. 97 F. 69 }																							
39	Old age	{ M. 89 F. 68 }																							
40	Suicide	{ M. 5 F. 3 }																							
42	Road transport accidents	{ M. 21 F. 8 }																							
43	Other violence (41)	{ M. 64 F. 32 }																							
44	Causes ill-defined or unknown	{ M. 25 F. 14 }																							

* Including erysipelas, septicaemia, dysentery, acute poliomyelitis and lethargic encephalitis.

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)
22	Cerebral hemorrhage, &c.	{ M. F. 21 21	2 3 11 3	12 3 11 3	8
23	Other diseases of nervous system	{ M. F. 2 5	1 1 1 1	.	1
24	Heart disease	{ M. F. 56 40	5 10 19 1	19 1 1 1	1
25	Other circulatory diseases	{ M. F. 10 5	7 18 21 5	2 1 1 1	5
26	Bronchitis	{ M. F. 4 6	1 1 1 1	1 1 1 1	3
27	Pneumonia	{ M. F. 8 7	1 1 1 1	1 1 1 1	2
28	Other respiratory diseases	{ M. F. 8 2	1 1 1 1	1 1 1 1	1
32 (1)	Gastric and duodenal ulcer	{ M. F.	1 1 1 1	1 1 1 1	.
29	Diarrhoea, (all ages)	{ M. F. . 2	1 1 1 1	1 1 1 1	.
30	Appendicitis	{ M. F. 1 1	1 1 1 1	1 1 1 1	.
31 (1)	Cirrhosis of liver	{ M. F. 1 1	1 1 1 1	1 1 1 1	.
31 (2)	Other diseases of liver	{ M. F. 3 3	1 1 1 1	1 1 1 1	.
32 (2)	Other digestive diseases	{ M. F. 3 3	1 1 1 1	1 1 1 1	.
33	Nephritis, acute or chronic	{ M. F. 8 8	1 1 1 1	1 1 1 1	.
34	Other diseases of genito-urinary system	{ M. F. 4 4	1 1 1 1	1 1 1 1	.
35	Puerperal sepsis	{ M. F. 1 1	1 1 1 1	1 1 1 1	.
36	Other puerperal causes	{ M. F.	1 1 1 1	1 1 1 1	.
37	Diseases of skin and organs of movement	{ M. F. 2 5	1 1 1 1	1 1 1 1	.
38	Congenital debility, premature birth, malformation, &c.	{ M. F. 5 6	1 1 1 1	1 1 1 1	.
39	Old age	{ M. F. 4 7	1 1 1 1	1 1 1 1	.
40	Suicide	{ M. F. 3 1	1 1 1 1	1 1 1 1	.
42	Road transport accidents	{ M. F. 2 1	1 1 1 1	1 1 1 1	.
43	Other violence (41)	{ M. F. 6 3	1 1 1 1	1 1 1 1	.
44	Causes ill-defined or unknown	{ M. F. 7 2	1 1 1 1	1 1 1 1	.

* Including erysipelas, septicæmia, dysentery, acute poliomyelitis, and lethargic encephalitis.

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
22	Cerebral hæmorrhage, &c.	{ M. F. }	16 26	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
23	Other diseases of nervous system	{ M. F. }	4	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
24	Heart disease	{ M. F. }	35 43	4	4	14	8	5	46	2	8	20	15	1	1	1	1	1	1	1	1	1	1	1	1
25	Other circulatory diseases	{ M. F. }	9	9	1	1	1	6	56	1	6	20	18	5	1	1	1	1	1	1	1	1	1	1	1
26	Bronchitis	{ M. F. }	7	1	1	1	2	5	8	1	2	2	2	4	1	1	1	1	1	1	1	1	1	1	1
27	Pneumonia	{ M. F. }	2	2	1	1	1	2	6	1	6	1	2	2	1	1	1	1	1	1	1	1	1	1	1
28	Other respiratory diseases	{ M. F. }	5	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
29	Gastric and duodenal ulcer	{ M. F. }	1	1	1	1	1	1	3	1	3	2	2	1	1	1	1	1	1	1	1	1	1	1	1
30	Diarrhœa (all ages)	{ M. F. }	1	1	1	1	1	1	3	1	3	2	2	1	1	1	1	1	1	1	1	1	1	1	1
31	Appendicitis	{ M. F. }	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
32	Cirrhosis of liver	{ M. F. }	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
33	Other diseases of liver	{ M. F. }	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
34	Other digestive diseases	{ M. F. }	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
35	Nephritis, acute or chronic	{ M. F. }	6	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
36	Other diseases of genito-urinary system	{ M. F. }	8	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
37	Puerperal sepsis	{ M. F. }	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
38	Other puerperal causes	{ M. F. }	3	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
39	Diseases of skin and organs of movement	{ M. F. }	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
40	Congenital debility, premature birth, malformation, &c.	{ M. F. }	11	8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
41	Old age	{ M. F. }	13	24	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
42	Suicide	{ M. F. }	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
43	Road transport accidents	{ M. F. }	4	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
44	Other violence (41)	{ M. F. }	6	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
45	Causes ill-defined or unknown	{ M. F. }	13	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

* Including erysipelas, septicaemia, dysentery, acute poliomyelitis and lethargic encephalitis.

[illegible]

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)
22	Cerebral hemorrhage, &c.	{ M. F. }	17 18	15 13	5 3	1	8 6	2
23	Other diseases of nervous system	{ M. F. }	4 4	1	1	1	.	.	.	4	.	.	1	.
24	Heart disease	{ M. F. }	41 29	50	7	3	13	1
25	Other circulatory diseases	{ M. F. }	4 4	32	9	1	9	4
26	Bronchitis	{ M. F. }	4 5	1	1	1	.	.	.	3	4	.	1	1
27	Pneumonia	{ M. F. }	12 9	3	2	1	1	1	1	7	3	1	1	1
28	Other respiratory diseases	{ M. F. }	2 2	7	.	.	2	1
29	Gastric and duodenal ulcer	{ M. F. }	1 4	1	1	.	1	.
30	Diarrhoea, (all ages)	{ M. F. }	4 3	2	1	2	1	1	.	.
31 (1)	Appendicitis	{ M. F. }	1	.	.	1	.	.	.	1
31 (1)	Cirrhosis of liver	{ M. F. }	1
31 (2)	Other diseases of liver	{ M. F. }	2	1	.	.	1	.
32 (2)	Other digestive diseases	{ M. F. }	3 8	1 1	1	1	1	.	1	.
33	Nephritis, acute or chronic	{ M. F. }	5 3	3	6	1	1	.
34	Other diseases of genito-urinary system	{ M. F. }	1	3	.	1	2	.
35	Puerperal sepsis	{ M. F. }	4	.	.	1	2	1	.	1
36	Other puerperal causes	{ M. F. }	1	1
37	Diseases of skin and organs of movement	{ M. F. }	3	.	1	1
38	Congenital debility, premature birth, malformation, &c.	{ M. F. }	11 7	10 6	7 7
39	Old age	{ M. F. }	8	3	1	.	8	2
40	Suicide	{ M. F. }	1	1
42	Road transport accidents	{ M. F. }	3 2	3	1	.	.	.
43	Other violence (41)	{ M. F. }	14	2	1	.	2	4	1	7	1	.	1	.
44	Causes ill-defined or unknown	{ M. F. }	4 3	1	.	.	.	2	.	5	.	.	1	.

* Including erysipelas, septicæmia, dysentery, acute poliomyelitis and lethargic encephalitis.

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)
22	Cerebral hæmorrhage, &c.	{ M. F.	58 71	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
23	Other diseases of nervous system	{ M. F.	7 14	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
24	Heart disease	{ M. F.	140 139	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
25	Other circulatory diseases	{ M. F.	8 12	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
26	Bronchitis	{ M. F.	23 16	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
27	Pneumonia	{ M. F.	24 16	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
28	Other respiratory diseases	{ M. F.	6 7	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
29	Gastric and duodenal ulcer	{ M. F.	12 4	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
30	Diarrhoea (all ages)	{ M. F.	6 11	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
31	Appendicitis	{ M. F.	3 4	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
32	Cirrhosis of liver	{ M. F.	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
33	Other diseases of liver	{ M. F.	6 6	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
34	Other digestive diseases	{ M. F.	12 8	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
35	Nephritis, acute or chronic	{ M. F.	10 7	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
36	Other diseases of genito-urinary system	{ M. F.	18 5	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
37	Puerperal sepsis	{ M. F.	3 3	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
38	Other puerperal causes	{ M. F.	1 3	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
39	Diseases of skin and organs of movement	{ M. F.	33 18	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
40	Congenital debility, premature birth, malformation, &c.	{ M. F.	10 20	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
41	Old age	{ M. F.	2 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
42	Suicide	{ M. F.	10 4	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
43	Road transport accidents	{ M. F.	15 13	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
44	Other violence (41)	{ M. F.	11 7	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
45	Causes ill-defined or unknown	{ M. F.	11 7	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1

* Including erysipelas, septicæmia, dysentery, acute poliomyelitis and lethargic encephalitis.

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)
22	Cerebral hemorrhage, &c.	{ M. F. }	49 54	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
23	Other diseases of nervous system	{ M. F. }	7 8	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
24	Heart disease	{ M. F. }	118 114	3 4	6 2	18 19	45 34	37 45	9 11	71 71	1 1	1 1	1 1	1 1
25	Other circulatory diseases	{ M. F. }	11 12	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
26	Bronchitis	{ M. F. }	15 5	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
27	Pneumonia	{ M. F. }	19 15	1 1	1 1	2 3	6 2	4 4	1 1	10 7	1 1	1 1	1 1	1 1
28	Other respiratory diseases	{ M. F. }	5 4	1 1	1 1	1 1	1 1	1 1	1 1	5 6	1 1	1 1	1 1	1 1
32 (1)	Gastric and duodenal ulcer	{ M. F. }	3 1	1 1	1 1	1 1	1 1	1 1	1 1	3 3	1 1	1 1	1 1	1 1
29	Diarrhoea, (all ages)	{ M. F. }	2 1	1 1	1 1	1 1	1 1	1 1	1 1	4 4	1 1	1 1	1 1	1 1
30	Appendicitis	{ M. F. }	1 3	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
31 (1)	Cirrhosis of liver	{ M. F. }	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
31 (2)	Other diseases of liver	{ M. F. }	2 10	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
32 (2)	Other digestive diseases	{ M. F. }	1 3	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
33	Nephritis, acute or chronic	{ M. F. }	6 7	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
34	Other diseases of genito-urinary system	{ M. F. }	5 5	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
35	Puerperal sepsis	{ M. F. }	1 4	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
36	Other puerperal causes	{ M. F. }	1 4	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
37	Diseases of skin and organs of movement	{ M. F. }	2 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
38	Congenital debility, premature birth, malformation, &c.	{ M. F. }	19 18	1 1	1 1	1 1	1 1	1 1	1 1	18 14	1 1	1 1	1 1	1 1
39	Old age	{ M. F. }	4 13	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
40	Suicide	{ M. F. }	7 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
42	Road transport accidents	{ M. F. }	14 7	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
43	Other violence (41)	{ M. F. }	15 11	1 1	1 1	1 1	1 1	1 1	1 1	10 6	1 1	1 1	1 1	1 1
44	Causes ill-defined or unknown	{ M. F. }	9 3	1 1	1 1	1 1	1 1	1 1	1 1	8 6	1 1	1 1	1 1	1 1

* Including erysipelas, septicaemia, dysentery, acute poliomyelitis and lethargic encephalitis.

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
22	Cerebral hemorrhage, &c.	{M. 21 F. 27}	.	1	.	.	.	1	1	5	9	4	6	7	1	40	27	5	8	1	.	.	.	2	10
23	Other diseases of nervous system	{F. 7}	1	1	.	.	.	2	1	1	2	1	.	.	.	5	1	2	2	6	
24	Heart disease	{M. 64 F. 59}	2	1	5	9	22	21	21	4	72	81	.	2	.	.	.	2	19	
25	Other circulatory diseases	{M. 6 F. 6}	1	2	1	2	3	5	2	9	
26	Bronchitis	{M. 10 F. 7}	2	1	2	2	4	1	1	1	2	16	3	1	1	.	.	.	1	1	
27	Pneumonia	{M. 13 F. 9}	7	3	1	1	1	1	1	3	1	1	1	1	1	8	3	1	2	.	.	.	1	1	
28	Other respiratory diseases	{M. 5 F. 7}	1	1	1	1	3	1	1	1	5	3	1	1		
32 (1)	Gastric and duodenal ulcer	{M. 2 F. 2}	1	1	1	1	3	1	1	1	4	1	.	1	.	.	.	2	.	
29	Diarrhoea (all ages)	{M. 2 F. 2}	1	1	3	3	
30	Appendicitis	{M. 2 F. 2}	1	1	1	.	1	
31 (1)	Cirrhosis of liver	{M. 2 F. 2}	1	1	2	
31 (2)	Other diseases of liver	{M. 3 F. 1}	2	1	1	1	1	1	1	1	
32 (2)	Other digestive diseases	{M. 1 F. 5}	1	1	2	1	1	1	1	8	.	.	2	1	
33	Nephritis, acute or chronic	{M. 6 F. 5}	1	.	2	4	1	1	1	7	.	.	1	1	
34	Other diseases of genito-urinary system	{M. 7 F. 5}	1	1	2	1	1	1	1	2	8	.	.	1	1	
35	Puerperal sepsis	{M. 1 F. 1}	1	1	.	.	.	1	.	2	1	1	1	1	2	2	.	.	2	
36	Other puerperal causes	{F. 1}	1	1	.	.	1	
37	Diseases of skin and organs of movement	{M. 2 F. 1}	1	.	.	1	
38	Congenital debility, premature birth, malformation, &c.	{M. 16 F. 14}	15	13	1	1	20	6	1	3	
39	Old age	{M. 12 F. 4}	15	22	10	
40	Suicide	{M. 4 F. 2}	1	.	.	1	2	1	1	1	2	11	
42	Road transport accidents	{M. 8 F. 1}	.	.	1	2	3	1	1	1	.	5	.	.	1	2	
43	Other violence (41)	{M. 14 F. 2}	3	1	1	1	1	1	3	1	1	1	1	1	1	14	1	1	1	
44	Causes ill-defined or unknown	{M. 3 F. 4}	3	1	.	.	.	2	3	1	

* Including erysipelas, septicaemia, dysentery, acute poliomyelitis and lethargic encephalitis.

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
22	Cerebral hemorrhage, &c.	{ M. 128 F. 174 }	1	1	1	1	1	1	1	1	1	1	1	1	1
23	Other diseases of nervous system	{ M. 20 F. 26 }	4	4	4	4	4	4	4	4	4	4	4	4	4
24	Heart disease	{ M. 315 F. 315 }	1	1	1	1	1	1	1	1	1	1	1	1	1
25	Other circulatory diseases	{ M. 28 F. 25 }	1	1	1	1	1	1	1	1	1	1	1	1	1
26	Bronchitis	{ M. 53 F. 33 }	4	4	4	4	4	4	4	4	4	4	4	4	4
27	Pneumonia	{ M. 40 F. 39 }	16	2	2	2	2	2	2	2	2	2	2	2	2
28	Other respiratory diseases	{ M. 15 F. 21 }	1	1	1	1	1	1	1	1	1	1	1	1	1
32 (1)	Gastric and duodenal ulcer	{ M. 15 F. 10 }	1	1	1	1	1	1	1	1	1	1	1	1	1
29	Diarrhoea (all ages)	{ M. 18 F. 14 }	5	2	2	2	2	2	2	2	2	2	2	2	2
30	Appendicitis	{ M. 8 F. 8 }	1	1	1	1	1	1	1	1	1	1	1	1	1
31 (1)	Cirrhosis of liver	{ M. 2 F. 1 }	1	1	1	1	1	1	1	1	1	1	1	1	1
31 (2)	Other diseases of liver	{ M. 1 F. 11 }	1	1	1	1	1	1	1	1	1	1	1	1	1
32 (2)	Other digestive diseases	{ M. 22 F. 18 }	7	1	1	1	1	1	1	1	1	1	1	1	1
33	Nephritis, acute or chronic	{ M. 26 F. 34 }	1	1	1	1	1	1	1	1	1	1	1	1	1
34	Other diseases of genito-urinary system	{ M. 32 F. 10 }	1	1	1	1	1	1	1	1	1	1	1	1	1
35	Puerperal sepsis	{ M. 5 F. 5 }	1	1	1	1	1	1	1	1	1	1	1	1	1
36	Other puerperal causes	{ M. 10 F. 10 }	1	1	1	1	1	1	1	1	1	1	1	1	1
37	Diseases of skin and organs of movement	{ M. 9 F. 6 }	1	1	1	1	1	1	1	1	1	1	1	1	1
38	Congenital debility, premature birth, malformation, &c.	{ M. 86 F. 56 }	5	1	1	1	1	1	1	1	1	1	1	1	1
39	Old age	{ M. 28 F. 45 }	1	1	1	1	1	1	1	1	1	1	1	1	1
40	Suicide	{ M. 10 F. 2 }	1	1	1	1	1	1	1	1	1	1	1	1	1
42	Road transport accidents	{ M. 21 F. 8 }	1	1	1	1	1	1	1	1	1	1	1	1	1
43	Other violence (41)	{ M. 66 F. 29 }	4	1	1	1	1	1	1	1	1	1	1	1	1
44	Causes ill-defined or unknown	{ M. 22 F. 14 }	2	2	2	2	2	2	2	2	2	2	2	2	2

* Including erysipelas, septicaemia, dysentery, acute poliomyelitis and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1942.

International Nos.	Short List.	CAUSES OF DEATH.													INVERNESS COUNTY (excluding Inverness Burgh).													KINGARDINE COUNTY (excluding portion of Aberdeen Burgh).																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
		All Causes—Both Sexes . . .		Males . . .		Females . . .		Typhoid fever (including typhoid) { M. { F.		Cerebro-spinal fever { M. { F.		Scarlet fever { M. { F.		Whooping-cough { M. { F.		Diphtheria { M. { F.		Tuberculosis of respiratory system { M. { F.		Other forms of tuberculosis . . { M. { F.		Syphilis { M. { F.		Influenza { M. { F.		Measles { M. { F.		Other infections or parasitic diseases { M. { F. (2, 8, 11, 13)*		Cancer, malignant tumours . . { M. { F.		Tumours, non-malignant or not defined { M. { F.		Acute rheumatism { M. { F.		Diabetes mellitus { M. { F.		Other general diseases (17, 19) . { M. { F.		Meningitis, diseases of spinal cord { M. { F. (b)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)
22	Cerebral hemorrhage, &c.	{ M. 36 F. 46 }
23	Other diseases of nervous system	{ M. 6 F. 6 }	2	2
24	Heart disease	{ M. 78 F. 83 }
25	Other circulatory diseases	{ M. 18 F. 9 }
26	Bronchitis	{ M. 13 F. 13 }	1
27	Pneumonia	{ M. 14 F. 8 }	1	1
28	Other respiratory diseases	{ M. 6 F. 5 }
32 (1)	Gastric and duodenal ulcer	{ M. 9 F. 3 }
29	Diarrhoea (all ages)	{ M. 1 F. 1 }	1
30	Appendicitis	{ M. 2 F. 1 }	.	1
31 (1)	Cirrhosis of liver	{ M. 1 F. 1 }
31 (2)	Other diseases of liver	{ M. 3 F. 3 }
32 (2)	Other digestive diseases	{ M. 8 F. 10 }	1	1
33	Nephritis, acute or chronic	{ M. 5 F. 11 }
34	Other diseases of genito-urinary system	{ M. 17 F. 11 }
35	Puerperal sepsis	{ M. 2 F. 2 }
36	Other puerperal causes	{ M. 2 F. 2 }
37	Diseases of skin and organs of movement	{ M. 3 F. 17 }
38	Congenital debility, premature birth, malformation, &c.	{ M. 17 F. 9 }	17	9
39	Old age	{ M. 44 F. 55 }
40	Suicide	{ M. 8 F. 9 }
42	Road transport accidents	{ M. 2 F. 2 }
43	Other violence (41)	{ M. 24 F. 6 }	1
44	Causes ill-defined or unknown	{ M. 16 F. 9 }	1	1

* Including erysipelas, septicaemia, dysentery, acute poliomyelitis and lethargic encephalitis.

† Including 1 of unstatd age.

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
22	Cerebral hemorrhage, &c.	M. F.	3 5
23	Other diseases of nervous system	M. F.	2	1
24	Heart disease	M. F.	17 16
25	Other circulatory diseases	M. F.	1 2
26	Bronchitis	M. F.	4 1
27	Pneumonia	M. F.	1
28	Other respiratory diseases	M. F.	2 1
32 (1)	Gastric and duodenal ulcer	M. F.	1 2
29	Diarrhea, (all ages)	M. F.	1
30	Appendicitis	M. F.
31 (1)	Cirrhosis of liver	M. F.
31 (2)	Other diseases of liver	M. F.	1
32 (2)	Other digestive diseases	M. F.	4 2	1
33	Nephritis, acute or chronic	M. F.	1 4
34	Other diseases of genito-urinary system	M. F.	3
35	Puerperal sepsis	F.	1
36	Other puerperal causes	F.	1
37	Diseases of skin and organs of movement	M. F.
38	Congenital debility, premature birth, malformation, &c.	M. F.	2 1	2 1
39	Old age	M. F.
40	Suicide	M. F.
42	Road transport accidents	M. F.	1
43	Other violence (41)	M. F.	1
44	Causes ill-defined or unknown	M. F.

* Including erysipelas, septicæmia, dysentery, acute poliomyelitis and lethargic encephalitis.

† Including 1 of unstated age.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1942.

International Nos.	CAUSES OF DEATH.	AIRDRIE BURGH.													COATBRIDGE BURGH.												
		All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.
	All Causes—Both Sexes . . .	322	44	8	1	1	14	15	19	34	42	73	59	12	528	75	15	6	25	19	37	54	67	124	86	14	
	Males . . .	197	26	2	1	3	5	9	21	22	44	32	1	237	44	8	2	4	12	11	22	32	29	71	48	4	
	Females . . .	155	18	6	1	1	11	9	10	13	20	29	27	11	241	31	7	4	2	13	8	15	22	38	53	10	
1	Typhoid fever (including Para-typhoid)	{ M. F. }
14 (1)	Cerebro-spinal fever	{ M. F. }	1	.	.	1	1	.	1
3	Scarlet fever	{ M. F. }
4	Whooping-cough	{ M. F. }	1	.	1
5	Diphtheria	{ M. F. }	2	2	1	.	1	1
6	Tuberculosis of respiratory system	{ M. F. }	6	1	.	.	5	1	3	1	17	.	1	.	5	5	3	2	1
7	Other forms of tuberculosis	{ M. F. }	2	1	1	.	2	1	.	.	.	1	.	.	7	.	1	.	1	1	2	1	.	1	.	.	.
9	Syphilis	{ M. F. }	1	1
10	Influenza	{ M. F. }	2	1	1	.	.	1	.	.	.	1	.	.	3	.	1	3	.	.	.
12	Measles	{ M. F. }	1	1	1	.	1	1
14 (2)	Other infectious or parasitic diseases (2, 8, 11, 13)*	{ M. F. }	1	.	.	1	.	.	.	1	.	1	.	.	.
15	Cancer, malignant tumours	{ M. F. }	18	4	5	5	5	3	.	.	37	1	8	9	11	7	1	.
16	Tumours, non-malignant or not defined	{ M. F. }	2	.	.	.	1	2	3	8	8	2	.	.	29	2	5	12	8	2	.	.	.
20 (1)	Acute rheumatism	{ M. F. }	1	1	.	.	1	.	.	1
18	Diabetes mellitus	{ M. F. }	1	1	.	.	2	.	1	1	1	1
20 (2)	Other general diseases (17, 19)	{ M. F. }	4	.	.	.	1	.	.	1	1	1	.	.	8	.	1	.	1	.	.	.	3	1	1	1	.
21	Meningitis, diseases of spinal cord (b)	{ M. F. }	1	1	1	4	1	1	1	.	.	.	1	.	1	.	.	(c)

(c)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)
22	Cerebral hæmorrhage, &c.	{ M. F. }	18 18	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
23	Other diseases of nervous system	{ M. F. }	1	1	1	1	1	1	1	1	1	1	1	1
24	Heart disease	{ M. F. }	46 34	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
25	Other circulatory diseases	{ M. F. }	1	1	1	1	1	1	1	1	1	1	1	1
26	Bronchitis	{ M. F. }	13 3	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
27	Pneumonia	{ M. F. }	12 11	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
28	Other respiratory diseases	{ M. F. }	4 3	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
32 (1)	Gastric and duodenal ulcer	{ M. F. }	1	1	1	1	1	1	1	1	1	1	1	1
29	Diarrhea (all ages)	{ M. F. }	5 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
30	Appendicitis	{ M. F. }	1	1	1	1	1	1	1	1	1	1	1	1
31 (1)	Cirrhosis of liver	{ M. F. }	1	1	1	1	1	1	1	1	1	1	1	1
31 (2)	Other diseases of liver	{ M. F. }	2	1	1	1	1	1	1	1	1	1	1	1
32 (2)	Other digestive diseases	{ M. F. }	1 3	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
33	Nephritis, acute or chronic	{ M. F. }	2	1	1	1	1	1	1	1	1	1	1	1
34	Other diseases of genito-urinary system	{ M. F. }	3	1	1	1	1	1	1	1	1	1	1	1
35	Puerperal sepsis	{ M. F. }	2	1	1	1	1	1	1	1	1	1	1	1
36	Other puerperal causes	{ M. F. }	3	1	1	1	1	1	1	1	1	1	1	1
37	Diseases of skin and organs of movement	{ M. F. }	10 5	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
38	Congenital debility, premature birth, malformation, &c.	{ M. F. }	7 11	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
39	Old Age	{ M. F. }	1	1	1	1	1	1	1	1	1	1	1	1
40	Suicide	{ M. F. }	1	1	1	1	1	1	1	1	1	1	1	1
42	Road transport accidents	{ M. F. }	4	1	1	1	1	1	1	1	1	1	1	1
43	Other violence (41)	{ M. F. }	3	1	1	1	1	1	1	1	1	1	1	1
44	Causes ill-defined or unknown	{ M. F. }	3 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1

* Including erysipelas, septicæmia, dysentery, acute poliomyelitis and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1942.

International Nos.	CAUSES OF DEATH.	GLASGOW BURGH.												HAMILTON BURGH.													
		All Ages.	-1	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	-1	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.		
	All Causes—Both Sexes . . .	114673	1866	417	189	155	708	635	933	1504	2394	3286	2178	467	476	63	24	7	3	22	25	21	45	67	112	71	16
	Males . . .	47845	1070	215	111	77	266	231	508	934	1386	1855	998	163	228	28	15	4	2	8	8	8	18	40	64	30	8
	Females . . .	63928	796	292	78	78	442	374	425	570	948	1431	1180	304	248	35	9	3	1	14	17	13	27	27	48	41	13
1	Typhoid fever (including Paratyphoid) . . .	5	2	1	1	1	1
14 (1)	Cerebro-spinal fever . . .	26	5	3	1	6	1	3	2	1	2	2	1
3	Scarlet fever . . .	6	.	1	2	1	2
4	Whooping-cough . . .	11	7	4	1	.	1
5	Diphtheria . . .	48	2	26	9	8	2	3	1	2	.	2
6	Tuberculosis of respiratory system . . .	547	6	16	3	11	104	90	102	113	76	24	2	11	16	.	1	1	2	2	2	1	2	4	.	1	.
7	Other forms of tuberculosis . . .	137	8	24	24	16	44	8	4	4	4	4	1	8	8	2	1	1	8
9	Syphilis . . .	60	4	.	.	.	1	2	7	12	18	14	2	1	3	1	.	.
10	Influenza . . .	24	3	1	1	6	8	3	1	1	3	1	1	1	1	.	.
12	Measles . . .	31	11	19	1	.	1	1	1
14 (2)	Other infectious or parasitic diseases (2, 8, 11, 13)* . . .	57	11	3	2	1	5	9	7	9	1	7	2
15	Cancer, malignant tumours . . .	997	.	2	2	3	14	67	131	250	327	117	4	22	35	.	.	.	1	2	2	2	4	12	1	.	.
16	Tumours, non-malignant or not defined . . .	6	.	1	.	.	1	1	1	5	13	5	4	8	8	.	.	.	2
20 (1)	Acute rheumatism . . .	11	.	1	1	1	6	2	1	1	1	.
18	Diabetes mellitus . . .	30	.	1	2	3	3	5	6	9	1	.	.	2	2	1	1	.
20 (2)	Other general diseases (17, 19) . . .	80	5	8	3	5	8	11	17	19	4	.	3	8	8	.	.	1	1	1	1	.	.
21	Meningitis, diseases of spinal cord . . .	45	6	3	2	3	3	2	7	11	5	3	2	1	3	1	.	.	1	2	.	.	(n)
(a)		25	6	4	1	1	1	3	3	3	3	3	2	3	3	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)
22	Cerebral hemorrhage, &c.	{ M. 622 F. 679 }	2	1	2	3	2	3	18	58	130	183	21	2
23	Other diseases of nervous system	{ M. 143 F. 116 }	6	5	2	4	1	16	12	20	16	11	4	1
24	Heart disease	{ M. 1547 F. 1479 }	1	2	3	15	27	56	143	335	570	830	64	1
25	Other circulatory diseases	{ M. 183 F. 116 }	2	1	1	2	2	3	11	28	40	44	7	1
26	Bronchitis	{ M. 447 F. 259 }	41	8	5	3	8	24	65	105	109	74	10	1
27	Pneumonia	{ M. 504 F. 359 }	172	30	3	5	6	26	63	72	82	41	4	1
28	Other respiratory diseases	{ M. 110 F. 82 }	13	7	1	4	15	23	22	13	15	3	8	1
32 (1)	Gastric and duodenal ulcer	{ M. 82 F. 27 }	2	1	1	5	16	28	14	18	1	1	1	1
29	Diarrhoea (all ages)	{ M. 280 F. 178 }	202	8	2	1	4	2	5	4	11	3	1	1
30	Appendicitis	{ M. 29 F. 21 }	3	2	3	2	5	5	3	4	4	7	2	1
31 (1)	Cirrhosis of liver	{ M. 21 F. 6 }	1	1	1	1	1	1	1	1	1	1	1	1
31 (2)	Other diseases of liver	{ M. 13 F. 40 }	1	1	1	1	1	1	1	1	1	1	1	1
32 (2)	Other digestive diseases	{ M. 86 F. 92 }	9	4	3	1	2	1	5	10	8	11	25	1
33	Nephritis, acute or chronic	{ M. 158 F. 125 }	1	1	1	3	4	22	21	33	47	25	2	1
34	Other diseases of genito-urinary system	{ M. 148 F. 57 }	8	1	1	3	4	10	13	22	27	28	17	1
35	Puerperal sepsis	{ M. 56 F. 55 }	1	1	1	1	6	9	10	11	7	3	2	1
36	Other puerperal causes	{ M. 41 F. 23 }	10	2	4	1	3	3	5	6	5	5	2	1
37	Diseases of skin and organs of movement	{ M. 490 F. 360 }	478	4	3	1	1	3	1	1	1	1	1	1
38	Congenital debility, premature birth, malformation, &c.	{ M. 193 F. 188 }	352	4	1	3	1	3	1	1	1	1	1	1
39	Old age	{ M. 183 F. 31 }	1	1	1	1	1	1	1	1	1	1	1	1
40	Suicide	{ M. 183 F. 32 }	1	1	1	1	1	1	1	1	1	1	1	1
42	Road transport accidents	{ M. 183 F. 61 }	1	20	30	11	7	8	16	22	29	28	21	1
43	Other violence (41)	{ M. 1306 F. 150 }	15	12	5	20	21	50	48	59	40	15	4	9
44	Causes ill-defined or unknown	{ M. 251 F. 105 }	3	1	1	3	5	9	38	68	86	35	3	8

* Including erysipelas, septicaemia, dysentery, acute poliomyelitis and lethargic encephalitis.

† Including 1 of unstated age

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1942.

International Nos. Short List.	CAUSES OF DEATH.	MOTHERWELL AND WISHAW BURGH.											RUTHERGLEN BURGH.														
		All Ages.	1-	5-	10-	15-	25-	35-	45-	55-	65-	75- and over.	All Ages.	1-	5-	10-	15-	25-	35-	45-	55-	65-	75- and over.				
	All Causes—Both Sexes . .	763	91	15	6	9	41	28	88	78	101	203	130	23	303	81	4	4	2	9	12	10	28	58	84	45	16
	Males . .	415	50	10	4	6	17	14	19	46	55	117	68	9	135	19	2	2	5	8	2	21	25	33	19	4	
	Females . .	348	41	5	2	3	24	14	19	32	46	86	62	14	168	12	2	2	4	9	8	7	33	51	26	12	
1	Typhoid fever (including Paratyphoid) {M. {F.	1	1
14 (1)	Cerebro-spinal fever {M. {F.	2	1	.	.	.	1
3	Scarlet fever {M. {F.
4	Whooping-cough {M. {F.
5	Diphtheria {M. {F.
6	Tuberculosis of respiratory system {M. {F.	20 22	.	.	.	1	6 13	4 5	3 3	4 1	1 .	1 .	1 .	.	10 5	.	.	.	3 3	1 2	2	1
7	Other forms of tuberculosis {M. {F.	5 7	1 1	2 1	.	.	1 4	.	.	1	2 2	1 1	1
9	Syphilis {M. {F.	3 1	1 .	.	1 .	1 .	1 .	1 .	.	1	1
10	Influenza {M. {F.	2 3	1	1 .	1 .	.	2 .	.	.	1	1
12	Measles {M. {F.	1 1	1 1	1 1	1	1 1	.
14 (2)	Other infectious or parasitic diseases (2, 8, 11, 13) {M. {F.	3	1	.	.	2
15	Cancer, malignant tumours {M. {F.	51 55	.	.	.	1	2	2	6	15	19	6	15	15	15 26	.	.	.	1	4	3	6	1	4	1	1	.
16	Tumours, non-malignant or not defined {M. {F.	1	1	5	13	10	15	10	1	.	2	.	.	.	1	1
20 (1)	Acute rheumatism {M. {F.	1 1	.	1
18	Diabetes mellitus {M. {F.	3 14	.	.	.	1	2	4	1	5
20 (2)	Other general diseases (17, 19) {M. {F.	3 9	.	.	.	1	1	1	1	1	1	4	1	.	2	2	1	.	.	.	1	.
21	Meningitis, diseases of spinal cord {M. {F.	2 (a)	1	1	1	1	.	.	1	1	(c)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
22	Cerebral hemorrhage, &c.	{ M. F. 42
23	Other diseases of nervous system	{ M. F. 6
24	Heart disease	{ M. F. 92
25	Other circulatory diseases	{ M. F. 8
26	Bronchitis	{ M. F. 26
27	Pneumonia	{ M. F. 24
28	Other respiratory diseases	{ M. F. 7
32 (1)	Gastric and duodenal ulcer	{ M. F. 7
29	Diarrhoea (all ages)	{ M. F. 12
30	Appendicitis	{ M. F. 1
31 (1)	Cirrhosis of liver	{ M. F. 3
31 (2)	Other diseases of liver	{ M. F. 4
32 (2)	Other digestive diseases	{ M. F. 13
33	Nephritis, acute or chronic	{ M. F. 10
34	Other diseases of genito-urinary system	{ M. F. 13
35	Puerperal sepsis	{ M. F. 4
36	Other puerperal causes	{ M. F. 2
37	Diseases of skin and organs of movement	{ M. F. 32
38	Congenital debility, premature birth, malformation, &c.	{ M. F. 29
39	Old age	{ M. F. 7
40	Suicide	{ M. F. 1
42	Road transport accidents	{ M. F. 6
43	Other violence (41)	{ M. F. 9
44	Causes ill-defined or unknown	{ M. F. 6

* Including erysipelas, septicaemia, dysentery, acute poliomyelitis and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1942.

International Nos. Short List.		LANARK COUNTY (excluding Large Burghs).													EDINBURGH BURGH.												
		CAUSES OF DEATH.																									
		All Ages.	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.		
All Causes—Both Sexes		3,490	414	99	39	35	143	213	310	538	800	592	149	6,152	415	126	42	43	154	186	281	489	1047	1601	1414	357	
Males		1,795	230	51	22	16	68	69	111	188	291	432	273	44	3,027	243	71	19	69	64	149	272	574	838	608	99	
Females		1,695	184	48	17	19	75	84	107	122	247	368	319	105	3,125	172	55	21	85	122	182	217	473	763	806	258	
1	Typhoid fever (including Para typhoid) { M. { F.	1	1	2	.	.	.	1	.	1	
14 (1)	Cerebro-spinal fever { M. { F.	6	3	2	1	.	.	.	1	7	2	4	1	.	.	1	
3	Scarlet fever { M. { F.	1	.	1	5	1	1	.	.	1	.	.	1	.	.	.	
4	Whooping-cough { M. { F.	2	2	1	1	
5	Diphtheria { M. { F.	9	6	1	1	1	2	20	13	4	1	1	1	.	.	1	.	.	.	
6	Tuberculosis of respiratory system { M. { F.	81	1	1	.	2	36	25	12	4	5	2	.	.	140	3	1	1	21	20	28	25	28	1	1	.	
7	Other forms of tuberculosis { M. { F.	23	2	2	2	2	8	2	1	1	2	1	.	.	149	2	.	3	6	41	17	7	11	10	4	.	
9	Syphilis { M. { F.	9	4	1	1	.	.	.	33	.	.	.	1	1	5	5	11	8	3	.	
10	Influenza { M. { F.	9	1	1	2	2	2	3	1	2	17	2	2	1	.	2	3	2	4	3	1	.	
12	Measles { M. { F.	5	4	1	5	1	3	.	1	2	
14 (2)	Other infectious or parasitic diseases (2, 8, 11, 13)* { M. { F.	16	.	.	.	1	1	2	3	5	2	.	1	.	34	8	1	3	3	3	7	2	4	2	1	.	
15	Cancer, malignant tumours { M. { F.	242	.	1	.	2	7	9	36	69	85	30	3	3	442	.	1	1	2	5	21	48	125	162	72	4	
16	Tumours, non-malignant or not defined { M. { F.	210	1	1	2	2	4	21	20	61	64	31	3	3	530	2	2	1	2	12	25	68	147	155	102	16	
20 (1)	Acute rheumatism { M. { F.	12	.	.	.	2	1	3	4	1	1	1	.	.	11	1	.	1	1	1	1	2	3	2	1	6	
18	Diabetes mellitus { M. { F.	17	.	1	.	1	1	1	1	1	1	1	.	.	4	.	2	.	2	.	.	1	1	1	.	.	
20 (2)	Other general diseases (17, 19) { M. { F.	21	1	1	1	3	1	2	4	3	6	7	1	1	38	3	2	.	1	3	6	10	11	12	9	1	
21	Meningitis, diseases of spinal cord { M. { F.	14	4	3	1	3	2	.	.	1	2	1	.	.	23	4	4	1	1	1	1	4	3	4	4	.	
(a)		(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
22	Cerebral hemorrhage, &c.	M. 143 F. 230	1	2	4	18	39	96	58	14	392	2	1	1	1	1	1	1	1	1	1	1	1	1	1
23	Other diseases of nervous system	M. 26 F. 29	1	1	3	5	4	3	4	3	37	4	1	1	1	1	1	1	1	1	1	1	1	1	1
24	Heart disease	M. 414 F. 380	1	2	5	8	17	39	75	149	105	13	697	7	3	18	57	134	252	188	38	38	38	38	38
25	Other circulatory diseases	M. 83 F. 40	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
26	Bronchitis	M. 84 F. 10	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
27	Pneumonia	M. 91 F. 42	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
28	Other respiratory diseases	M. 36 F. 19	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
32 (1)	Gastric and duodenal ulcer	M. 25 F. 2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
29	Diarrhoea (all ages)	M. 85 F. 43	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
30	Appendicitis	M. 11 F. 12	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
31 (1)	Cirrhosis of liver	M. 4 F. 4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
31 (2)	Other diseases of liver	M. 6 F. 14	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
32 (2)	Other digestive diseases	M. 19 F. 22	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
33	Nephritis, acute or chronic	M. 36 F. 33	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
34	Other diseases of genito-urinary system	M. 43 F. 8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
35	Puerperal sepsis	M. 12 F. 12	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
36	Other puerperal causes	M. 26 F. 26	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
37	Diseases of skin and organs of movement	M. 16 F. 6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
38	Congenital debility, premature birth, malformation, &c.	M. 121 F. 90	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
39	Old age	M. 38 F. 76	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
40	Suicide	M. 6 F. 6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
42	Road transport accidents	M. 35 F. 16	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
43	Other violence (41)	M. 77 F. 45	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
44	Causes ill-defined or unknown	M. 31 F. 27	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	

* Including erysipelas, septicaemia, dysentery, acute poliomyelitis and lethargic encephalitis.

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)
22	Cerebral hemorrhage, &c. {M. F.}	58 10	1 13	1 3	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
23	Other diseases of nervous system {M. F.}	10 13	4 3	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
24	Heart disease {M. F.}	106 136	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
25	Other circulatory diseases {M. F.}	11 17	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
26	Bronchitis {M. F.}	18 21	2 3	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
27	Pneumonia {M. F.}	18 11	6 5	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
28	Other respiratory diseases {M. F.}	13 5	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
32 (1)	Gastric and duodenal ulcer {M. F.}	11 8	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
29	Diarrhoea (all ages) {M. F.}	3 6	2 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
30	Appendicitis {M. F.}	2 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
31 (1)	Cirrhosis of liver {M. F.}	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
31 (2)	Other diseases of liver {M. F.}	3 4	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
32 (2)	Other digestive diseases {M. F.}	8 8	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
33	Nephritis, acute or chronic {M. F.}	13 13	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
34	Other diseases of genito-urinary system {M. F.}	16 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
35	Puerperal sepsis {M. F.}	2 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
36	Other puerperal causes {M. F.}	3 6	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
37	Diseases of skin and organs of movement {M. F.}	4 31	1 30	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
38	Congenital debility, premature birth, malformation, &c. {M. F.}	20 11	20 21	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
39	Old age {M. F.}	11 21	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
40	Suicide {M. F.}	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
42	Road transport accidents {M. F.}	6 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
43	Other violence (41) {M. F.}	30 13	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
44	Causes ill-defined or unknown {M. F.}	8 5	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1

† Including 1 of unstated age.

* Including erysipelas, septicaemia, dysentery, acute poliomyelitis and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1942.

International Nos. Short List.		NAIRN COUNTY.														ORKNEY COUNTY.													
		All Ages.	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.				
CAUSES OF DEATH.																													
All Causes—Both Sexes		108	12	2	1	2	5	1	7	10	30	28	10	380	16	6	8	3	5	15	17	23	44	101	90	52			
Males		49	8	1	1	2	4	1	4	8	13	8	5	203	9	5	6	1	4	13	10	17	21	50	39	28			
Females		59	4	1	1	1	1	1	3	7	17	20	5	177	7	1	2	2	1	2	7	6	23	51	24				
1	Typhoid fever (including Para-typhoid)																												
14 (1)	Cerebro-spinal fever	1				1																							
3	Scarlet fever																												
4	Whooping-cough																												
5	Diphtheria	1	1											1		1													
6	Tuberculosis of respiratory system	1	1			1	1						5	2					2	1	1	1	1						
7	Other forms of tuberculosis												4	2	1	1		1	1										
9	Syphilis	1							1				2						1					1					
10	Influenza	3	1									1	2										1	2					
12	Measles																												
14 (2)	Other infections or parasitic diseases (2, 8, 11, 13)*												4	2	1	1						1	1						
15	Cancer, malignant tumours	4								2	1	1	14							3	2	8	5	5	1				
16	Tumours, non-malignant or not defined	9						1		7	1		28												3				
20 (1)	Acute rheumatism																												
18	Diabetes mellitus	1											2											2					
20 (2)	Other general diseases (17, 19)	2			1							1	3								1	2							
21	Meningitis, diseases of spinal cord (b)												1	2	1	1			1			1	1						
(a)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)				

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
22	Cerebral hæmorrhage, &c.	{M. F.	6 13	1 13	1 13	1 13	1 13	1 13	1 13	1 13	1 13	1 13	1 13	1 13	1 13	1 13	1 13	1 13	1 13	1 13	1 13	1 13	1 13	1 13	
23	Other diseases of nervous system	{M. F.	4 2	4 2	4 2	4 2	4 2	4 2	4 2	4 2	4 2	4 2	4 2	4 2	4 2	4 2	4 2	4 2	4 2	4 2	4 2	4 2	4 2	4 2	
24	Heart disease	{M. F.	9 13	9 13	9 13	9 13	9 13	9 13	9 13	9 13	9 13	9 13	9 13	9 13	9 13	9 13	9 13	9 13	9 13	9 13	9 13	9 13	9 13	9 13	
25	Other circulatory diseases	{M. F.	3 3	3 3	3 3	3 3	3 3	3 3	3 3	3 3	3 3	3 3	3 3	3 3	3 3	3 3	3 3	3 3	3 3	3 3	3 3	3 3	3 3	3 3	
26	Bronchitis	{M. F.	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
27	Pneumonia	{M. F.	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
28	Other respiratory diseases	{M. F.	2 2	2 2	2 2	2 2	2 2	2 2	2 2	2 2	2 2	2 2	2 2	2 2	2 2	2 2	2 2	2 2	2 2	2 2	2 2	2 2	2 2	2 2	
32 (1)	Gastric and duodenal ulcer	{M. F.	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
29	Diarrhœa (all ages)	{M. F.	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
30	Appendicitis	{M. F.	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
31 (1)	Cirrhosis of liver	{M. F.	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
31 (2)	Other diseases of liver	{M. F.	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
32 (2)	Other digestive diseases	{M. F.	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
33	Nephritis, acute or chronic	{M. F.	2 2	2 2	2 2	2 2	2 2	2 2	2 2	2 2	2 2	2 2	2 2	2 2	2 2	2 2	2 2	2 2	2 2	2 2	2 2	2 2	2 2	2 2	
34	Other diseases of genito-urinary system	{M. F.	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
35	Puerperal sepsis	{M. F.	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
36	Other puerperal causes	{M. F.	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
37	Diseases of skin and organs of movement	{M. F.	5 5	5 5	5 5	5 5	5 5	5 5	5 5	5 5	5 5	5 5	5 5	5 5	5 5	5 5	5 5	5 5	5 5	5 5	5 5	5 5	5 5	5 5	
38	Congenital debility, premature birth, malformation, &c.	{M. F.	3 2	3 2	3 2	3 2	3 2	3 2	3 2	3 2	3 2	3 2	3 2	3 2	3 2	3 2	3 2	3 2	3 2	3 2	3 2	3 2	3 2	3 2	
39	Old age	{M. F.	1 5	1 5	1 5	1 5	1 5	1 5	1 5	1 5	1 5	1 5	1 5	1 5	1 5	1 5	1 5	1 5	1 5	1 5	1 5	1 5	1 5	1 5	
40	Suicide	{M. F.	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
42	Road transport accidents	{M. F.	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
43	Other violence (41)	{M. F.	2 2	2 2	2 2	2 2	2 2	2 2	2 2	2 2	2 2	2 2	2 2	2 2	2 2	2 2	2 2	2 2	2 2	2 2	2 2	2 2	2 2	2 2	
44	Causes ill-defined or unknown	{M. F.	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	

† Including 1 of unstated age.

* Including erysipelas, septicaemia, dysentery, acute poliomyelitis and lethargic encephalitis.

(c)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)
22	Cerebral hemorrhage, &c.	M. 13 F. 14	3
23	Other diseases of nervous system	M. . F.	3
24	Heart disease	M. 26 F. 22	5
25	Other circulatory diseases	M. 1 F. 1	7
26	Bronchitis	M. 1 F. 4	1
27	Pneumonia	M. 1 F.	5
28	Other respiratory diseases	M. 3 F. 1	1
32 (1)	Gastric and duodenal ulcer	M. 1 F. 1	1
29	Diarrhea (all ages)	M. 8 F.	1
30	Appendicitis	M. 1 F. 1	1
31 (1)	Cirrhosis of liver	M. . F.	1
31 (2)	Other diseases of liver	M. . F.	1
32 (2)	Other digestive diseases	M. 1 F.	1
33	Nephritis, acute or chronic	M. 5 F. 1	2
34	Other diseases of genito-urinary system	M. 2 F.	1
35	Puerperal sepsis	M. 1 F.	1
36	Other puerperal causes	M. . F.	1
37	Diseases of skin and organs of movement	M. 1 F.	1
38	Congenital debility, premature birth, malformation, &c.	M. 4 F. 5	3
39	Old age	M. 2 F. 8	10
40	Suicide	M. . F.	3
42	Road transport accidents	M. 1 F.	1
43	Other violence (41)	M. 4 F. 3	1
44	Causes ill-defined or unknown	M. 3 F. 4	1

* Including erysipelas, septicaemia, dysentery, acute poliomyelitis and lethargic encephalitis.

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)
22	Cerebral hemorrhage, &c.	M. 58 F. 91	1 4
23	Other diseases of nervous system	M. 10 F. 7	1 4
24	Heart disease	M. 132 F. 193	1 1
25	Other circulatory diseases	M. 20 F. 14	1 1
26	Bronchitis	M. 20 F. 11	1 1
27	Pneumonia	M. 27 F. 19	1 1
28	Other respiratory diseases	M. 13 F. 4	1 1
32 (1)	Gastric and duodenal ulcer	M. 9 F. 2	1 1
29	Diarrhoea (all ages)	M. 3 F. 5	1 1
30	Appendicitis	M. 2 F. 2	1 1
31 (1)	Cirrhosis of liver	M. 5 F. 2	1 1
31 (2)	Other diseases of liver	M. 14 F. 14	1 1
32 (2)	Other digestive diseases	M. 7 F. 3	1 1
33	Nephritis, acute or chronic	M. 13 F. 25	1 1
34	Other diseases of genito-urinary system	M. 21 F. 4	1 1
35	Puerperal sepsis	M. 5 F. 5	1 1
36	Other puerperal causes	M. 4 F. 2	1 1
37	Diseases of skin and organs of movement	M. 24 F. 23	1 1
38	Congenital debility, premature birth, malformation, &c.	M. 23 F. 22	1 1
39	Old age	M. 10 F. 32	1 1
40	Suicide	M. 2 F. 2	1 1
42	Road transport accidents	M. 11 F. 3	1 1
43	Other violence (41)	M. 19 F. 10	1 1
44	Causes ill-defined or unknown	M. 15 F. 5	1 1

* Including erysipelas, septicaemia, dysentery, acute poliomyelitis and lethargic encephalitis.

† Including 1 of unstated age.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1942.

International Nos.	CAUSES OF DEATH.	PAISLEY BURGH.													PORT-GLASGOW BURGH.												
		All Ages.	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.		
	All Causes—Both Sexes . . .	1,173	161	84	14	12	44	55	59	105	161	264	213	51	264	45	6	6	10	17	15	24	38	52	30	6	
	Males . . .	602	91	17	8	7	19	24	32	60	92	143	98	11	137	23	6	3	5	6	7	9	27	28	13	3	
	Females . . .	571	70	17	6	5	25	31	27	45	69	121	115	40	127	22	6	2	3	6	8	15	11	24	17	3	
1	Typhoid fever (including typhoid) . . .	1	1	
14 (1)	Cerebro-spinal fever . . .	1	
3	Scarlet fever . . .	1	.	1	
4	Whooping-cough . . .	2	2	1	1	
5	Diphtheria . . .	1	1	1	1	
6	Tuberculosis of respiratory system . . .	39	1	.	.	2	8	9	9	9	4	1	.	.	8	.	.	1	4	1	1	2	
7	Other forms of tuberculosis . . .	13	1	4	1	4	3	1	1	1	1	.	.	.	2	1	.	.	.	1	
9	Syphilis . . .	1	1	1	1	
10	Influenza . . .	3	1	1	.	.	1	1	4	.	.	1	1	1	.	1	
12	Measles . . .	1	1	5	2	1	
14 (2)	Other infectious or parasitic diseases (2, 8, 11, 13)* . . .	1	1	1	
15	Cancer, malignant tumours . . .	76	2	.	.	.	2	3	16	15	26	10	2	7	2	4	1	.	1	.	.	
16	Tumours, non-malignant or not defined . . .	79	7	11	20	21	18	2	21	.	1	.	.	2	7	4	7	.	.	.	
20 (1)	Acute rheumatism . . .	2	.	.	.	1	.	1	1	1	1	1	
18	Diabetes mellitus . . .	9	1	1	1	1	1	2	2	.	1	
20 (2)	Other general diseases (17, 19) . . .	7	1	1	.	.	1	1	1	1	2	1	2	1	1	.	.	.	1	
21 (a)	Meningitis, diseases of spinal cord. (b)	2	1	.	.	1	1	.	.	.	2	1	1	.	.	.	
		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(k)	(l)	(m)	(n)	(o)	

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)
22	Cerebral hemorrhage, &c..	{ M. F. }	61 66	1 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
23	Other diseases of nervous system	{ M. F. }	13 9	1 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
24	Heart disease	{ M. F. }	129 133	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
25	Other circulatory diseases	{ M. F. }	11 8	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
26	Bronchitis	{ M. F. }	23 19	2 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
27	Pneumonia	{ M. F. }	41 23	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
28	Other respiratory diseases	{ M. F. }	9 11	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
32 (1)	Gastric and duodenal ulcer	{ M. F. }	10 10	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
29	Diarrhoea (all ages)	{ M. F. }	5 4	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
30	Appendicitis	{ M. F. }	6 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
31 (1)	Cirrhosis of liver	{ M. F. }	3 3	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
31 (2)	Other diseases of liver	{ M. F. }	4 7	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
32 (2)	Other digestive diseases	{ M. F. }	23 12	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
33	Nephritis, acute or chronic	{ M. F. }	8 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
34	Other diseases of genito-urinary system	{ M. F. }	4 7	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
35	Puerperal sepsis	{ M. F. }	2 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
36	Other puerperal causes	{ M. F. }	4 7	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
37	Diseases of skin and organs of movement	{ M. F. }	6 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
38	Congenital debility, premature birth, malformation, &c.	{ M. F. }	58 43	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
39	Old age	{ M. F. }	1 10	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
40	Suicide	{ M. F. }	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
42	Road transport accidents	{ M. F. }	17 8	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
43	Other violence (41)	{ M. F. }	18 16	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
44	Causes ill-defined or unknown	{ M. F. }	8 5	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1

* Including erysipelas, septicaemia, dysentery, acute poliomyelitis, and lethargic encephalitis.

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)
22	Cerebral hemorrhage, &c.	{ M. 90 F. 101 }	1	1	1	1	1	1	1	1	1	1	1	1
23	Other diseases of nervous system	{ M. 7 F. 12 }	1	1	1	1	1	1	1	1	1	1	1	1
24	Heart disease.	{ M. 198 F. 199 }	1	1	1	1	1	1	1	1	1	1	1	1
25	Other circulatory diseases	{ M. 17 F. 18 }	1	1	1	1	1	1	1	1	1	1	1	1
26	Bronchitis	{ M. 34 F. 18 }	1	1	1	1	1	1	1	1	1	1	1	1
27	Pneumonia	{ M. 33 F. 20 }	1	1	1	1	1	1	1	1	1	1	1	1
28	Other respiratory diseases	{ M. 11 F. 5 }	1	1	1	1	1	1	1	1	1	1	1	1
32 (1)	Gastric and duodenal ulcer	{ M. 13 F. 3 }	1	1	1	1	1	1	1	1	1	1	1	1
29	Diarrhoea (all ages)	{ M. 7 F. 5 }	1	1	1	1	1	1	1	1	1	1	1	1
30	Appendicitis	{ M. 5 F. 1 }	1	1	1	1	1	1	1	1	1	1	1	1
31 (1)	Cirrhosis of liver	{ M. 2 F. 5 }	1	1	1	1	1	1	1	1	1	1	1	1
31 (2)	Other diseases of liver	{ M. 1 F. 6 }	1	1	1	1	1	1	1	1	1	1	1	1
32 (2)	Other digestive diseases	{ M. 8 F. 17 }	1	1	1	1	1	1	1	1	1	1	1	1
33	Nephritis, acute or chronic	{ M. 24 F. 18 }	1	1	1	1	1	1	1	1	1	1	1	1
34	Other diseases of genito-urinary system	{ M. 27 F. 8 }	1	1	1	1	1	1	1	1	1	1	1	1
35	Puerperal sepsis	{ M. 3 F. 5 }	1	1	1	1	1	1	1	1	1	1	1	1
36	Other puerperal causes	{ M. 2 F. 4 }	1	1	1	1	1	1	1	1	1	1	1	1
37	Diseases of skin and organs of movement	{ M. 30 F. 22 }	1	1	1	1	1	1	1	1	1	1	1	1
38	Congenital debility, premature birth, malformation, &c.	{ M. 13 F. 22 }	1	1	1	1	1	1	1	1	1	1	1	1
39	Old age	{ M. 18 F. 22 }	1	1	1	1	1	1	1	1	1	1	1	1
40	Suicide	{ M. 5 F. 4 }	1	1	1	1	1	1	1	1	1	1	1	1
42	Road transport accidents	{ M. 16 F. 7 }	1	1	1	1	1	1	1	1	1	1	1	1
43	Other violence (41)	{ M. 31 F. 18 }	1	1	1	1	1	1	1	1	1	1	1	1
44	Causes ill-defined or unknown	{ M. 9 F. 7 }	1	1	1	1	1	1	1	1	1	1	1	1

* Including erysipelas, septicaemia, dysentery, acute poliomyelitis, and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1942.

International No.	CAUSES OF DEATH.	ROXBURGH COUNTY.													SELKIRK COUNTY.												
		All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.
	All Causes—Both Sexes . . .																										
	Males . . .	586	38	13	1	3	9	10	22	44	87	177	148	84	278	16	3	1	3	3	5	6	30	45	74	72	22
	Females . . .	283	26	8	2	5	4	15	10	19	42	82	71	9	131	9	8	.	2	2	2	2	11	21	38	29	14
		303	12	5	1	1	4	6	7	25	45	95	77	25	147	7	.	1	3	1	3	4	19	22	36	43	8
1	Typhoid fever (including typhoid)
14 (1)	Cerebro-spinal fever	1	.	1
3	Scarlet fever
4	Whooping-cough . . .	1	1	1	1	1	.	.
5	Diphtheria . . .	1	1	1
6	Tuberculosis of respiratory system . . .	7	.	.	.	1	3	1	1	1	1	1	2	.	3	1	.	.	.	1	1	.	1	1	.	.	.
7	Other forms of tuberculosis . . .	3	2	.	.	1	1	1	.	3	.	.	.	1	.	1	.	1
9	Syphilis	1	1
10	Influenza . . .	2	.	1	3	.	2	2	.	2	2	.	.	.
12	Measles
14 (2)	Other infectious or parasitic diseases (2, 8, 11, 13)* . . .	8	1	1	1	1	1	1	.	2	.	.	.	1	.	1	1	.	1	.	.	.
15	Cancer, malignant tumours . . .	25	2	2	6	3	10	10	1	9	2	2	1	4	2	1
16	Tumours, non-malignant or not defined . . .	43	1	1	1	1	12	7	1	27	1	1	4	7	7	1	1
20 (1)	Acute rheumatism . . .	2	1	.	1	.	.	1	1	.	.	.
18	Diabetes mellitus . . .	8	.	.	.	1	3	1	.	1	.	.	.	1	1	2	.	.
20 (2)	Other general diseases (17, 19) . . .	2	1	.	2	1	.	2	1	1	1	.
21 (a)	Meningitis, diseases of spinal cord (b) . . .	8	1	1	1	1	1	1	1	1	1	2	1	.	2	1	1	1	1	1	1	1	2	1	1	1	1

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
22	Cerebral hemorrhage, &c.	{ M. F. }	89 38	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
23	Other diseases of nervous system	{ F. }	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
24	Heart disease	{ M. F. }	83 96	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
25	Other circulatory diseases	{ M. F. }	10 9	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
26	Bronchitis	{ M. F. }	6 8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
27	Pneumonia	{ M. F. }	15 8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
28	Other respiratory diseases	{ M. F. }	5 3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
32 (1)	Gastro and duodenal ulcer	{ M. F. }	7 1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
29	Diarrhoea, (all ages)	{ M. F. }	3 1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
30	Appendicitis	{ M. F. }	2 1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
31 (1)	Cirrhosis of liver	{ M. F. }	1 1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
31 (2)	Other diseases of liver	{ M. F. }	2 4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
32 (2)	Other digestive diseases	{ M. F. }	1 4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
33	Nephritis, acute or chronic	{ M. F. }	10 7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
34	Other diseases of genito-urinary system	{ M. F. }	12 2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
35	Puerperal sepsis	{ M. F. }	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
36	Other puerperal causes	{ M. F. }	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
37	Diseases of skin and organs of movement	{ M. F. }	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
38	Congenital debility, premature birth, malformation, &c.	{ M. F. }	19 9	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
39	Old age	{ M. F. }	8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
40	Suicide	{ M. F. }	1 3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
42	Road transport accidents	{ M. F. }	8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
43	Other violence (41)	{ M. F. }	8 11	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
44	Causes ill-defined or unknown	{ M. F. }	5 2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

* Including erysipelas, septicaemia, dysentery, acute poliomyelitis and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1942.

CAUSES OF DEATH.		FALKIRK BURGH.											STIRLING BURGH.														
		All Ages.	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.		
International Nos.	Short List.	394	32	8	4	1	12	9	13	39	80	89	90	17	317	26	13	5	2	6	9	18	33	57	70	69	9
	All Causes—Both Sexes . . .	225	18	5	3	5	5	9	24	46	53	49	8	164	14	7	3	1	2	7	20	31	43	33	3	3	
	Males . . .	169	14	3	1	1	7	4	15	34	36	41	9	153	12	6	2	2	5	7	11	13	26	27	36	6	
	Females . . .																										
1	Typhoid fever (including typhoid)
14 (1)	Cerebro-spinal fever . . .	2	1	.	.	.	1	
3	Scarlet fever	
4	Whooping-cough	
5	Diphtheria	3	1	1	.	.	1	
6	Tuberculosis of respiratory system . . .	6	.	.	.	2	1	2	1	1	1	1	.	7	.	.	.	1	2	2	1	1	1	.	.	.	
7	Other forms of tuberculosis . . .	5	.	.	.	3	6	1	2	1	
9	Syphilis . . .	3	1	2	1	
10	Influenza	1	
13	Measles . . .	1	1	1	
14 (2)	Other infectious or parasitic diseases (2, 8, 11, 13) . . .	2	1	.	.	1	.	1	1	
15	Cancer, malignant tumours . . .	37	20	.	.	.	1	1	8	9	12	10	1	23	.	.	1	.	1	1	3	8	4	1	.	.	
16	Tumours, non-malignant or not defined . . .	2	1	1	20	
20 (1)	Acute rheumatism	1	1	
18	Diabetes mellitus . . .	1	1	.	1	1	1	1	2	.	.	.	1	.	.	.	1	
20 (2)	Other general diseases (17, 19) . . .	3	1	1	2	1	1	2	.	4	2	.	1	.	1	.	1	.	
21	Meningitis diseases of spinal cord (b)	1	.	.	.	1	.	.	.	1	1	
(a)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
22	Cerebral hemorrhage, &c.	{ M. 35 F. 21
23	Other diseases of nervous system	{ M. 3 F. 3
24	Heart disease	{ M. 53 F. 50
25	Other circulatory diseases	{ M. 7 F. 7
26	Bronchitis	{ M. 9 F. 6
27	Pneumonia	{ M. 21 F. 6
28	Other respiratory diseases	{ M. 3 F. 4
32 (1)	Gastric and duodenal ulcer	{ M. 2 F. 1
29	Diarrhoea (all ages)	{ M. 1 F. 3
30	Appendicitis	{ M. 4 F. 4
31 (1)	Cirrhosis of liver	{ M. . F.
31 (2)	Other diseases of liver	{ M. 1 F. 1
32 (2)	Other digestive diseases	{ M. 1 F. 2
33	Nephritis, acute or chronic	{ M. 6 F. 8
34	Other diseases of genito-urinary system	{ M. 5 F. 1
35	Puerperal sepsis	{ M. 1 F. 1
36	Other puerperal causes	{ M. 1 F. 1
37	Diseases of skin and organs of movement	{ M. 2 F.
38	Congenital debility, premature birth, malformation, &c.	{ M. 8 F. 7
39	Old age	{ M. 1 F. 3
40	Suicide	{ M. . F.
42	Road transport accidents	{ M. 2 F. 1
43	Other violence (41)	{ M. 5 F. 5
44	Causes ill-defined or unknown	{ M. 2 F. 3

* Including erysipelas, septicemia, dysentery, acute poliomyelitis, and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1942.

International Nos. Short List.	CAUSES OF DEATH.	STIRLING COUNTY (excluding Large Burghs).													SUTHERLAND COUNTY.												
		All Ages.	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.		
	All Causes—Both Sexes . . .	1,252	129	36	8	11	41	49	71	117	170	305	262	53	243	7	4	2	1	6	6	8	13	24	54	88	30
	Males . . .	666	75	19	4	8	20	24	37	61	100	163	138	17	114	3	2	1	1	3	3	4	8	11	27	37	14
	Females . . .	586	54	17	4	3	21	25	34	56	70	142	124	36	129	4	2	1	.	3	3	4	5	13	27	51	16
1	Typhoid fever (including Para-typhoid) {M. {F.
14 (1)	Cerebro-spinal fever {M. {F.	1	1	1	1	.	1
3	Scarlet fever {M. {F.	1	1
4	Whooping-cough {M. {F.
5	Diphtheria {M. {F.	1	1	1
6	Tuberculosis of respiratory system . {M. {F.	16	1	.	.	2	6	3	2	2	5	.	.	.	1	2	1	1
7	Other forms of tuberculosis . . . {M. {F.	7	5	.	1	3	2	1	1	1	1	1	.	1	4
9	Syphilis {M. {F.	2	.	.	.	1	.	.	.	2	1	.	.	1	1
10	Influenza {M. {F.	5	1	1	.	.	1	1	1	3	1	1
12	Measles {M. {F.	1	1	1
14 (2)	Other infectious or parasitic diseases (2, 8, 11, 18)* . . . {M. {F.	3	.	.	1	1	.	2	1	1	.	1	1
15	Cancer, malignant tumours . . . {M. {F.	89	1	.	.	.	3	7	15	20	26	17	2	20	1	4	1	6	7	1	1	.
16	Tumours, non-malignant or not defined {M. {F.	83	3	5	14	18	23	18	.	15	1	.	2	9	2	1	.	.
20 (1)	Acute rheumatism {M. {F.	1	.	.	1	1	1
18	Diabetes mellitus {M. {F.	5	.	.	.	1	1	.	.	.	3	6	1	1	3	1	2	1
20 (2)	Other general diseases (17, 19) . . {M. {F.	5	1	1	.	1	1	1	2	2	4	.	.	3	2	.	1	2	1
21	Meningitis, diseases of spinal cord . {M. {F.	4	1	2	1	1	1	1
(a)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)
22	Cerebral hæmorrhage, &c.	{ M. F. }	82 71	1	2	1	2	1	1	2	1	2	1	2	1	2	1	2	1	2	1
23	Other diseases of nervous system	{ M. F. }	11 10	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
24	Heart disease	{ M. F. }	151 144	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
25	Other circulatory diseases	{ M. F. }	13 8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
26	Bronchitis	{ M. F. }	28 19	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
27	Pneumonia	{ M. F. }	31 29	10 14	2 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
28	Other respiratory diseases	{ M. F. }	8 4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
32 (1)	Gastric and duodenal ulcer	{ M. F. }	6 1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
29	Diarrhoea (all ages)	{ M. F. }	12 9	7 4	1 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
30	Appendicitis	{ M. F. }	5	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
31 (1)	Cirrhosis of liver	{ M. F. }	2 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
31 (2)	Other diseases of liver	{ M. F. }	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
32 (2)	Other digestive diseases	{ M. F. }	6 8	2 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
33	Nephritis, acute or chronic	{ M. F. }	17 17	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
34	Other diseases of genito-urinary system	{ M. F. }	18 5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
35	Puerperal sepsis	{ M. F. }	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
36	Other puerperal causes	{ M. F. }	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
37	Diseases of skin and organs of movement	{ M. F. }	6 2	2 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
38	Congenital debility, premature birth, malformation, &c.	{ M. F. }	45 29	44 29	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
39	Old age	{ M. F. }	22 29	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
40	Suicide	{ M. F. }	2 4	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
42	Road transport accidents	{ M. F. }	11 4	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
43	Other violence (41)	{ M. F. }	36 15	1 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
44	Causes ill-defined or unknown	{ M. F. }	11 6	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1

* Including erysipelas, septicæmia, dysentery, acute poliomyelitis, and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1942.

International Nos. Short List.	CAUSES OF DEATH.	WEST LOTHIAN COUNTY.													WIGTOWN COUNTY.												
		All Ages.	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.		
	All Causes—Both Sexes . .	859	98	20	11	8	29	25	47	74	149	189	178	31	51	7	2	1	9	10	9	28	73	92	91	28	
	Males . .	475	54	9	4	5	14	12	28	41	79	113	101	15	29	5	2	1	6	3	5	12	37	56	47	6	
	Females . .	384	44	11	7	3	15	13	19	33	70	76	77	16	22	2	2	1	3	7	4	16	36	36	44	22	
1	Typhoid fever (including Paratyphoid) {M. {F.	
14 (1)	Cerebro-spinal fever {M. {F.	2	1	1	
3	Scarlet fever {M. {F.	1	1	
4	Whooping-cough {M. {F.	1	
5	Diphtheria {M. {F.	1	.	1	
6	Tuberculosis of respiratory system {M. {F.	10	2	.	.	.	3	2	1	1	.	1	.	.	5	.	.	1	2	2	2	.	1	.	.	.	
7	Other forms of tuberculosis {M. {F.	4	.	2	.	.	1	.	1	.	1	1	1	.	8	1	1	.	1	.	1	
9	Syphilis {M. {F.	1	1	.	.	.	2	1	
10	Influenza {M. {F.	3	1	1	1	.	1	.	5	2	1	1	1	1	1	.	
12	Measles {M. {F.	1	1	
14 (2)	Other infectious or parasitic diseases (2, 8, 11, 13) {M. {F.	6	1	.	1	.	.	.	1	1	1	1	.	.	1	1	1	1	1	1	.	
15	Cancer, malignant tumours {M. {F.	69	.	.	1	1	1	1	1	1	14	16	23	12	25	2	8	11	4	2	.	
16	Tumours, non-malignant or not defined {M. {F.	3	.	1	1	.	1	1	1	2	10	20	8	12	31	3	9	9	7	2	.	
20 (1)	Acute rheumatism {M. {F.	1	.	.	1	1	
18	Diabetes mellitus {M. {F.	3	1	.	.	5	1	1	1	1	1	
20 (2)	Other general diseases (17, 19) {M. {F.	7	2	.	.	.	1	1	1	1	1	3	1	3	7	1	.	.	1	.	3	2	1	1	1	.	
21	Meningitis, diseases of spinal cord {M. {F.	1	1	1	2	1	.	1	.	.	1	(a)	
	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)		

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
22	Cerebral hemorrhage, &c.	{ M. 43 F. 66 }	7	4	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
23	Other diseases of nervous system	{ M. 7 F. 10 }	100	10	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
24	Heart disease	{ M. 80 F. 12 }	100	10	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
25	Other circulatory diseases	{ M. 12 F. 4 }	100	10	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
26	Bronchitis	{ M. 30 F. 13 }	100	10	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
27	Pneumonia	{ M. 28 F. 17 }	100	10	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
28	Other respiratory diseases	{ M. 13 F. 6 }	100	10	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
32 (1)	Gastric and duodenal ulcer	{ M. 5 F. 1 }	100	10	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
29	Diarrhoea (all ages)	{ M. 4 F. 5 }	100	10	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
30	Appendicitis	{ M. 2 F. 3 }	100	10	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
31 (1)	Cirrhosis of liver	{ M. 2 F. 2 }	100	10	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
31 (2)	Other diseases of liver	{ M. 1 F. 4 }	100	10	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
32 (2)	Other digestive diseases	{ M. 6 F. 7 }	100	10	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
33	Nephritis, acute or chronic	{ M. 11 F. 10 }	100	10	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
34	Other diseases of genito-urinary system	{ M. 7 F. 7 }	100	10	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
35	Puerperal sepsis	{ M. 1 F. 1 }	100	10	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
36	Other puerperal causes	{ M. 1 F. 1 }	100	10	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
37	Diseases of skin and organs of movement	{ M. 3 F. 3 }	100	10	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
38	Congenital debility, premature birth, malformation, &c.	{ M. 29 F. 20 }	100	10	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
39	Old age	{ M. 17 F. 9 }	100	10	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
40	Suicide	{ M. 1 F. 3 }	100	10	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
42	Road transport accidents	{ M. 9 F. 9 }	100	10	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
43	Other violence (41)	{ M. 24 F. 11 }	100	10	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
44	Causes ill-defined or unknown	{ M. 8 F. 3 }	100	10	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

* Including erysipelas, septicaemia, dysentery, acute poliomyelitis, and lethargic encephalitis.

† Including 1 of unstated age.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1942.

International Nos.	Short List.	CAUSES OF DEATH.	ZETLAND COUNTY.													UNALLOCATED DEATHS (See note p 27).												
			All Ages.	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.		
		All Causes—Both Sexes . . .	802	13	1	2	.	2	6	11	17	44	72	87	47	1653	5	8	24	711	578	205	75	20	6	2	.	
		Males . . .	139	5	1	1	.	2	3	6	10	19	33	33	21	1187	2	4	18	686	567	196	73	16	5	1	.	
		Females . . .	163	8	1	1	.	.	3	5	7	25	34	54	26	66	3	4	6	25	11	9	2	4	1	1	.	
1		Typhoid fever (including Para-typhoid) . . . {M. {F.	2	.	.	.	1	.	1	
14 (1)		Cerebro-spinal fever . . . {M. {F.	6	.	.	.	3	2	1	
3		Scarlet fever . . . {M. {F.	
4		Whooping-cough . . . {M. {F.	1	1	
5		Diphtheria . . . {M. {F.	3	2	.	1	
6		Tuberculosis of respiratory system. {M. {F.	2	2	.	1	.	.	1	1	1	73	.	.	.	36	22	12	8	
7		Other forms of tuberculosis . . {M. {F.	4	.	1	1	1	1	1	1	27	.	.	.	16	7	4	
9		Syphilis . . . {M. {F.	10	3	5	2
10		Influenza . . . {M. {F.	1	1	1	1	
12		Measles . . . {M. {F.	1	.	.	.	1	
14 (2)		Other infectious or parasitic diseases {M. {F.	1	8	.	.	.	4	2	2	
15		Cancer, malignant tumours . . {M. {F.	13	1	1	1	1	8	1	2	42	42	.	.	.	3	15	16	6	2	.	.	.	
16		Tumours, non-malignant or not defined {M. {F.	19	2	1	5	5	6	.	.	1	1	.	.	1	.	1	2	
20 (1)		Acute rheumatism . . . {M. {F.	2	2	.	.	1	.	1	
18		Diabetes mellitus . . . {M. {F.	2	1	1	.	2	2	2	
20 (2)		Other general diseases (17, 19) . {M. {F.	1	1	1	.	.	.	1	11	11	.	.	4	4	1	2	
21		Meningitis, diseases of spinal cord {M. {F.	2	2	2	2	.	.	.	1	.	1	.	1	.	.	.	
(2)		(c)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)

[illegible]

* Including erysipelas, septicaemia, dysentery, acute poliomyelitis, and lethargic encephalitis.

† Including 19 of unstated age.

t Including 1 of unstated age.

§ Including the following
deaths of Civilians:—

|| Including 18 of unstated age.

International Nos. Short List.		SCOTLAND.	ABERDEEN COUNTY.					Marginal Index Numbers
			Aberdeen County.	Aberdeen B.	Ballater B.	Ellon B.	Fraserburgh B.	
	Population (Estimated)*	5,006,689	326,042	179,628	1,239	1,390	10,369	1
	Total Live Births Registered (inc. Illeg.)	90,697	5,977	3,313	17	11	170	2
	" " Corr. for Mother's Resid. (,,)	90,697	5,732	2,904	18	30	210	3
	" " " Male	46,415	2,935	1,464	8	13	98	4
	" " " Female	44,282	2,797	1,440	10	17	112	5
	" " " Illegitimate	6,455	606	248	1	3	16	6
	Still-births Registered (inc. Illegitimate)	3,602	219	136	-	-	6	7
	" " Corr. for Mother's Residence	3,602	200	91	1	1	9	8
	Marriages Registered	47,514	3,050	2,034	10	34	108	9
	Deaths Registered	64,963	4,128	2,676	15	13	85	10
	" " Corrected for Residence	64,963	3,892	2,224	26	13	106	11
	" " " Male	33,813	1,900	1,051	15	4	55	12
	" " " Female	31,150	1,992	1,173	11	9	51	13
	CAUSES OF DEATH.							
1	Typhoid fever (including Paratyphoid)	20	1	-	-	-	-	14
14 (1)	Cerebro-spinal fever	180	9	3	1	-	1	15
3	Scarlet fever	24	-	-	-	-	-	16
4	Whooping-cough	92	5	5	-	-	-	17
5	Diphtheria	290	17	15	-	-	-	18
6	Tuberculosis of respiratory system	3,043	114	76	1	-	4	19
7	Other forms of tuberculosis	955	54	31	-	-	2	20
9	Syphilis	306	28	24	-	-	-	21
10	Influenza	308	7	4	-	-	1	22
12	Measles	144	4	4	-	-	-	23
14 (2)	Other infect. or parasitic dis. (2, 8, 11, 13)†	461	31	20	1	-	-	24
15	Cancer, malignant tumours	8,557	516	306	3	-	18	25
16	Tumours, non-malignant or not defined	226	13	9	-	-	-	26
20 (1)	Acute rheumatism	103	3	1	-	-	-	27
18	Diabetes mellitus	639	37	22	-	-	1	28
20 (2)	Other general diseases (17, 19)	1,043	54	31	1	1	3	29
21	Meningitis, Disease of spinal cord	332	12	7	-	-	-	30
22	Cerebral hamorrhage, &c.	7,149	526	327	2	2	15	31
23	Other diseases of nervous system	1,044	59	33	1	-	5	32
24	Heart disease	15,069	998	522	8	6	21	33
25	Other circulatory diseases	1,479	133	81	1	-	3	34
26	Bronchitis	2,439	111	66	-	-	4	35
27	Pneumonia	2,782	131	81	-	1	3	36
28	Other respiratory diseases	969	50	30	-	-	1	37
32 (1)	Gastric and duodenal ulcer	587	44	26	-	-	-	38
29	Diarrhoea (all ages)	1,053	60	39	-	-	5	39
30	Appendicitis	291	19	12	-	-	-	40
31 (1)	Cirrhosis of liver	124	6	3	-	-	-	41
31 (2)	Other diseases of liver	313	19	11	-	-	-	42
32 (2)	Other digestive diseases	806	62	38	1	1	-	43
33	Nephritis, acute or chronic	1,443	93	53	-	-	7	44
34	Other dis. of genito-urinary system	1,107	101	59	1	-	-	45
35	Puerperal sepsis	161	5	5	-	-	-	46
36	Other puerperal causes	221	13	8	-	-	1	47
37	Dis. of skin and organs of movement	337	29	11	1	-	-	48
38	Congen. debil., prem. birth, malform., &c.	3,296	187	101	-	1	3	49
39	Old age	2,070	98	38	1	1	2	50
40	Suicide	377	25	14	-	-	1	51
42	Road transport accidents	991	42	18	2	-	2	52
43	Other violence (41)	3,037	131	59	-	-	3	53
44	Causes ill-defined or unknown	1,095	45	31	-	-	-	54
	ALL CAUSES	64,963	3,892	2,224	26	13	106	55
	AGES AT DEATH.							
	Under 1	6,283	346	194	1	1	9	56
	1-4	1,429	63	39	-	1	4	57
	5-9	639	31	21	-	-	-	58
	10-14	536	27	16	1	-	-	59
	15-24	2,817	90	47	-	-	6	60
	25-34	2,871	116	72	1	-	2	61
	35-44	3,419	167	94	2	1	4	62
	45-54	5,453	290	189	1	1	10	63
	55-64	9,481	527	337	3	-	18	64
	65-74	15,160	961	555	6	6	29	65
	75-84	13,181	963	513	8	2	19	66
	85 and over	3,666	310	147	3	1	5	67
	Not stated	28	1	-	-	-	-	68
	ALL AGES	64,963	3,892	2,224	26	13	106	69

* These populations are for the year 1939, as no later estimates are available in the case of Small Burghs and Landward areas.

† Including erysipelas, septicaemia, dysentery, acute poliomyelitis, and lethargic encephalitis.

Marginal Index Numbers.	ABERDEEN COUNTY—(continued).								ANGUS COUNTY.				
	Huntly B.	Inverurie B.	Kintore B.	Old Meldrum B.	Peterhead B.	Rosehearty B.	Turriff B.	Landward.	Angus County.	Arbroath B.	Brechin B.	Carnoustie B.	Dundee B.
1	3,939	4,734	799	1,007	13,064	1,109	2,596	106,168	272,467	18,194	6,453	4,805	178,013
2	92	49	15	11	201	15	134	1,949	4,530	343	53	32	3,104
3	91	97	21	18	247	21	73	2,002	4,420	361	114	53	2,770
4	50	55	10	7	124	11	46	1,049	2,298	184	62	34	1,440
5	41	42	11	11	123	10	27	953	2,122	177	52	19	1,330
6	11	8	2	2	29	—	8	278	403	35	16	9	224
7	—	—	—	—	9	2	6	60	210	16	4	—	167
8	—	1	1	—	14	3	3	76	191	22	7	1	132
9	58	75	9	10	132	4	35	541	2,334	210	92	35	1,599
10	57	57	9	9	108	29	35	1,035	3,960	286	126	73	2,488
11	48	61	12	15	136	20	42	1,183	3,722	232	127	99	2,329
12	22	26	8	9	61	8	15	626	1,732	149	59	41	1,065
13	26	35	4	6	75	12	27	563	1,990	133	68	58	1,264
14	—	—	—	—	—	—	—	1	1	—	—	—	1
15	—	—	—	—	1	—	—	3	8	—	1	—	6
16	—	—	—	—	—	—	—	—	1	—	—	—	1
17	—	—	—	—	—	—	—	—	7	—	—	—	5
18	—	—	—	—	—	—	—	2	32	—	—	1	28
19	—	2	1	—	4	1	—	25	166	7	3	4	122
20	2	1	—	—	1	—	—	17	51	1	2	1	40
21	—	—	—	—	—	—	—	4	18	2	1	—	10
22	—	—	—	—	—	—	—	2	9	—	—	1	6
23	—	—	—	—	—	—	—	—	6	—	—	—	6
24	2	—	—	—	1	—	1	6	31	1	—	1	22
25	4	8	—	3	14	2	11	147	491	33	13	10	322
26	1	—	—	—	1	—	—	2	21	1	—	—	15
27	—	—	—	—	—	—	—	2	5	—	—	—	2
28	2	2	—	—	2	—	—	8	33	2	1	1	18
29	—	—	1	—	5	—	—	12	67	5	4	2	45
30	—	—	—	—	1	—	—	3	14	1	—	—	8
31	4	7	1	2	20	1	5	140	469	55	18	12	267
32	—	—	—	—	2	—	—	18	51	6	1	1	26
33	14	18	5	2	27	8	13	354	1,042	83	46	28	639
34	2	1	1	—	4	1	1	38	58	2	—	1	29
35	3	1	—	2	6	2	—	27	118	12	3	1	73
36	2	1	1	1	5	—	—	36	129	13	3	2	82
37	—	2	—	1	1	—	1	14	68	4	2	—	44
38	1	1	—	—	1	1	—	14	37	5	1	—	24
39	—	—	—	—	5	—	1	10	35	2	1	—	24
40	—	—	—	1	1	—	—	5	24	1	4	—	15
41	—	—	—	—	—	1	—	2	6	—	—	1	4
42	1	—	—	1	—	—	—	6	21	1	1	—	15
43	—	—	—	—	4	—	3	15	49	2	5	3	34
44	2	—	—	—	2	—	—	29	81	3	2	—	54
45	—	1	—	1	2	2	—	35	67	8	2	1	42
46	—	—	—	—	—	—	—	—	8	—	1	—	4
47	—	1	—	—	—	—	—	3	11	1	—	—	6
48	—	1	—	—	2	—	—	14	15	—	—	—	12
49	2	2	—	—	11	1	2	64	152	12	6	2	107
50	1	5	1	—	10	—	2	37	124	6	2	18	47
51	—	2	—	—	—	—	—	8	31	1	1	3	22
52	1	—	—	1	—	—	—	18	32	2	—	—	17
53	4	3	1	—	3	—	2	56	124	10	3	4	80
54	—	2	—	—	—	—	—	12	9	—	—	1	5
55	48	61	12	15	136	20	42	1,189	3,722	282	127	99	2,329
56	3	4	—	1	23	1	3	106	276	25	8	3	187
57	2	—	—	—	2	—	—	15	86	1	1	—	70
58	—	—	—	1	3	—	—	6	40	—	4	1	28
59	—	—	—	—	—	—	1	9	22	1	—	—	15
60	1	—	—	—	4	—	1	31	87	4	4	1	62
61	1	1	—	—	3	1	—	35	113	6	5	4	62
62	1	2	—	—	7	—	1	55	158	15	1	5	107
63	6	7	2	2	13	—	2	57	278	20	7	5	191
64	4	12	1	1	13	4	2	132	537	38	19	13	354
65	8	10	4	5	32	8	8	290	992	82	33	28	618
66	15	18	5	3	28	4	20	328	886	71	33	25	520
67	7	7	—	2	8	2	4	124	247	19	12	14	115
68	—	—	—	—	—	—	—	1	—	—	—	—	—
69	48	61	12	15	136	20	42	1,189	3,722	282	127	99	2,329

International Nos. Short List.		ANGUS COUNTY—(continued).					ARGYLL COUNTY.		Marginal Index Numbers.
		Forfar B.	Kirriemuir B.	Monifieth B.	Montrose B.	Landward.	Argyll County.	Campbeltown B.	
	Population (Estimated)* - - -	9,796	3,414	3,239	10,789	37,764	61,830	6,464	1
	Total Live Births Registered (inc. Illeg.) - - -	459	28	15	86	410	1,061	227	2
	" " Corr. for Mother's Resid. (,,) - - -	161	49	35	183	694	1,093	183	3
	" " " Male - - -	83	22	23	100	350	602	103	4
	" " " Female - - -	78	27	12	83	344	491	80	5
	" " " Illegitimate - - -	15	6	4	10	84	84	15	6
	Still-births Registered (inc. Illegitimate) - - -	10	1	-	2	10	30	8	7
	" Corr. for Mother's Residence - - -	6	1	1	6	15	35	5	8
	Marriages Registered - - -	89	34	18	90	167	425	62	9
	Deaths Registered - - -	144	49	48	124	622	1,063	97	10
	" Corrected for Residence - - -	151	61	50	147	476	1,025	93	11
	" " " Male - - -	67	29	18	65	239	497	42	12
	" " " Female - - -	84	32	32	82	237	528	51	13
	CAUSES OF DEATH.								
1	Typhoid fever (including Paratyphoid) - - -	-	-	-	-	-	-	-	14
14 (1)	Cerebro-spinal fever - - -	-	1	-	-	-	-	-	15
3	Scarlet fever - - -	-	-	-	-	-	1	-	16
4	Whooping-cough - - -	1	-	-	-	1	-	-	17
5	Diphtheria - - -	-	-	-	-	3	2	-	18
6	Tuberculosis of respiratory system - - -	3	3	1	7	16	29	2	19
7	Other forms of tuberculosis - - -	-	1	-	-	6	7	1	20
9	Syphilis - - -	1	-	-	1	3	1	-	21
10	Influenza - - -	-	-	-	1	1	11	-	22
12	Measles - - -	1	-	-	-	-	1	-	23
14 (2)	Other infect. or parasitic dis. (2, 8, 11, 13)† - - -	19	8	10	17	59	146	15	24
15	Cancer, malignant tumours - - -	-	-	-	2	3	5	-	25
16	Tumours, non-malignant or not defined - - -	1	-	-	-	2	-	-	26
20 (1)	Acute rheumatism - - -	2	-	-	1	5	11	-	27
18	Diabetes mellitus - - -	3	1	1	2	4	19	2	28
20 (2)	Other general diseases (17, 19) - - -	3	-	-	1	1	10	1	29
21	Meningitis, Disease of spinal cord - - -	31	9	5	20	52	136	12	30
22	Cerebral hæmorrhage, &c. - - -	1	1	-	5	10	5	-	31
23	Other diseases of nervous system - - -	40	20	12	37	137	264	26	32
24	Heart disease - - -	7	1	-	6	12	26	-	33
25	Other circulatory diseases - - -	2	2	5	4	16	27	1	34
26	Bronchitis - - -	5	1	1	3	19	29	3	35
27	Pneumonia - - -	2	1	2	4	9	11	-	36
28	Other respiratory diseases - - -	1	1	-	-	5	9	-	37
32 (1)	Gastric and duodenal ulcer - - -	1	1	1	1	4	3	-	38
29	Diarrhoea (all ages) - - -	1	-	1	-	2	1	-	39
30	Appendicitis - - -	-	-	-	-	1	4	1	40
31 (1)	Cirrhosis of liver - - -	3	-	-	-	1	2	1	41
31 (2)	Other diseases of liver - - -	-	1	-	-	3	8	1	42
32 (2)	Other digestive diseases - - -	1	1	2	3	15	32	6	43
33	Nephritis, acute or chronic - - -	1	1	2	1	9	20	2	44
34	Other dis. of genito-urinary system - - -	-	-	-	-	3	1	-	45
35	Puerperal sepsis - - -	2	-	-	-	2	1	-	46
36	Other puerperal causes - - -	-	-	-	-	3	3	1	47
37	Dis. of skin and organs of movement - - -	3	1	-	-	21	35	9	48
38	Congen. debil., prem. birth, malform., &c. - - -	7	3	1	20	20	72	1	49
39	Old age - - -	1	-	-	2	1	2	1	50
40	Suicide - - -	2	-	2	1	8	7	3	51
42	Road transport accidents - - -	6	3	-	5	13	51	1	52
43	Other violence (41) - - -	-	-	1	-	2	28	1	53
44	Causes ill-defined or unknown - - -	151	61	50	147	476	1,025	93	54
	ALL CAUSES - - -	151	61	50	147	476	1,025	93	55
	AGES AT DEATH.								
	Under 1 - - -	10	3	1	4	35	49	13	56
	1-4 - - -	1	1	2	-	10	8	2	57
	5-9 - - -	1	-	2	-	4	7	2	58
	10-14 - - -	-	1	-	1	4	4	1	59
	15-24 - - -	-	2	1	2	11	17	-	60
	25-34 - - -	7	-	-	5	24	27	-	61
	35-44 - - -	2	1	4	4	19	44	3	62
	45-54 - - -	9	2	4	11	29	62	5	63
	55-64 - - -	24	8	7	22	52	123	15	64
	65-74 - - -	44	18	9	37	123	246	17	65
	75-84 - - -	40	14	15	44	124	308	24	66
	85 and over - - -	13	11	5	17	41	128	11	67
	Not stated - - -	-	-	-	-	-	2	-	68
	ALL AGES - - -	151	61	50	147	476	1,025	93	69

* These populations are for the year 1939, as no later estimates are available in the case of Small Burghs and Landward areas.

† Including erysipelas, septicæmia, dysentery, acute poliomyelitis and lethargic encephalitis.

Marginal Index Numbers.	ARGYLL COUNTY—(continued).						AYR COUNTY.						
	Dunoon B.	Inveraray B.	Lochgilthead B.	Oban B.	Tobermory B.	Landward.	Ayr County.	Ardrossan B.	Ayr B.	Cumnock and Holmhead B.	Darvel B.	Galston B.	Girvan B.
1	7,882	449	1,060	5,816	759	39,400	296,622	7,697	41,286	4,141	3,322	4,713	5,406
2	254	2	10	114	12	432	5,881	111	1,261	59	23	71	119
3	187	4	15	119	11	574	5,863	204	774	106	42	92	107
4	97	2	6	67	6	321	2,959	100	379	60	18	43	48
5	90	2	9	52	5	253	2,904	104	395	46	24	49	59
6	15	-	1	9	-	44	319	13	53	8	-	4	8
7	5	-	1	2	-	14	210	1	93	2	-	-	3
8	5	-	1	3	-	21	212	6	33	5	1	3	4
9	92	12	5	90	-	164	2,980	99	526	58	31	42	60
10	174	6	13	144	9	620	3,716	74	722	43	29	37	70
11	175	5	13	86	11	642	3,665	116	519	55	45	50	70
12	76	1	6	41	6	325	1,853	57	262	33	23	24	30
13	99	4	7	45	5	317	1,812	59	257	22	22	26	40
14	-	-	-	-	-	-	2	-	1	-	-	-	-
15	-	-	-	-	-	-	27	1	3	-	-	1	1
16	-	-	-	-	-	1	1	-	-	-	-	-	-
17	-	-	-	-	-	-	2	-	-	-	-	-	-
18	2	-	-	-	-	-	16	1	1	1	-	-	-
19	2	-	-	3	1	21	124	5	21	1	2	3	-
20	1	-	-	-	1	4	57	9	8	-	-	2	1
21	-	1	-	-	-	-	17	-	4	-	-	-	-
22	-	-	-	3	1	7	10	-	-	-	-	-	-
23	-	-	-	-	-	1	11	2	6	-	-	-	-
24	-	-	-	2	-	1	29	1	3	-	1	-	-
25	25	-	2	13	-	91	459	16	59	5	6	3	9
26	-	-	-	1	-	4	16	-	2	-	-	-	1
27	-	-	-	-	-	-	6	-	-	-	-	-	-
28	3	-	1	1	-	6	38	1	4	2	-	-	-
29	1	1	-	2	-	13	70	2	10	1	3	2	2
30	3	-	-	1	-	5	18	1	3	-	-	-	-
31	17	1	1	10	2	93	436	14	53	7	7	6	10
32	-	-	-	-	1	4	73	-	9	-	1	-	-
33	55	2	-	18	2	161	857	14	126	15	11	15	16
34	6	-	1	1	-	18	76	7	9	1	-	1	-
35	6	-	-	-	-	20	109	3	12	-	-	4	3
36	7	-	2	2	-	15	149	7	22	1	2	2	4
37	3	-	-	3	-	5	55	1	7	2	-	-	3
38	2	-	-	3	-	4	36	1	6	-	2	-	-
39	2	-	-	-	-	1	64	5	13	-	1	-	2
40	-	-	-	-	-	1	23	-	4	-	-	-	-
41	1	-	-	-	-	2	5	-	1	-	-	-	-
42	-	-	-	1	-	-	16	-	3	-	-	-	-
43	2	-	-	1	-	4	43	-	11	1	-	-	3
44	3	-	-	4	-	19	81	4	12	2	1	2	1
45	5	-	1	1	1	10	77	1	13	2	3	4	1
46	-	-	-	-	-	1	10	-	1	-	-	1	-
47	-	-	-	-	-	1	11	-	2	-	-	-	-
48	-	-	-	-	-	2	20	-	-	-	-	-	-
49	7	-	-	4	-	15	233	8	32	6	1	1	4
50	2	-	4	4	2	59	138	5	19	1	3	1	5
51	-	-	-	-	-	1	16	-	4	-	-	-	-
52	1	-	-	-	-	3	37	-	4	1	-	-	-
53	10	-	-	2	-	38	137	5	15	4	-	2	2
54	9	-	1	6	-	11	60	2	16	-	1	-	2
55	175	5	13	86	11	642	3,665	116	519	55	45	50	70
56	9	-	1	7	-	19	423	23	57	7	4	5	8
57	1	-	-	-	1	4	105	5	21	2	-	1	3
58	1	-	-	-	-	4	44	2	6	3	-	-	-
59	1	-	-	1	-	1	27	1	7	-	-	-	-
60	2	-	-	3	-	12	118	9	9	2	2	4	2
61	5	-	-	1	-	21	150	5	27	2	-	4	2
62	3	-	1	4	1	32	153	2	19	-	2	1	1
63	13	-	-	6	-	38	275	9	44	4	5	3	6
64	15	4	1	8	1	79	510	11	32	9	11	3	6
65	56	1	2	28	2	140	887	18	108	11	11	18	17
66	54	-	4	21	5	200	761	24	104	12	6	10	18
67	15	-	4	7	1	90	212	7	35	3	4	1	7
68	-	-	-	-	-	2	-	-	-	-	-	-	-
69	175	5	13	86	11	642	3,665	116	519	55	45	50	70

International Nos. Short List.		AYR COUNTY—(continued).							Marginal Index Numbers.
		Irvine B.	Kilmarnock B.	Kilwinning B.	Largs B.	Maybole B.	Newmilns and Greenholm B.	Prestwick B.	
	Population (Estimated)* - - -	13,077	40,417	5,599	6,365	4,443	3,982	9,888	1
	Total Live Births Registered (inc. Illeg.)	157	903	782	55	92	35	126	2
	" " Corr. for Mother's Resid. (,)	279	692	134	102	105	55	203	3
	" " " Male -	141	334	72	53	60	31	95	4
	" " " Female -	138	358	62	49	45	24	108	5
	" " " Illegitimate -	13	22	9	7	8	3	12	6
	Still-births Registered (inc. Illegitimate)	5	42	9	1	4	2	2	7
	" " Corr. for Mother's Residence	8	34	-	1	5	4	5	8
	Marriages Registered - - -	128	417	99	74	58	38	81	9
	Deaths Registered - - -	91	532	77	129	43	36	134	10
	" " Corrected for Residence - -	134	454	71	144	59	45	147	11
	" " " Male -	72	240	38	62	28	21	56	12
	" " " Female -	62	214	33	82	31	24	91	13
	CAUSES OF DEATH.								
	Typhoid fever (including Paratyphoid)	-	-	-	-	-	-	-	14
14 (1)	Cerebro-spinal fever - - -	2	2	1	-	-	-	-	15
3	Scarlet fever - - -	-	-	-	-	-	-	-	16
4	Whooping-cough - - -	-	-	-	-	-	-	-	17
5	Diphtheria - - -	1	-	1	-	-	-	1	18
6	Tuberculosis of respiratory system -	3	19	4	-	2	2	9	19
7	Other forms of tuberculosis -	2	8	1	1	2	1	-	20
9	Syphilis - - -	-	2	-	-	-	-	2	21
10	Influenza - - -	-	1	-	1	-	-	-	22
12	Measles - - -	-	-	-	1	-	-	-	23
14 (2)	Other infect. or parasitic dis. (2, 8, 11, 13)+	1	5	-	-	-	-	2	24
15	Cancer, malignant tumours - - -	24	56	11	26	12	8	14	25
16	Tumours, non-malignant or not defined -	-	1	-	1	-	-	-	26
20 (1)	Acute rheumatism - - -	-	2	-	-	-	-	-	27
18	Diabetes mellitus - - -	3	4	-	3	1	-	-	28
20 (2)	Other general diseases (17, 19) -	2	7	-	2	1	3	5	29
21	Meningitis, Disease of spinal cord -	1	2	-	2	-	-	1	30
22	Cerebral hæmorrhage, &c. - - -	23	55	6	23	6	5	23	31
23	Other diseases of nervous system -	2	8	5	2	3	-	2	32
24	Heart disease - - -	24	102	12	40	10	8	45	33
25	Other circulatory diseases - - -	2	9	2	2	2	2	3	34
26	Bronchitis - - -	2	17	4	2	2	2	4	35
27	Pneumonia - - -	6	23	1	3	2	4	3	36
28	Other respiratory diseases - - -	4	6	2	-	2	-	4	37
32 (1)	Gastric and duodenal ulcer - - -	1	4	-	1	-	-	1	38
29	Diarrhoea (all ages) - - -	-	6	3	2	-	-	1	39
30	Appendicitis - - -	1	3	-	-	-	1	-	40
31 (1)	Cirrhosis of liver - - -	-	-	-	-	-	-	-	41
31 (2)	Other diseases of liver - - -	-	1	-	-	-	2	-	42
32 (2)	Other digestive diseases - - -	2	5	1	1	1	-	2	43
33	Nephritis, acute or chronic - - -	1	8	2	2	3	-	2	44
34	Other dis. of genito-urinary system -	1	5	2	2	1	3	3	45
35	Puerperal sepsis - - -	-	1	-	-	-	1	1	46
36	Other puerperal causes - - -	-	2	1	-	-	-	-	47
37	Dis. of skin and organs of movement -	-	4	1	1	-	-	2	48
38	Congen. debil., prem. birth, malform. &c.	9	35	3	4	4	-	6	49
39	Old age - - -	3	12	3	15	1	2	5	50
40	Suicide - - -	-	4	-	1	1	-	-	51
42	Road transport accidents - - -	2	4	-	1	-	-	1	52
43	Other violence (41) - - -	10	26	2	3	1	1	4	53
44	Causes ill-defined or unknown - -	2	5	3	2	2	-	1	54
	ALL CAUSES - - -	134	454	71	144	59	45	147	55
	AGES AT DEATH.								
	Under 1 - - -	11	58	12	7	4	3	9	56
	1-4 - - -	4	12	1	-	1	1	1	57
	5-9 - - -	2	11	1	-	1	-	3	58
	10-14 - - -	1	5	-	-	-	-	1	59
	15-24 - - -	1	21	5	-	3	-	4	60
	25-34 - - -	10	17	3	4	4	2	6	61
	35-44 - - -	6	20	2	4	-	3	10	62
	45-54 - - -	11	37	6	6	2	2	8	63
	55-64 - - -	27	58	6	13	4	5	16	64
	65-74 - - -	33	106	26	47	22	13	39	65
	75-84 - - -	16	86	7	44	17	11	39	66
	85 and over - - -	12	23	2	17	1	5	11	67
	Not stated - - -	-	-	-	-	-	-	-	68
	ALL AGES - - -	134	454	71	144	59	45	147	69

* These populations are for the year 1939, as no later estimates are available in the case of Small Burghs and Landward areas.

Including erysipelas, septicaemia, dysentery, acute poliomyelitis and lethargic encephalitis

Marginal Index Numbers.	AYR COUNTY—(continued).				BANFF COUNTY.									
	Saltcoats B.	Stewarton B.	Troon B.	Landward.	Banff County.	Aberchirder B.	Banff B.	Buckie B.	Charlestown of Aberlour B.	Cullen B.	Dufftown B.	Findochty B.	Keith B.	Macduff B.
1	11,177	2,741	8 688	123,730	53,405	901	3,292	8,462	1,210	1,737	1,420	1,722	4,424	3,278
2	131	27	113	1,816	999	24	149	201	8	36	29	29	116	44
3	267	44	195	2,462	1,016	18	66	163	7	33	28	30	86	69
4	135	28	101	1,261	488	8	33	74	3	16	19	13	42	38
5	132	16	94	1,201	528	10	33	89	4	17	9	17	44	31
6	12	1	2	144	116	2	11	16	-	-	3	1	12	10
7	5	2	2	37	19	-	5	2	2	-	-	1	1	-
8	13	2	6	82	22	-	1	1	2	-	-	1	1	1
9	120	26	104	1,019	386	7	49	71	12	15	5	7	45	10
10	104	40	93	1,462	564	28	77	84	9	18	22	10	45	29
11	160	52	120	1,424	601	16	53	86	7	21	17	14	47	48
12	80	23	60	744	288	6	21	33	3	12	4	7	25	21
13	80	29	60	680	313	10	32	53	4	9	13	7	22	27
14	-	-	-	1	-	-	-	-	-	-	-	-	-	-
15	2	1	-	13	4	-	-	-	-	-	-	-	-	-
16	-	-	-	1	-	-	-	-	-	-	-	-	-	-
17	-	-	-	2	2	1	-	-	-	-	-	-	-	-
18	-	-	1	9	7	-	-	2	-	-	-	1	-	-
19	9	1	4	39	15	-	1	3	1	-	1	1	2	-
20	4	1	1	16	6	-	-	-	-	-	-	-	-	-
21	1	-	2	6	1	-	-	-	-	-	-	-	-	-
22	1	-	-	7	5	-	-	4	-	-	-	-	1	-
23	-	-	-	2	-	-	-	-	-	-	-	-	-	-
24	2	-	1	13	8	-	-	3	-	-	-	-	1	1
25	17	4	17	172	84	3	9	13	-	1	-	3	6	10
26	-	-	1	10	1	-	-	-	-	-	-	-	-	1
27	-	-	-	4	4	-	-	3	-	-	-	-	-	-
28	5	1	-	14	2	-	-	-	-	-	1	-	-	-
29	2	2	1	25	13	1	1	2	-	-	1	-	1	1
30	1	-	-	7	1	-	-	-	-	-	-	-	-	1
31	13	6	24	155	69	1	8	6	1	2	2	3	9	5
32	1	3	3	34	9	-	3	1	-	-	-	-	1	-
33	36	20	19	344	170	5	10	18	4	5	6	2	18	12
34	3	-	2	31	18	-	-	3	-	1	-	-	-	3
35	5	1	-	48	17	-	4	5	-	1	1	-	-	-
36	6	-	3	60	15	-	1	3	-	2	-	-	1	-
37	2	2	2	18	12	1	3	2	-	-	-	1	1	2
38	2	-	2	16	11	1	1	2	-	-	-	-	1	1
39	5	-	-	24	7	-	2	-	-	1	-	-	-	1
40	1	-	-	13	2	-	1	-	-	-	-	-	-	-
41	-	-	1	3	1	-	-	-	-	-	1	-	-	-
42	2	1	1	6	3	-	-	1	-	-	1	-	-	-
43	-	1	3	12	7	-	1	2	-	-	-	-	-	-
44	3	2	3	33	13	1	2	1	-	-	1	-	1	1
45	3	1	5	27	15	1	-	-	1	-	-	-	2	3
46	-	-	-	5	1	-	1	-	-	-	-	-	-	-
47	2	-	-	4	3	-	-	-	-	-	-	-	-	-
48	-	1	2	9	3	-	-	-	-	-	-	-	1	-
49	10	1	5	104	22	-	-	5	-	4	-	1	1	1
50	7	-	9	47	25	1	3	3	-	2	1	1	-	4
51	1	-	1	4	2	-	1	-	-	-	-	-	-	-
52	3	1	-	20	5	-	-	1	-	-	-	-	-	-
53	10	2	4	46	11	-	-	2	-	1	1	1	-	1
54	1	-	3	20	7	-	1	1	-	1	-	-	-	-
55	160	52	120	1,424	601	16	53	86	7	21	17	14	47	48
56	21	2	11	181	48	1	3	9	-	7	1	1	2	4
57	6	1	1	45	9	-	-	1	-	-	-	1	-	-
58	-	2	-	13	9	-	1	3	-	-	-	-	-	-
59	2	1	-	9	6	-	-	1	-	-	-	-	-	-
60	14	-	4	36	16	1	1	6	-	-	1	-	-	1
61	10	3	1	50	15	1	-	3	-	-	1	-	2	-
62	8	1	5	69	22	-	1	3	-	2	2	2	2	2
63	7	5	13	107	49	-	6	10	1	-	1	1	3	8
64	21	8	14	216	64	2	3	9	1	3	-	1	7	7
65	38	13	33	334	141	4	11	19	1	5	3	4	8	13
66	27	13	30	297	157	4	21	15	1	3	6	2	17	11
67	6	3	8	67	65	3	6	7	3	1	2	2	6	2
68	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	160	52	120	1,424	601	16	53	86	7	21	17	14	47	48

International Nos. Short List.		BANFF COUNTY— (continued).			BERWICK COUNTY.				Marginal Index Numbers.
		Portknochie B.	Portsoy B.	Landward.	Berwick County.	Coldstream B.	Duns B.	Eyemouth B.	
	Population (Estimated)* - - -	1,631	1,744	23,584	26,089	1,210	1,859	2,173	1
	Total Live Births Registered (inc. Illeg.)	13	21	329	334	14	102	27	2
	„ „ Corr. for Mother's Resid. (.),)	18	32	466	396	17	46	29	3
	„ „ „ Male - - -	12	19	211	208	10	16	18	4
	„ „ „ Female - - -	6	13	255	188	7	30	11	5
	„ „ „ Illegitimate - - -	-	6	55	37	1	1	1	6
	Still-Births Registered (inc. Illegitimate)	-	1	7	7	-	2	-	7
	„ „ „ Corr. for Mother's Residence	1	2	12	11	-	2	-	8
	Marriages Registered - - -	2	16	147	165	10	17	26	9
	Deaths Registered - - -	10	25	207	317	22	30	22	10
	„ „ „ Corrected for Residence	14	23	255	371	22	28	33	11
	„ „ „ Male - - -	10	7	139	181	10	12	14	12
	„ „ „ Female - - -	4	16	116	190	12	16	19	13
	CAUSES OF DEATH.								
	Typhoid fever (including Paratyphoid)	-	-	-	-	-	-	-	14
14 (1)	Cerebro-spinal fever - - -	1	-	3	-	-	-	-	15
3	Scarlet fever - - -	-	-	-	-	-	-	-	16
4	Whooping-cough - - -	-	-	1	-	-	-	-	17
5	Diphtheria - - -	-	1	3	1	-	-	-	18
6	Tuberculosis of respiratory system	-	1	5	5	1	-	2	19
7	Other forms of tuberculosis - - -	-	-	6	2	-	-	-	20
9	Syphilis - - -	1	-	-	1	-	-	-	21
10	Influenza - - -	-	-	-	4	-	-	-	22
12	Measles - - -	-	-	-	-	-	-	-	23
14 (2)	Other infect. or parasitic dis. (2, 8, 11, 13)+	-	-	3	3	-	1	-	24
15	Cancer, malignant tumours - - -	4	1	34	52	3	5	4	25
16	Tumours, non-malignant or not defined	-	-	-	3	-	1	-	26
20 (1)	Acute rheumatism - - -	-	-	1	-	-	-	-	27
18	Diabetes mellitus - - -	-	-	1	8	-	1	1	28
20 (2)	Other general diseases (17, 19) - - -	2	2	2	12	1	-	-	29
21	Meningitis, Disease of spinal cord	-	-	-	1	-	-	-	30
22	Cerebral hæmorrhage, &c. - - -	1	1	39	42	4	1	1	31
23	Other diseases of nervous system	-	-	4	7	-	-	-	32
24	Heart disease - - -	2	8	80	102	6	13	6	33
25	Other circulatory diseases - - -	-	3	8	15	2	-	1	34
26	Bronchitis - - -	1	1	4	10	-	-	1	35
27	Pneumonia - - -	-	1	7	15	1	1	2	36
28	Other respiratory diseases - - -	-	-	2	5	-	-	1	37
32 (1)	Gastric and duodenal ulcer - - -	-	-	5	-	-	-	-	38
29	Diarrhoea, (all ages) - - -	-	-	3	2	-	-	-	39
30	Appendicitis - - -	-	-	1	1	-	-	-	40
31 (1)	Cirrhosis of liver - - -	-	-	-	1	-	-	-	41
31 (2)	Other diseases of liver - - -	1	-	-	3	-	-	-	42
32 (2)	Other digestive diseases - - -	-	-	4	6	-	-	-	43
33	Nephritis, acute or chronic - - -	-	1	5	16	1	1	2	44
34	Other dis. of genito-urinary system	1	-	7	4	-	1	-	45
35	Puerperal sepsis - - -	-	-	-	1	-	-	1	46
36	Other puerperal causes - - -	-	-	3	-	-	-	-	47
37	Dis. of skin and organs of movement	-	-	2	2	-	-	1	48
38	Congen. debil., prem. birth, malform. &c.	-	-	10	11	-	3	2	49
39	Old age - - -	-	2	8	11	1	-	5	50
40	Suicide - - -	-	-	1	4	2	-	1	51
42	Road transport accidents - - -	-	-	4	3	-	-	-	52
43	Other violence (41) - - -	-	1	4	9	-	-	2	53
44	Causes ill-defined or unknown - - -	-	-	4	9	-	-	-	54
	ALL CAUSES - - -	14	23	255	371	22	28	33	55
	AGES AT DEATH.								
	Under 1 - - -	-	-	20	17	1	3	4	56
	1-4 - - -	-	1	6	4	-	-	-	57
	5-9 - - -	-	1	4	2	-	-	1	58
	10-14 - - -	-	-	5	2	-	-	-	59
	15-24 - - -	-	1	5	8	-	-	2	60
	25-34 - - -	-	-	8	9	-	-	1	61
	35-44 - - -	-	-	7	16	1	1	3	62
	45-54 - - -	1	-	17	26	3	1	4	63
	55-64 - - -	2	2	27	52	3	3	3	64
	65-74 - - -	6	4	63	97	7	4	5	65
	75-84 - - -	2	8	67	109	7	11	8	66
	85 and over - - -	1	6	26	29	-	5	2	67
	Not stated - - -	-	-	-	-	-	-	-	68
	ALL AGES - - -	14	23	255	371	22	28	33	69

* These populations are for the year 1939, as no later estimates are available in the case of Small Burghs and Landward areas.

† Including erysipelas, septicæmia, dysentery, acute poliomyelitis and lethargic encephalitis.

Marginal Index Numbers.	BERWICK COUNTY— (continued).		BUTE COUNTY.				CAITHNESS COUNTY.				CLACKMANNAN COUNTY.		
	Lauder B.	Landward.	Bute County.	Millport B.	Rothsay B.	Landward.	Caithness County.	Thurso B.	Wick B.	Landward.	Clackmannan County.	Alloa B.	Alva B.
1	608	20,239	16,302	1,516	7,936	6,850	25,693	3,231	7,473	14,989	33,073	13,424	3,977
2	7	184	371	39	243	89	547	56	202	289	502	219	46
3	11	293	366	37	192	137	549	91	169	289	644	256	79
4	6	158	184	17	102	65	264	52	68	144	340	138	40
5	5	135	182	20	90	72	285	39	101	145	304	118	39
6	2	32	35	2	20	13	55	7	12	36	51	25	5
7	-	5	15	-	10	5	18	-	7	11	13	8	2
8	-	9	15	-	9	6	19	1	7	11	23	12	3
9	4	108	115	8	70	37	209	39	101	69	354	159	47
10	11	232	370	61	173	136	435	39	97	299	371	156	38
11	12	276	313	30	149	134	374	46	106	222	423	165	53
12	5	140	130	11	47	72	185	18	53	114	216	88	24
13	7	136	183	19	102	62	189	28	53	108	207	77	29
14	-	-	-	-	-	-	-	-	-	-	-	-	-
15	-	-	4	1	2	1	1	1	-	-	1	1	-
16	-	-	-	-	-	-	1	-	-	-	1	-	-
17	-	1	4	-	2	2	1	-	1	-	-	-	-
18	-	2	7	-	2	5	9	3	3	3	11	6	-
19	-	2	1	-	1	-	4	-	2	2	4	1	1
20	-	1	1	-	-	1	2	-	1	1	2	1	-
21	-	4	-	-	-	-	3	-	1	2	2	2	-
22	-	2	3	-	-	3	1	1	-	-	1	1	-
23	-	37	50	5	30	15	41	5	19	17	64	22	12
24	3	2	-	-	-	-	1	-	1	-	1	-	-
25	-	6	3	-	-	3	5	-	2	3	2	1	-
26	-	11	3	-	2	1	6	-	-	6	8	1	1
27	-	1	1	-	1	-	-	-	-	-	-	-	-
28	-	34	42	7	20	15	42	4	10	28	50	20	5
29	2	7	4	1	2	1	7	-	3	4	1	-	1
30	-	75	91	7	44	40	78	14	18	46	102	30	14
31	2	12	3	1	1	1	18	6	1	11	8	3	1
32	-	8	11	-	6	5	8	-	4	4	14	2	1
33	1	11	6	-	1	5	6	1	3	2	12	5	2
34	-	4	4	-	1	3	9	-	6	3	5	3	-
35	-	2	2	-	1	1	2	-	1	1	3	2	1
36	-	1	-	-	-	1	2	1	-	1	10	7	-
37	-	1	-	-	-	-	2	-	-	2	2	2	-
38	-	1	1	-	-	-	1	-	-	1	-	-	-
39	-	3	1	-	-	1	2	-	1	1	1	1	-
40	-	5	3	1	1	1	4	-	-	4	6	1	2
41	1	12	3	1	2	2	8	2	1	5	8	6	1
42	-	3	5	1	2	2	10	-	1	9	13	4	2
43	-	-	-	-	-	-	2	2	-	-	-	-	-
44	-	1	1	-	-	1	3	-	-	3	3	2	-
45	-	6	14	1	9	4	19	2	6	11	26	15	1
46	-	3	21	3	5	13	37	-	6	31	23	5	5
47	2	1	2	-	2	-	2	-	1	1	4	1	1
48	-	3	1	-	1	-	8	-	4	4	9	7	2
49	-	7	7	-	5	2	9	3	2	4	10	4	-
50	1	8	13	1	7	5	17	1	6	10	12	8	-
51	-	-	-	-	-	-	-	-	-	-	-	-	-
52	12	276	313	30	149	134	374	46	106	222	423	165	53
53	-	9	23	1	14	8	32	5	15	12	48	28	2
54	-	4	5	-	4	1	9	1	5	3	9	3	1
55	-	1	4	-	3	1	4	-	1	3	3	1	1
56	-	2	2	1	1	1	2	-	1	1	7	3	-
57	-	6	1	-	1	-	5	1	1	3	13	6	1
58	-	8	5	-	2	3	18	5	3	10	10	5	-
59	-	11	15	-	8	7	11	2	3	6	16	9	1
60	-	18	10	-	4	6	23	5	8	10	35	20	4
61	-	43	36	6	19	11	42	1	17	24	60	26	9
62	4	77	82	9	43	30	90	7	28	55	105	33	17
63	4	79	97	9	43	45	89	16	19	54	88	21	14
64	4	18	33	4	8	21	49	3	5	41	29	10	3
65	-	-	-	-	-	-	-	-	-	-	-	-	-
66	-	-	-	-	-	-	-	-	-	-	-	-	-
67	-	-	-	-	-	-	-	-	-	-	-	-	-
68	-	-	-	-	-	-	-	-	-	-	-	-	-
69	12	276	313	30	149	134	374	46	106	222	423	165	53

International Nos. Short List.		CLACKMANNAN COUNTY—(contd.).			DUNBARTON COUNTY.				Marginal Index Numbers.
		Dollar B.	Tillicoultry B.	Landward.	Dunbarton County.	Clydebank B.	Cove and Kil- creggan B.	Dunbarton B.	
	Population (Estimated)*	1,439	3,173	11,060	157,299	48,118	849	22,612	1
	Total Live Births Registered (inc. Illeg.)	10	40	187	1,712	227	3	405	2
	" " Corr. for Mother's Resid. (,,)	20	49	240	2,569	583	11	480	3
	" " " Male	14	22	126	1,323	306	7	241	4
	" " " Female	6	27	114	1,246	277	4	239	5
	" " " Illegitimate	1	3	17	114	25	1	26	6
	Still-births Registered (inc. Illegitimate)	-	2	1	49	6	1	10	7
	" " Corr. for Mother's Residence	1	2	5	106	25	1	16	8
	Marriages Registered	13	38	97	1,191	313	2	187	9
	Deaths Registered	13	38	126	1,499	190	10	361	10
	" " Corrected for Residence	22	48	140	1,759	366	14	295	11
	" " " Male	13	18	73	931	209	6	178	12
	" " " Female	9	25	67	828	157	8	117	13
	CAUSES OF DEATH.								
1	Typhoid fever (including Paratyphoid)	-	-	-	-	-	-	-	14
14 (1)	Cerebro-spinal fever	-	-	-	4	1	-	-	15
3	Scarlet fever	-	-	1	-	-	-	-	16
4	Whooping-cough	-	-	-	3	-	-	1	17
5	Diphtheria	-	-	-	5	-	-	3	18
6	Tuberculosis of respiratory system	-	2	3	90	30	-	19	19
7	Other forms of tuberculosis	-	-	2	30	4	-	10	20
9	Syphilis	-	1	-	11	4	-	1	21
10	Influenza	-	-	-	7	-	-	-	22
12	Measles	-	-	-	4	1	-	-	23
14 (2)	Other infect. or parasitic dis. (2, 8, 11, 13)+	-	-	-	14	5	-	-	24
15	Cancer, malignant tumours	2	8	20	236	46	1	33	25
16	Tumours, non-malignant or not defined	-	-	1	8	-	-	2	26
20 (1)	Acute rheumatism	-	1	1	5	2	-	-	27
18	Diabetes mellitus	-	1	1	15	5	-	2	28
20 (2)	Other general diseases (17, 19)	1	3	2	25	6	1	1	29
21	Meningitis, Disease of spinal cord	-	-	-	16	4	-	2	30
22	Cerebral hæmorrhage, &c.	4	4	17	195	35	1	31	31
23	Other diseases of nervous system	-	-	-	36	8	-	-	32
24	Heart disease	4	9	45	431	70	7	82	33
25	Other circulatory diseases	1	1	2	32	8	-	4	34
26	Bronchitis	1	1	9	70	9	-	17	35
27	Pneumonia	-	1	4	69	21	1	8	36
28	Other respiratory diseases	1	-	1	24	4	1	7	37
29 (1)	Gastric and duodenal ulcer	-	-	-	24	5	-	3	38
32	Diarrhoea (all ages)	-	-	3	26	7	-	2	39
30	Appendicitis	-	-	-	9	1	-	1	40
31 (1)	Cirrhosis of liver	-	-	-	2	-	-	1	41
31 (2)	Other diseases of liver	-	-	-	9	2	-	1	42
32 (2)	Other digestive diseases	-	-	3	27	6	-	1	43
33	Nephritis, acute or chronic	-	-	1	34	8	-	9	44
34	Other dis. of genito-urinary system	1	3	3	28	1	-	4	45
35	Puerperal sepsis	-	-	-	8	4	-	1	46
36	Other puerperal causes	-	-	1	4	1	-	-	47
37	Dis. of skin and organs of movement	-	-	1	8	3	-	1	48
38	Congen. debil., prem. birth, malform. &c.	1	2	7	83	18	1	14	49
39	Old age	5	5	3	49	12	-	7	50
40	Suicide	-	-	2	5	1	-	1	51
42	Road transport accidents	-	-	-	27	10	-	3	52
43	Other violence (41)	1	1	4	56	17	-	11	53
44	Causes ill-defined or unknown	-	1	3	30	7	-	5	54
	ALL CAUSES	22	43	140	1,759	366	14	295	55
	AGES AT DEATH.								
	Under 1	1	2	15	152	33	1	31	56
	1-4	-	-	5	40	11	-	9	57
	5-9	-	1	-	20	5	-	5	58
	10-14	1	-	3	16	6	-	3	59
	15-24	-	1	5	55	13	-	12	60
	25-34	-	-	5	75	19	-	15	61
	35-44	-	1	5	107	28	-	13	62
	45-54	1	3	7	153	33	1	32	63
	55-64	2	7	16	296	69	1	36	64
	65-74	5	12	38	407	80	8	69	65
	75-84	8	14	31	367	60	3	59	66
	85 and over	4	2	10	71	9	-	11	67
	Not stated	-	-	-	-	-	-	-	68
	ALL AGES	22	43	140	1,759	366	14	295	69

* These populations are for the year 1939, as no later estimates are available in the case of Small Burghs and Landward areas.

† Including erysipelas, septicæmia, dysentery, acute poliomyelitis, and lethargic encephalitis.

Marginal Index Numbers.	DUNBARTON COUNTY— (continued).				DUMFRIES COUNTY.								
	Helensburgh B.	Kirkcubrecht B.	Milngavie B.	Landward.	Dumfries County.	Annan B.	Dumfries B.	Langholm B.	Lochnaben B.	Lockerbie B.	Moffat B.	Sanquhar B.	Landward.
1	8,751	13,256	6,404	57,309	81,357	3,874	23,879	2,325	1,040	2,644	1,985	1,867	43,743
2	106	206	51	714	1,808	64	999	32	23	25	72	19	574
3	143	264	90	938	1,632	77	535	39	32	44	30	24	851
4	77	139	46	507	814	42	255	23	15	20	16	12	431
5	66	125	44	491	818	35	280	16	17	24	14	12	420
6	7	7	4	44	181	4	53	4	3	7	3	-	107
7	5	6	-	21	66	-	53	-	-	2	3	-	8
8	7	15	-	42	53	1	20	1	-	3	2	-	26
9	93	130	50	416	806	56	351	22	17	39	21	21	279
10	132	95	65	646	1,267	31	412	38	9	28	55	20	674
11	145	135	85	719	1,123	47	315	37	14	36	55	23	596
12	67	71	39	361	566	26	164	16	7	20	23	9	301
13	78	64	46	358	557	21	151	21	7	16	32	14	295
14	-	-	-	-	-	-	-	-	-	-	-	-	-
15	-	-	-	3	3	-	-	-	-	-	1	-	2
16	-	-	-	-	-	-	-	-	-	-	-	-	-
17	-	1	-	1	2	-	-	-	-	-	-	-	2
18	1	-	-	1	3	-	1	-	-	-	-	-	2
19	3	7	3	28	30	2	12	-	-	-	2	-	14
20	-	3	1	12	19	2	4	-	-	-	-	3	10
21	-	1	1	4	3	-	1	-	-	-	-	-	2
22	-	1	-	6	5	-	-	-	-	-	-	-	5
23	1	-	-	2	-	-	-	-	-	-	-	-	-
24	-	-	2	7	3	-	-	-	-	-	1	-	2
25	18	14	12	112	159	7	41	10	1	7	6	3	84
26	1	2	1	2	6	1	2	-	-	-	-	-	3
27	-	-	-	3	2	1	1	-	-	-	-	-	-
28	-	1	1	5	12	-	5	1	1	-	-	1	4
29	-	2	2	13	20	1	8	-	1	-	3	-	7
30	1	2	2	6	6	-	-	-	-	-	1	-	5
31	22	11	12	83	147	6	44	4	1	10	8	4	70
32	2	6	1	12	18	-	3	1	1	1	1	-	11
33	42	31	23	176	326	10	94	8	7	11	18	5	173
34	2	2	3	13	27	7	4	1	-	-	1	-	14
35	4	7	4	29	28	1	8	2	-	1	1	1	14
36	9	6	1	23	51	3	17	-	-	2	3	1	25
37	1	3	1	7	10	-	1	-	-	-	1	-	8
38	2	1	3	10	7	-	3	1	-	1	-	-	2
39	-	3	-	14	10	-	7	-	-	-	-	-	3
40	2	3	1	1	7	-	3	-	-	-	-	-	4
41	-	-	-	1	2	-	1	-	-	-	1	-	-
42	-	1	1	4	12	-	-	2	-	-	-	-	10
43	4	1	1	14	8	-	4	-	-	-	1	-	3
44	4	4	1	8	20	1	7	-	-	1	-	1	10
45	6	3	-	14	7	-	2	-	-	-	1	-	4
46	1	1	-	1	1	-	-	-	-	-	-	-	1
47	-	-	-	3	5	-	1	-	-	-	-	-	4
48	-	-	2	2	2	-	-	-	1	-	-	1	-
49	9	8	2	31	57	-	20	1	1	-	-	-	33
50	2	5	2	21	20	1	3	1	-	-	1	-	14
51	-	-	-	3	10	-	2	1	-	-	1	1	5
52	1	-	1	12	25	2	4	-	-	2	-	-	17
53	2	4	-	22	33	1	7	1	-	-	1	1	22
54	5	2	1	10	17	1	5	3	-	-	-	1	7
55	145	135	85	719	1,123	47	315	37	14	36	55	23	596
56	13	14	4	56	90	-	33	2	2	1	3	-	49
57	3	3	1	13	20	-	7	-	-	-	-	1	12
58	-	-	-	10	12	2	2	-	-	-	-	-	8
59	1	2	-	4	5	-	1	-	-	-	-	1	3
60	-	6	-	24	23	2	9	-	1	-	1	-	15
61	5	5	5	26	30	1	9	-	-	1	2	1	16
62	5	8	7	46	51	2	14	1	1	-	2	1	30
63	9	10	6	62	101	7	34	3	1	1	6	1	48
64	26	24	14	126	184	10	59	5	1	7	4	6	92
65	32	28	31	159	308	11	72	15	4	7	18	10	171
66	40	30	13	162	236	11	57	8	3	17	17	1	122
67	11	5	4	31	58	1	18	3	1	2	-	1	30
68	-	-	-	-	-	-	-	-	-	-	-	-	-
69	145	135	85	719	1,123	47	315	37	14	36	55	23	596

International Nos. Short List.		EAST LOTHIAN COUNTY.							Marginal Index Numbers.
		East Lothian County.	Cockenzie and Port Seton B.	Dunbar B.	East Linton B.	Haddington B.	North Ber- wick B.	Prestonpans B.	
	Population (Estimated)*	47,722	2,761	3,813	890	4,616	3,083	2,684	1
	Total Live Births Registered (inc. Illeg.)	686	23	76	8	142	25	40	2
	" " Corr for Mother's Resid. (,,)	896	50	89	15	64	60	63	3
	" " " Male	446	24	43	11	39	26	26	4
	" " " Female	450	26	46	4	25	34	37	5
	" " " Illegitimate	62	-	7	-	5	1	3	6
	Still-births Registered (inc. Illegitimate)	24	-	1	-	5	-	2	7
	" " Corr. for Mother's Residence	40	-	2	-	2	3	6	8
	Marriages Registered	397	20	28	2	48	34	44	9
	Deaths Registered	446	29	55	15	76	29	22	10
	" " Corrected for Residence	526	35	41	13	56	48	34	11
	" " " Male	269	17	18	8	34	17	17	12
	" " " Female	257	18	23	5	22	31	17	13
	CAUSES OF DEATH.								
1	Typhoid fever (including Paratyphoid)	-	-	-	-	-	-	-	14
14 (1)	Cerebro-spinal fever	1	-	-	-	1	-	-	15
3	Scarlet fever	-	-	-	-	-	-	-	16
4	Whooping-cough	-	-	-	-	-	-	-	17
5	Diphtheria	1	-	-	-	-	-	-	18
6	Tuberculosis of respiratory system	7	1	1	-	-	-	-	19
7	Other forms of tuberculosis	7	-	-	1	1	-	-	20
9	Syphilis	2	-	1	-	-	-	-	21
10	Influenza	-	-	-	-	-	-	-	22
12	Measles	1	-	-	-	-	-	-	23
14 (2)	Other infect. or parasitic dis. (2, 8, 11, 13)†	5	-	-	-	-	-	-	24
15	Cancer, malignant tumours	79	5	3	2	5	12	5	25
16	Tumours, non-malignant or not defined	3	-	-	-	-	-	-	26
20 (1)	Acute rheumatism	1	-	-	-	-	-	-	27
18	Diabetes mellitus	9	-	1	-	-	2	-	28
20 (2)	Other general diseases (17, 19)	7	1	-	-	2	1	-	29
21	Meningitis, Disease of spinal cord	1	-	-	-	-	-	-	30
22	Cerebral hæmorrhage, &c.	56	3	4	1	8	3	2	31
23	Other diseases of nervous system	11	-	1	1	1	-	3	32
24	Heart disease	142	10	15	7	14	15	7	33
25	Other circulatory diseases	13	-	1	-	6	-	-	34
26	Bronchitis	19	1	3	-	1	-	3	35
27	Pneumonia	17	1	1	-	2	2	3	36
28	Other respiratory diseases	11	2	-	-	1	-	-	37
32 (1)	Gastric and duodenal ulcer	3	-	-	-	1	-	1	38
29	Diarrhœa (all ages)	8	2	-	-	1	1	1	39
30	Appendicitis	1	-	-	-	-	-	-	40
31 (1)	Cirrhosis of liver	-	-	-	-	-	-	-	41
31 (2)	Other diseases of liver	2	-	-	-	-	-	-	42
32 (2)	Other digestive diseases	2	-	-	-	-	-	1	43
33	Nephritis, acute or chronic	10	1	-	-	1	2	-	44
34	Other dis. of genito-urinary system	12	-	-	-	-	4	3	45
35	Puerperal sepsis	2	-	-	-	1	-	-	46
36	Other puerperal causes	1	-	-	-	-	-	-	47
37	Dis. of skin and organs of movement	1	-	-	-	-	-	-	48
38	Congen. debil., prem. birth, malform., &c.	32	2	4	1	1	1	3	49
39	Old age	23	1	6	-	3	1	1	50
40	Suicide	2	-	-	-	-	-	-	51
42	Road transport accidents	4	-	-	-	1	-	-	52
43	Other violence (41)	16	1	-	-	3	3	1	53
44	Causes ill-defined or unknown	14	4	-	-	2	1	-	54
	ALL CAUSES	526	35	41	13	56	48	34	55
	AGES AT DEATH.								
	Under 1	53	4	4	1	4	2	8	56
	1-4	10	-	1	1	1	-	-	57
	5-9	3	-	-	1	-	-	-	58
	10-14	2	-	-	-	-	-	1	59
	15-24	20	-	1	-	1	-	3	60
	25-34	16	2	1	-	2	1	1	61
	35-44	23	2	1	-	2	-	3	62
	45-54	29	3	3	-	1	2	2	63
	55-64	70	6	3	1	6	10	3	64
	65-74	139	10	14	2	16	12	8	65
	75-84	122	8	7	6	19	16	4	66
	85 and over	39	-	6	1	4	5	1	67
	Not stated	-	-	-	-	-	-	-	68
	ALL AGES	526	35	41	13	56	48	34	69

* These populations are for the year 1939, as no later estimates are available in the case of Small Burghs and Landward areas.

† Including erysipelas, septicæmia, dysentery, acute poliomyelitis and lethargic encephalitis.

Marginal Index Numbers.	EAST LOTHIAN Co.—(contd.).		FIFE COUNTY.											
	Tranent B.	Landward.	Fife County.	Auchter- mucly B.	Buckhaven and Methil B.	Burntisland B.	Cowdenbeath B.	Crail B.	Culross B.	Cupar B.	Dunfermline B.	Elie and Earlsferry B.	Falkland B.	Inverkeithing B.
1	5,122	24,753	285,206	1,235	19,432	5,662	12,558	1,012	528	5,012	37,345	935	883	3,493
2	97	275	5,028	19	319	51	131	13	8	84	1,164	12	4	33
3	127	428	5,226	23	356	101	234	30	14	104	770	25	7	57
4	67	210	2,654	10	178	47	123	15	5	50	393	12	3	34
5	60	218	2,572	13	178	54	111	15	9	54	377	13	4	28
6	7	39	325	-	26	7	12	1	-	12	46	2	-	4
7	6	10	198	-	12	2	5	-	-	3	39	-	-	5
8	7	20	208	1	8	4	11	-	-	6	19	1	-	3
9	55	166	2,605	9	199	54	130	21	33	60	455	5	12	32
10	29	191	3,249	20	199	61	68	16	4	94	625	13	7	22
11	49	250	3,434	25	226	86	117	15	11	91	479	17	12	39
12	34	124	1,750	12	119	41	60	10	5	36	265	10	3	23
13	15	126	1,684	13	107	45	57	5	6	55	214	7	9	16
14	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	-	-	12	-	1	-	1	-	-	1	4	-	-	-
16	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17	-	-	4	-	1	-	-	-	-	-	-	-	-	-
18	1	-	9	-	2	-	-	-	-	-	3	-	-	1
19	1	4	101	-	7	2	3	-	-	4	13	-	-	-
20	2	3	32	1	1	-	1	-	-	1	1	-	-	-
21	1	-	11	-	-	-	1	-	-	-	3	-	-	-
22	-	-	22	1	5	-	-	-	-	-	1	-	-	-
23	-	1	3	-	-	-	-	-	-	-	-	-	-	-
24	2	3	33	-	2	-	-	-	-	2	3	-	-	-
25	5	42	430	7	25	9	13	3	-	9	63	2	2	7
26	1	2	13	-	-	-	-	-	1	-	-	1	-	-
27	1	-	6	-	-	-	1	-	-	-	-	-	-	-
28	-	6	29	-	1	3	-	-	-	1	4	-	-	-
29	-	3	52	-	4	1	2	-	2	-	4	-	-	1
30	-	1	22	-	-	-	-	-	-	1	3	-	-	1
31	5	30	417	3	21	14	19	1	-	12	48	3	1	1
32	-	5	66	-	4	3	1	-	-	-	12	-	-	1
33	12	62	882	7	50	18	24	6	4	31	123	6	5	9
34	-	6	73	-	5	4	1	1	-	-	12	-	-	2
35	2	9	129	-	10	2	3	-	1	1	17	1	-	-
36	2	6	114	-	7	1	11	-	-	3	21	-	1	2
37	1	7	57	-	3	-	2	1	-	-	12	-	-	2
38	-	1	32	-	3	1	2	-	-	2	2	-	-	2
39	1	2	39	1	4	1	1	-	-	1	4	-	1	-
40	-	1	16	-	-	-	2	-	-	-	2	-	-	-
41	-	-	5	-	-	-	-	-	-	1	2	-	-	-
42	1	1	18	-	-	1	-	-	-	1	4	-	-	-
43	1	-	49	-	1	3	2	-	-	1	6	2	-	-
44	-	6	86	1	2	3	3	-	-	3	11	1	-	-
45	1	4	59	-	1	2	2	1	-	-	12	1	-	1
46	-	1	10	-	-	-	-	-	-	-	1	-	-	-
47	-	1	12	-	1	1	-	-	-	1	1	-	-	-
48	-	1	20	-	2	1	-	-	-	-	3	-	1	-
49	8	12	199	3	16	3	8	2	2	5	30	-	-	3
50	-	11	126	1	14	7	1	-	-	3	16	-	1	3
51	-	2	24	-	-	1	-	-	1	-	6	-	-	-
52	-	3	43	-	1	-	-	-	-	1	9	-	-	1
53	1	7	131	-	25	2	10	-	-	6	16	-	-	-
54	-	7	43	-	5	3	1	-	-	-	7	-	-	2
55	49	250	3,434	25	226	86	117	15	11	91	479	17	12	39
56	11	19	349	4	35	7	16	2	2	8	51	-	1	5
57	2	5	63	1	5	2	-	-	-	1	9	-	1	1
58	1	1	30	-	1	-	1	-	-	-	8	-	-	-
59	-	1	30	-	1	1	5	-	-	-	3	-	-	-
60	2	13	98	-	8	1	8	-	-	1	12	-	-	1
61	3	6	118	-	11	4	5	1	2	2	15	-	-	1
62	4	11	166	-	14	5	7	-	-	3	20	-	-	3
63	3	15	295	2	23	8	9	-	-	5	47	-	-	2
64	8	33	521	1	38	13	16	3	3	11	81	3	3	5
65	7	70	814	7	47	16	28	4	3	21	108	8	4	8
66	5	57	754	8	34	25	15	4	-	24	106	6	3	10
67	3	19	196	2	9	4	7	1	1	10	19	-	-	3
68	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	49	250	3,434	25	226	86	117	15	11	91	479	17	12	39

International Nos. Short List.		FIFE COUNTY—(continued).							Marginal Index Numbers.
		Kilrenny and Anstruther B.	Kinghorn B.	Kirkcaldy B.	Ladybank and Monkston B.	Leslie B.	Leven B.	Lochgelly B.	
	Population (Estimated)*	3,328	2,033	46,579	1,193	2,594	8,331	9,189	1
	Total Live Births Registered (inc. Illeg.)	34	19	1,106	14	29	136	124	2
	" " Corr. for Mother's Resid. (,,)	52	41	735	20	38	158	155	3
	" " " Male	27	20	382	10	19	78	73	4
	" " " Female	25	21	354	10	19	80	82	5
	" " " Illegitimate	2	1	37	3	2	12	7	6
	Still-births Registered (inc. Illegitimate)	-	-	54	1	1	1	10	7
	" Corr. for Mother's Residence	1	3	24	2	3	3	14	8
	Marriages Registered	30	15	453	15	36	94	118	9
	Deaths Registered	42	25	546	9	23	66	83	10
	" Corrected for Residence	57	35	551	11	28	93	114	11
	" " " Male	31	19	289	4	11	40	62	12
	" " " Female	26	16	262	7	17	53	52	13
	CAUSES OF DEATH.								
1	Typhoid fever (including Paratyphoid)	-	-	-	-	-	-	-	14
14 (1)	Cerebro-spinal fever	-	-	2	-	-	-	-	15
3	Scarlet fever	-	-	-	-	-	-	-	16
4	Whooping-cough	-	-	2	-	-	-	-	17
5	Diphtheria	-	-	2	-	-	-	-	18
6	Tuberculosis of respiratory system	2	2	12	1	2	2	4	19
7	Other forms of tuberculosis	1	1	2	-	-	-	1	20
9	Syphilis	-	-	2	-	-	-	-	21
10	Influenza	-	2	3	1	-	2	1	22
12	Measles	-	-	3	-	-	-	-	23
14 (2)	Other infect. or parasitic dis. (2, 8, 11, 13)†	1	-	6	-	-	-	2	24
15	Cancer, malignant tumours	6	6	64	2	4	16	11	25
16	Tumours, non-malignant or not defined	-	1	3	-	-	1	-	26
20 (1)	Acute rheumatism	-	-	3	-	-	-	-	27
18	Diabetes mellitus	-	-	3	-	-	1	-	28
20 (2)	Other general diseases (17, 19)	3	-	6	-	-	2	-	29
21	Meningitis, Disease of spinal cord	-	1	5	-	1	2	1	30
22	Cerebral hæmorrhage, &c.	8	8	67	-	5	11	12	31
23	Other diseases of nervous system	-	-	8	-	-	1	-	32
24	Heart disease	20	6	153	5	7	17	24	33
25	Other circulatory diseases	2	-	8	-	2	3	3	34
26	Bronchitis	2	-	26	-	1	5	6	35
27	Pneumonia	-	1	14	-	-	2	3	36
28	Other respiratory diseases	1	-	9	-	1	2	2	37
32 (1)	Gastric and duodenal ulcer	1	1	5	-	-	1	1	38
29	Diarrhoea (all ages)	2	-	3	-	-	-	2	39
30	Appendicitis	-	-	3	-	-	-	2	40
31 (1)	Cirrhosis of liver	-	-	-	-	-	-	-	41
31 (2)	Other diseases of liver	-	-	2	-	-	1	1	42
32 (2)	Other digestive diseases	1	-	8	-	1	4	4	43
33	Nephritis, acute or chronic	-	-	15	-	1	4	5	44
34	Other dis. of genito-urinary system	3	-	5	1	-	2	1	45
35	Puerperal sepsis	-	-	4	-	-	1	-	46
36	Other puerperal causes	-	1	1	-	-	-	-	47
37	Diseases of skin and organs of movement	-	-	2	-	-	2	-	48
38	Congen. debil., prem. birth, malform. &c.	2	4	27	-	2	5	5	49
39	Old age	-	-	37	1	1	-	7	50
40	Suicide	-	-	6	-	-	1	-	51
42	Road transport accidents	-	-	5	-	-	-	4	52
43	Other violence (41)	2	1	20	-	-	3	2	53
44	Causes ill-defined or unknown	-	-	5	-	-	2	8	54
	ALL CAUSES	57	35	551	11	28	93	114	55
	AGES AT DEATH.								
	Under 1	3	5	48	-	1	7	9	56
	1-4	-	-	10	-	-	1	1	57
	5-9	1	-	3	-	1	1	3	58
	10-14	-	-	6	-	-	-	2	59
	15-24	-	1	12	-	1	2	2	60
	25-34	3	2	18	-	-	2	4	61
	35-44	-	1	26	1	-	4	3	62
	45-54	4	4	60	-	-	8	11	63
	55-64	7	5	87	1	3	13	27	64
	65-74	19	8	121	2	10	22	29	65
	75-84	16	9	115	4	7	28	19	66
	85 and over	4	-	35	3	2	5	4	67
	Not stated	-	-	-	-	-	-	-	68
	ALL AGES	57	35	551	11	28	93	114	69

* These populations are for the year 1939, as no later estimates are available in the case of Small Burghs and Landward areas.

† Including erysipelas, septicæmia, dysentery, acute poliomyelitis, and lethargic encephalitis.

Marginal Index Numbers.	FIFE COUNTY—(continued).								INVERNESS COUNTY.				
	Markinch B.	Newburgh B.	Newport B.	Pittenweem B.	St. Andrews B.	St. Monance B.	Tayport B.	Landward.	Inverness County.	Fort-William B.	Inverness B.	Kingussie B.	Landward.
1	2,221	2,319	3,053	1,672	8,453	1,694	3,287	101,165	80,999	3,073	23,419	977	53,530
2	23	17	27	19	212	13	59	1,358	1,464	45	770	15	634
3	35	33	40	25	149	19	71	1,933	1,401	49	510	25	817
4	19	19	25	14	72	7	41	978	719	25	254	18	422
5	16	14	15	11	77	12	30	955	682	24	256	7	395
6	1	3	4	-	16	2	4	121	136	3	56	4	73
7	-	-	2	-	7	-	2	58	54	1	31	1	21
8	-	-	1	2	5	1	2	90	45	2	18	1	24
9	36	11	16	15	77	9	27	643	694	44	441	17	192
10	15	16	36	17	123	14	38	1,067	1,344	54	485	24	781
11	19	26	51	27	110	17	48	1,129	1,121	34	314	24	749
12	10	12	14	13	47	10	23	581	572	19	151	14	388
13	9	14	37	14	63	7	25	543	549	15	163	10	361
14	-	-	-	-	-	-	-	-	-	-	-	-	-
15	-	-	-	-	1	-	-	2	2	-	-	-	2
16	-	-	-	-	-	-	-	1	4	-	1	-	3
17	-	-	-	-	-	-	-	1	-	-	-	-	-
18	-	-	-	-	4	1	1	41	37	-	10	-	27
19	-	-	2	-	2	-	-	18	15	-	1	-	14
20	-	-	-	-	-	-	-	3	2	-	-	-	2
21	-	-	-	-	-	-	-	3	3	-	1	-	2
22	-	-	2	-	1	-	-	-	2	-	-	-	2
23	-	-	-	-	1	-	-	16	8	-	4	-	4
24	-	-	-	-	-	-	-	8	2	-	-	-	-
25	4	5	8	6	22	2	7	127	147	1	49	2	95
26	-	-	1	-	-	-	-	5	5	-	1	-	4
27	-	-	-	-	-	-	-	2	1	-	-	-	1
28	-	-	1	-	2	-	-	13	8	1	1	-	6
29	-	-	1	2	4	-	2	16	26	1	9	-	16
30	1	2	-	-	-	-	-	4	9	-	3	-	6
31	3	4	9	3	20	3	10	131	119	2	37	5	75
32	-	-	1	1	1	-	-	33	18	-	6	-	12
33	6	9	19	8	22	7	17	279	226	12	65	8	141
34	1	-	2	-	1	-	-	26	32	1	5	-	26
35	-	-	1	-	1	-	-	52	39	2	13	1	23
36	-	1	1	-	3	-	4	39	32	1	10	-	21
37	1	-	-	1	1	1	1	17	16	-	5	1	10
38	-	-	-	1	1	-	-	9	17	-	5	-	12
39	-	-	-	-	2	-	-	17	4	-	2	-	2
40	-	-	-	-	1	-	-	6	4	-	1	-	3
41	-	-	-	-	-	-	-	2	3	1	2	-	-
42	-	1	1	-	2	-	-	4	7	1	1	-	5
43	-	1	1	-	2	-	1	11	22	2	4	-	16
44	2	-	-	-	3	-	1	31	25	1	9	-	15
45	-	1	-	-	1	-	-	25	30	-	12	-	18
46	-	-	-	-	-	-	-	4	-	-	-	-	-
47	-	1	-	-	-	-	-	5	3	-	1	-	2
48	-	-	-	-	1	-	-	6	5	2	-	-	3
49	1	-	-	4	5	2	1	69	47	4	21	2	20
50	-	-	-	1	1	-	-	32	110	-	11	2	97
51	-	-	-	-	1	-	1	7	4	-	1	-	3
52	-	-	-	-	1	-	-	21	11	1	-	2	8
53	-	1	1	-	2	1	2	37	38	-	8	1	29
54	-	-	-	-	1	-	-	14	40	1	15	-	24
55	19	26	51	27	110	17	48	1,129	1,121	34	314	24	749
56	1	2	1	4	8	2	3	124	74	4	31	2	37
57	-	-	2	-	1	-	1	25	10	2	2	-	6
58	-	-	-	-	-	-	-	11	6	-	-	-	6
59	-	-	-	-	1	-	-	11	2	-	1	-	1
60	-	-	-	-	2	-	-	47	32	-	7	1	24
61	-	1	2	1	4	-	1	39	51	-	14	1	36
62	-	3	2	1	2	2	2	62	43	2	16	-	25
63	-	3	2	6	6	3	3	93	83	4	29	1	49
64	8	3	9	5	15	1	10	150	133	2	52	3	76
65	5	4	11	6	30	3	15	267	230	9	66	4	151
66	5	8	15	7	32	5	10	239	323	9	74	9	231
67	-	2	7	3	9	2	3	61	134	2	22	3	107
68	-	-	-	-	-	-	-	-	-	-	-	-	-
69	19	26	51	27	110	17	48	1,129	1,121	34	314	24	749

International Nos. Short List.		KINCARDINE COUNTY.						Marginal Index Numbers.
		Kincardine County.	Banchory B.	Inverbervie B.	Laurencekirk B.	Stonehaven B.	Landward.	
	Population (Estimated)* - - -	25,853	1,792	939	1,342	4,154	17,626	1
	Total Live Births Registered (inc. Illeg.)	364	11	5	16	66	266	2
	" " Corr. for Mother's Resid. (,)	493	42	12	20	69	350	3
	" " " Male - - -	249	21	8	13	37	170	4
	" " " Female - - -	244	21	4	7	32	180	5
	" " " Illegitimate - - -	56	5	1	1	7	42	6
	Still-births Registered (inc. Illegitimate)	11	2	-	-	2	7	7
	" " Corr. for Mother's Residence - - -	22	2	-	-	1	19	8
	Marriages Registered - - -	182	23	16	17	41	85	9
	Deaths Registered - - -	300	22	17	16	86	159	10
	" " Corrected for Residence - - -	323	25	20	23	71	184	11
	" " " Male - - -	154	12	12	9	32	89	12
	" " " Female - - -	169	13	8	14	39	95	13
	CAUSES OF DEATH.							
	Typhoid fever (including Paratyphoid)	-	-	-	-	-	-	14
14 (1)	Cerebro-spinal fever - - -	-	-	-	-	-	-	15
3	Scarlet fever - - -	-	-	-	-	-	-	16
4	Whooping-cough - - -	-	-	-	-	-	-	17
5	Diphtheria - - -	1	-	-	-	-	1	18
6	Tuberculosis of respiratory system - - -	6	-	-	-	-	6	19
7	Other forms of tuberculosis - - -	4	-	-	-	2	2	20
9	Syphilis - - -	-	-	-	-	-	-	21
10	Influenza - - -	3	-	-	-	2	1	22
12	Measles - - -	-	-	-	-	-	-	23
14 (2)	Other infect. or parasitic dis. (2, 8, 11, 13)†	5	-	-	-	2	3	24
15	Cancer, malignant tumours - - -	47	3	2	3	8	31	25
16	Tumours, non-malignant or not defined - - -	2	-	-	-	-	2	26
20 (1)	Acute rheumatism - - -	-	-	-	-	-	-	27
18	Diabetes mellitus - - -	3	-	-	1	-	2	28
20 (2)	Other general diseases (17, 19) - - -	10	1	1	1	3	4	29
21	Meningitis, Disease of spinal cord - - -	1	1	-	-	-	-	30
22	Cerebral hæmorrhage, &c. - - -	44	3	4	5	10	22	31
23	Other diseases of nervous system - - -	8	-	-	2	3	3	32
24	Heart disease - - -	84	8	9	6	14	47	33
25	Other circulatory diseases - - -	18	2	2	4	3	7	34
26	Bronchitis - - -	4	-	-	1	2	1	35
27	Pneumonia - - -	8	1	1	-	-	6	36
28	Other respiratory diseases - - -	2	-	-	-	2	-	37
32 (1)	Gastric and duodenal ulcer - - -	3	-	-	-	1	2	38
29	Diarrhoea (all ages) - - -	5	-	-	-	2	3	39
30	Appendicitis - - -	1	-	-	-	-	1	40
31 (1)	Cirrhosis of liver - - -	-	-	-	-	-	-	41
31 (2)	Other diseases of liver - - -	3	1	-	-	-	2	42
32 (2)	Other digestive diseases - - -	1	-	-	-	-	1	43
33	Nephritis, acute or chronic - - -	7	-	-	-	1	6	44
34	Other dis. of genito-urinary system - - -	7	1	-	-	1	5	45
35	Puerperal sepsis - - -	-	-	-	-	-	-	46
36	Other puerperal causes - - -	1	-	-	-	-	1	47
37	Dis. of skin and organs of movement - - -	1	-	-	-	-	1	48
38	Congen. debil., prem. birth, malform., &c. - - -	14	1	-	-	6	7	49
39	Old age - - -	7	1	-	-	3	3	50
40	Suicide - - -	1	-	-	-	1	-	51
42	Road transport accidents - - -	6	1	-	-	-	5	52
43	Other violence (41) - - -	12	1	-	-	4	7	53
44	Causes ill-defined or unknown - - -	4	-	1	-	1	2	54
	ALL CAUSES - - -	323	25	20	23	71	184	55
	AGES AT DEATH.							
	Under 1 - - -	22	1	-	-	7	14	56
	1-4 - - -	5	-	-	-	1	4	57
	5-9 - - -	1	-	-	-	1	-	58
	10-14 - - -	2	-	-	-	-	2	59
	15-24 - - -	8	-	-	-	1	7	60
	25-34 - - -	10	1	-	1	1	7	61
	35-44 - - -	11	-	-	1	4	6	62
	45-54 - - -	25	-	1	2	2	20	63
	55-64 - - -	34	1	4	7	8	14	64
	65-74 - - -	79	10	2	3	15	49	65
	75-84 - - -	93	8	7	6	25	47	66
	85 and over - - -	32	4	6	3	6	19	67
	Not stated - - -	1	-	-	-	-	1	68
	ALL AGES - - -	323	25	20	23	71	184	69

* These populations are for the year 1939, as no later estimates are available in the case of Small Burghs and Landward areas.

† Including erysipelas, septicæmia, dysentery, acute poliomyelitis and lethargic encephalitis.

Marginal Index Numbers.	KINROSS COUNTY.			KIRKCUDBRIGHT COUNTY.							LANARK COUNTY.		
	Kinross County.	Kinross B.	Landward.	Kirkcudbright County.	Castle-Douglas B.	Dalbeattie B.	Gattonhouse B.	Kirkcudbright B.	New Galloway B.	Landward.	Lanark County.	Airdrie B.	Biggar B.
1	7,029	2,427	4,602	30,202	3,168	3,179	867	2,327	328	20,333	1,638,058	28,295	1,312
2	83	30	53	445	41	62	9	34	4	295	31,452	851	10
3	123	39	84	577	56	69	14	45	4	389	30,733	624	15
4	65	20	45	297	31	33	4	26	1	202	15,831	312	9
5	58	19	39	280	25	36	10	19	3	187	14,902	312	6
6	4	2	2	61	2	9	1	4		45	1,877	22	
7	2	1	1	7		1		2		4	1,439	32	1
8	5	1	4	17	2	1		5		9	1,366	23	1
9	69	33	36	224	30	41	10	31	1	111	17,165	329	8
10	116	28	88	386	60	27	10	40	3	246	20,944	295	10
11	106	38	68	404	43	45	14	46	7	249	20,555	322	15
12	52	16	36	189	19	23	4	20	3	120	10,872	167	5
13	54	22	32	215	24	22	10	26	4	129	9,683	155	10
14	-	-	-	-	-	-	-	-	-	-	10	-	-
15	1	1	-	1	-	1	-	-	-	-	61	1	-
16	-	-	-	-	-	-	-	-	-	-	8	-	-
17	-	-	-	-	-	-	-	-	-	-	31	-	-
18	-	-	-	-	-	-	-	-	-	-	121	2	-
19	6	2	4	8	-	3	-	2	-	3	1,397	18	-
20	2	-	2	3	-	3	-	-	-	-	388	7	-
21	-	-	-	-	-	-	-	-	-	-	104	1	-
22	-	-	-	1	-	-	-	-	-	1	87	3	-
23	-	-	-	-	-	-	-	-	-	-	84	1	-
24	-	-	-	4	-	-	-	-	-	4	125	-	-
25	8	5	3	60	3	4	5	5	1	42	2,700	42	6
26	1	-	1	-	-	-	-	-	-	-	59	3	-
27	-	-	-	1	-	-	-	-	-	1	37	-	-
28	4	1	3	2	1	-	-	-	-	1	206	3	-
29	2	-	2	6	2	-	-	-	-	4	311	4	-
30	1	-	1	5	1	1	-	1	-	2	112	2	-
31	8	4	4	57	4	7	6	8	-	32	1,911	36	3
32	2	1	1	4	-	-	-	-	-	4	347	1	-
33	33	11	22	109	19	6	1	14	2	67	4,355	80	3
34	3	2	1	7	-	3	-	-	-	4	368	2	-
35	5	2	3	6	2	-	1	1	-	2	953	16	-
36	1	-	1	20	-	4	-	5	1	10	1,151	23	-
37	3	3	-	7	1	1	-	-	-	5	285	7	2
38	-	-	3	6	2	1	-	-	-	3	152	-	-
39	1	-	1	7	1	-	-	1	-	5	541	7	-
40	-	-	-	1	-	-	-	-	-	1	83	1	-
41	-	-	-	-	-	-	-	-	-	-	32	-	-
42	1	-	1	3	-	-	-	-	-	3	87	2	-
43	6	2	4	3	-	2	-	-	-	1	249	4	-
44	5	3	2	10	1	2	1	-	1	5	408	7	-
45	4	-	4	8	2	-	-	1	1	4	293	3	1
46	1	-	1	-	-	-	-	-	-	-	76	2	-
47	-	-	-	3	1	-	-	-	-	2	100	3	-
48	-	-	-	1	-	-	-	-	-	1	101	-	-
49	3	1	2	19	1	1	-	4	-	13	1,227	15	-
50	-	-	-	14	1	2	-	-	-	11	496	18	-
51	-	-	-	-	-	-	-	-	-	-	81	-	-
52	1	-	1	7	-	-	-	1	-	6	330	5	-
53	1	-	1	16	1	4	-	2	1	8	633	4	-
54	-	-	-	5	-	-	-	1	-	4	455	4	-
55	106	38	68	404	43	45	14	46	7	249	20,555	322	15
56	7	1	6	34	2	7	-	6	-	19	2,584	44	-
57	2	1	1	6	2	2	-	-	-	2	582	8	-
58	1	1	-	3	-	1	-	1	-	1	252	1	-
59	-	-	-	2	-	-	-	-	-	2	211	1	-
60	1	-	1	12	1	2	-	-	-	9	962	14	-
61	4	1	3	9	1	1	-	2	-	6	887	15	-
62	4	-	4	13	2	-	-	2	1	8	1,276	19	-
63	12	8	4	24	4	3	-	1	-	16	2,053	34	2
64	15	6	9	58	5	10	2	6	1	34	3,207	42	3
65	22	7	15	91	6	7	4	13	2	59	4,682	73	6
66	31	10	21	120	16	10	8	13	2	71	3,161	59	4
67	7	3	4	31	5	2	-	2	1	21	697	12	-
68	-	-	-	1	-	-	-	-	-	1	1	-	-
69	106	38	68	404	43	45	14	46	7	249	20,555	322	15

International Nos. Short List.		LANARK COUNTY—(continued).							Marginal Index Numbers.
		Coatbridge B.	Glasgow B.	Hamilton B.	Leamington B.	Motherwell & Wishaw B.	Rutherglen B.	Landward.	
	Population (Estimated) *	45,170	1,128,473	39,194	6,046	68,137	25,419	296,012	1
	Total Live Births Registered (inc. Illeg.)	696	21,723	935	57	1,293	237	5,650	2
	" " Corr. for Mother's Resid. (,,)	976	20,618	832	94	1,292	394	5,888	3
	" " " Male -	491	10,642	440	45	667	193	3,032	4
	" " " Female -	485	9,976	392	49	625	201	2,856	5
	" " " Illegitimate	40	1,417	45	5	51	12	285	6
	Still-births Registered (inc. Illegitimate)	26	1,036	30	1	57	4	252	7
	" " Corr. for Mother's Residence	39	941	34	4	61	12	251	8
	Marriages Registered -	432	12,501	418	108	651	305	2,413	9
	Deaths Registered -	436	15,684	399	64	581	176	3,299	10
	" " Corrected for Residence -	528	14,673	476	82	763	303	3,393	11
	" " " Male -	287	7,845	228	40	415	185	1,750	12
	" " " Female -	241	6,828	248	42	348	168	1,643	13
	CAUSES OF DEATH.								
1	Typhoid fever (including Paratyphoid)	-	8	-	-	1	-	1	14
14 (1)	Cerebro-spinal fever -	1	49	-	-	2	-	8	15
3	Scarlet fever -	-	7	-	-	-	-	1	16
4	Whooping-cough -	1	27	1	-	-	-	2	17
5	Diphtheria -	2	89	4	-	-	3	21	18
6	Tuberculosis of respiratory system	33	1,098	27	4	42	15	165	19
7	Other forms of tuberculosis -	8	301	11	3	12	4	42	20
9	Syphilis -	-	83	3	-	4	1	12	21
10	Influenza -	5	51	4	-	5	3	16	22
12	Measles -	2	64	2	-	2	2	11	23
14 (2)	Other infect. or parasitic dis. (2, 8, 11, 13)†	3	98	1	1	3	-	19	24
15	Cancer, malignant tumours	66	1,936	57	14	106	41	432	25
16	Tumours, non-malignant or not defined	1	35	3	1	1	2	13	26
20 (1)	Acute rheumatism -	1	25	1	-	2	-	8	27
18	Diabetes mellitus -	8	126	5	1	17	5	41	28
20 (2)	Other general diseases (17, 19)	9	221	6	-	12	6	53	29
21	Meningitis, Disease of spinal cord	7	70	5	-	2	1	25	30
22	Cerebral hæmorrhage, &c. -	34	1,301	51	10	82	34	360	31
23	Other diseases of nervous system	6	259	9	1	12	5	54	32
24	Heart disease -	117	3,026	104	23	157	77	768	33
25	Other circulatory diseases -	7	254	13	-	12	7	73	34
26	Bronchitis -	27	706	17	4	42	13	128	35
27	Pneumonia -	28	863	27	3	34	9	164	36
28	Other respiratory diseases -	8	198	3	-	11	3	53	37
32 (1)	Gastric and duodenal ulcer -	4	109	1	-	7	4	27	38
29	Diarrhoea (all ages) -	14	408	9	2	20	5	76	39
30	Appendicitis -	3	50	3	1	2	1	22	40
31 (1)	Cirrhosis of liver -	-	27	1	-	-	-	4	41
31 (2)	Other diseases of liver -	4	53	-	-	7	1	20	42
32 (2)	Other digestive diseases -	4	178	9	-	7	6	41	43
33	Nephritis, acute or chronic	11	283	7	3	23	8	66	44
34	Other dis. of genito-urinary system	5	205	5	1	17	7	49	45
35	Puerperal sepsis -	1	56	4	-	-	1	12	46
36	Other puerperal causes -	3	55	7	1	4	2	25	47
37	Dis. of skin and organs of movement	4	64	6	-	4	1	22	48
38	Congen. debil., prem. birth, malform., &c.	39	850	33	2	61	18	209	49
39	Old age -	23	311	9	5	16	5	109	50
40	Suicide -	2	63	-	1	3	1	11	51
42	Road transport accidents -	5	254	5	-	6	4	51	52
43	Other violence (41) -	20	456	11	1	15	5	121	53
44	Causes ill-defined or unknown -	12	356	12	-	10	3	58	54
	ALL CAUSES -	528	14,673	476	82	763	303	3,393	55
	AGES AT DEATH.								
	Under 1 -	75	1,866	63	6	91	31	408	56
	1-4 -	15	417	24	3	15	4	96	57
	5-9 -	6	189	7	1	6	4	38	58
	10-14 -	6	155	3	-	9	2	35	59
	15-24 -	25	708	22	3	41	9	140	60
	25-34 -	19	635	25	5	28	12	148	61
	35-44 -	37	933	21	4	38	10	214	62
	45-54 -	54	1,504	45	5	78	28	303	63
	55-64 -	67	2,334	67	20	101	58	515	64
	65-74 -	124	3,286	112	18	203	84	776	65
	75-84 -	86	2,178	71	14	130	45	574	66
	85 and over -	14	467	16	3	23	16	146	67
	Not stated -	-	1	-	-	-	-	-	68
	ALL AGES -	528	14,673	476	82	763	303	3,393	69

* These populations are for the year 1939, as no later estimates are available in the case of Small Burghs and Landward areas.

† Including erysipelas, septicæmia, dysentery, acute poliomyelitis, and lethargic encephalitis.

Marginal Index Numbers.	MIDLOTHIAN COUNTY.								MORAY COUNTY.			
	Midlothian County.	Bonnyrigg and Lasswade B.	Dalkeith B.	Edinburgh B.	Loanhead B.	Musselburgh B.	Penicuik B.	Landward.	Moray County.	Burghead B.	Elgin B.	Forres B.
1	561,738	5,412	7,665	471,897	4,170	17,643	4,244	50,707	40,911	1,329	9,157	4,309
2	9,860	66	62	8,751	69	180	67	665	931	20	230	36
3	8,971	94	112	7,386	83	311	81	904	902	27	202	102
4	4,501	50	48	3,690	41	163	42	467	453	10	120	43
5	4,470	44	64	3,696	42	148	39	437	449	17	82	59
6	644	5	9	559	3	14	3	51	113	5	25	11
7	388	3	1	360	-	4	2	18	33	-	15	-
8	314	5	4	255	1	13	3	33	36	-	12	-
9	5,639	26	92	4,887	40	185	31	378	356	6	146	45
10	7,938	45	69	7,146	45	117	38	478	607	12	163	40
11	7,151	69	92	6,152	57	180	51	550	542	13	138	57
12	3,550	40	57	3,027	28	87	16	295	274	7	63	26
13	3,601	29	35	3,125	29	93	35	255	268	6	75	31
14	3	-	-	2	-	-	-	1	-	-	-	-
15	18	-	-	14	1	1	-	2	1	-	1	-
16	6	-	1	5	-	-	-	-	-	-	-	-
17	4	-	1	2	-	-	-	1	5	-	2	-
18	33	1	-	31	-	1	-	5	5	-	2	-
19	310	1	4	289	1	5	2	8	9	-	2	-
20	79	1	-	67	1	1	1	8	6	-	1	1
21	49	1	-	44	1	1	-	2	1	-	-	1
22	44	-	-	41	-	-	-	3	-	-	-	-
23	12	-	-	10	-	-	-	2	-	-	-	-
24	68	-	-	61	-	2	2	3	5	-	1	1
25	1,112	12	12	972	9	18	7	82	62	2	13	10
26	26	-	-	23	-	-	-	3	1	-	-	1
27	10	-	-	8	1	-	-	1	1	-	1	-
28	64	-	1	52	-	4	-	7	10	-	2	2
29	125	-	2	109	1	4	2	7	7	-	3	-
30	42	-	-	88	-	1	-	3	7	-	2	1
31	818	8	9	689	4	32	4	72	84	6	18	11
32	115	1	2	92	-	7	2	11	11	1	3	-
33	1,697	20	12	1,455	20	49	10	131	155	1	46	12
34	273	2	1	245	-	7	1	17	9	-	2	1
35	318	2	-	279	1	7	4	25	9	-	2	3
36	301	3	4	272	2	1	1	18	9	-	2	-
37	130	-	3	112	1	4	2	8	16	-	4	-
38	69	1	2	55	-	2	-	9	9	-	1	2
39	68	1	-	59	-	-	3	5	6	-	3	1
40	18	-	-	16	-	-	-	2	5	-	2	-
41	24	-	-	23	-	-	-	1	-	-	-	-
42	35	-	1	28	-	3	-	3	1	-	1	-
43	81	2	5	65	-	1	1	7	12	1	3	1
44	172	-	3	146	1	4	2	16	14	2	4	1
45	129	1	3	113	1	4	-	7	7	-	1	2
46	12	1	-	10	-	-	-	1	3	-	-	-
47	11	-	-	8	1	-	1	1	-	-	-	-
48	48	-	-	88	1	2	-	7	3	-	-	2
49	260	1	5	209	3	9	4	29	26	-	5	2
50	169	5	9	137	2	1	-	15	17	-	5	1
51	45	-	-	44	-	-	-	1	3	-	-	-
52	68	2	1	60	1	1	-	3	7	-	-	1
53	236	1	9	193	1	7	2	23	8	-	3	-
54	49	2	2	35	3	1	-	5	8	-	3	-
55	7,151	69	92	6,152	57	180	51	550	542	13	138	57
56	505	5	8	415	7	12	5	53	44	-	12	5
57	142	-	1	126	1	4	2	8	10	1	2	-
58	51	-	-	42	1	1	-	7	8	-	3	1
59	47	-	-	40	2	2	-	3	6	-	1	1
60	178	3	2	154	2	6	1	10	9	-	1	1
61	217	3	8	186	2	4	-	19	13	-	3	-
62	330	2	3	281	3	10	4	27	31	1	9	5
63	561	4	3	489	4	16	5	40	31	1	6	7
64	1,216	12	18	1,047	6	27	11	95	68	1	22	4
65	1,837	18	25	1,601	11	43	12	127	128	3	32	11
66	1,654	18	24	1,414	16	46	6	130	141	4	37	15
67	413	4	5	357	2	9	5	31	52	2	10	7
68	-	-	-	-	-	-	-	-	1	-	-	-
69	7,151	69	92	6,152	57	180	51	550	542	13	138	57

International Nos. Short List.		MORAY COUNTY— (continued).				NAIRN COUNTY.			Marginal Index Numbers.
		Grantown-on-Spey B.	Lossiemouth B.	Rothies B.	Landward.	Nairn County.	Nairn B.	Landward.	
	Population (Estimated) * - - -	1,423	4,024	1,286	19,383	8,275	4,345	3,980	1
	Total Live Births Registered (inc. Illeg.)	13	93	29	510	192	30	162	2
	" " Corr. for Mother's Resid. (,,)	30	111	31	399	202	101	101	3
	" " " Male - - -	12	58	15	195	104	49	55	4
	" " " Female - - -	18	53	16	204	98	52	46	5
	" " " Illegitimate	2	5	7	58	31	16	15	6
	Still-births Registered (inc. Illegitimate)	3	2	-	13	4	2	2	7
	" Corr. for Mother's Residence	4	4	-	16	5	4	1	8
	Marriages Registered - - -	12	36	12	99	69	54	15	9
	Deaths Registered - - -	16	41	12	323	117	46	71	10
	" Corrected for Residence - - -	21	48	15	250	108	65	43	11
	" " " Male - - -	9	25	7	137	49	28	21	12
	" " " Female - - -	12	23	8	113	59	37	22	13
	CAUSES OF DEATH.								
1	Typhoid fever (including Paratyphoid)	-	-	-	-	-	-	-	14
14 (1)	Cerebro-spinal fever - - -	-	-	-	-	1	-	1	15
3	Scarlet fever - - -	-	-	-	-	-	-	-	16
4	Whooping-cough - - -	-	1	-	2	-	-	-	17
5	Diphtheria - - -	-	1	-	2	1	1	-	18
6	Tuberculosis of respiratory system	1	-	-	6	2	1	1	19
7	Other forms of tuberculosis - - -	-	-	1	3	-	-	-	20
9	Syphilis - - -	-	-	-	-	1	1	-	21
10	Influenza - - -	-	-	-	-	3	1	2	22
12	Measles - - -	-	-	-	-	-	-	-	23
14 (2)	Other infect. or parasitic dis. (2, 8, 11, 13)+	1	-	-	2	-	-	-	24
15	Cancer, malignant tumours - - -	3	5	1	28	13	9	4	25
16	Tumours, non-malignant or not defined	-	-	-	-	-	-	-	26
20 (1)	Acute rheumatism - - -	-	2	-	4	1	1	-	28
18	Diabetes mellitus - - -	-	1	-	2	3	1	2	29
20 (2)	Other general diseases (17, 19) - -	1	2	-	2	-	-	-	30
21	Meningitis, Disease of spinal cord	-	2	-	2	-	-	-	31
22	Cerebral hemorrhage, &c. - - -	1	11	1	36	19	13	6	32
23	Other diseases of nervous system	-	-	-	7	6	5	1	33
24	Heart disease - - -	7	6	8	75	22	14	8	34
25	Other circulatory diseases - - -	-	1	-	5	3	-	3	35
26	Bronchitis - - -	-	-	-	4	4	1	3	36
27	Pneumonia - - -	-	-	1	6	2	1	1	37
28	Other respiratory diseases - - -	2	-	1	9	2	1	-	38
32 (1)	Gastric and duodenal ulcer - - -	-	-	1	5	-	-	-	39
29	Diarrhoea (all ages) - - -	-	-	-	2	-	-	-	40
30	Appendicitis - - -	1	-	-	2	-	-	-	41
31 (1)	Cirrhosis of liver - - -	-	-	-	-	-	-	-	42
31 (2)	Other diseases of liver - - -	-	-	-	4	2	2	-	43
32 (2)	Other digestive diseases - - -	1	2	-	7	2	1	1	44
33	Nephritis, acute or chronic - - -	-	2	-	2	1	-	1	45
34	Other dis. of genito-urinary system	-	1	-	2	-	-	-	46
35	Puerperal sepsis - - -	-	-	-	-	1	1	-	47
36	Other puerperal causes - - -	-	-	-	1	-	-	-	48
37	Dis. of skin and organs of movement	-	-	-	13	8	5	3	49
38	Congen. debil., prem. birth, malform., &c.	2	4	-	4	6	4	2	50
39	Old age - - -	1	6	-	3	-	-	-	51
40	Suicide - - -	-	-	-	3	-	-	-	52
42	Road transport accidents - - -	-	-	1	5	-	-	-	53
43	Other violence (41) - - -	-	2	-	3	4	1	3	54
44	Causes ill-defined or unknown - -	-	1	-	4	1	1	-	55
	ALL CAUSES - - -	21	48	15	250	108	65	43	56
	AGES AT DEATH.								
	Under 1 - - -	2	6	-	19	12	7	5	57
	1-4 - - -	-	-	1	6	2	1	1	58
	5-9 - - -	-	-	1	3	1	-	-	59
	10-14 - - -	-	-	-	4	-	-	-	60
	15-24 - - -	-	2	-	5	2	-	2	61
	25-34 - - -	1	-	-	9	5	2	3	62
	35-44 - - -	2	1	1	12	1	1	-	63
	45-54 - - -	-	2	3	12	7	5	2	64
	55-64 - - -	6	6	-	29	10	6	4	65
	65-74 - - -	4	12	1	65	30	17	13	66
	75-84 - - -	4	13	5	63	28	20	8	67
	85 and over - - -	2	6	3	22	10	5	5	68
	Not stated - - -	-	-	-	1	-	-	-	69
	ALL AGES - - -	21	43	15	250	108	65	43	70

* These populations are for the year 1939, as no later estimates are available in the case of Small Burghs and Landward areas.

† Including erysipelas, septicæmia, dysentery, acute poliomyelitis and lethargic encephalitis.

Marginal Index Numbers.	ORKNEY COUNTY.				PEEBLES COUNTY.				PERTH COUNTY.				
	Orkney County.	Kirkwall B.	Stromness B.	Landward.	Peebles County.	Innerleithen B.	Peebles B.	Landward.	Perth County.	Aberfeldy B.	Abernethy B.	Alyth B.	Auchterarder B.
1	21,641	3,726	1,558	16,357	14,121	2,182	5,827	6,112	120,137	1,469	603	1,873	2,214
2	469	101	41	327	257	9	22	226	2,059	52	3	111	13
3	484	97	42	345	200	29	82	89	2,064	27	6	38	34
4	234	40	20	174	104	16	43	45	1,031	13	4	16	14
5	250	57	22	171	96	13	39	44	1,033	14	2	22	20
6	40	11	2	27	23	4	12	7	243	3	1	6	1
7	17	5	1	11	3	-	-	3	69	1	-	2	-
8	17	5	1	11	4	-	3	1	77	1	1	2	1
9	198	75	24	99	119	34	58	27	1,036	11	1	25	20
10	409	117	24	268	152	25	80	47	1,738	18	8	22	37
11	380	77	29	274	182	34	92	56	1,682	20	14	39	33
12	203	42	13	148	93	20	46	27	778	9	7	16	13
13	177	35	16	126	89	14	46	29	904	11	7	23	20
14	-	-	-	-	-	-	-	-	-	-	-	-	-
15	-	-	-	-	-	-	-	-	1	-	-	-	-
16	-	-	-	-	-	-	-	-	2	-	-	-	-
17	-	-	-	-	1	-	1	-	1	-	-	-	-
18	1	1	-	-	-	-	-	-	1	-	-	-	-
19	7	-	-	7	3	1	1	1	54	2	1	-	2
20	6	2	-	4	-	-	-	-	15	-	-	3	-
21	2	2	-	-	1	-	1	-	12	-	-	-	-
22	3	-	-	3	4	1	2	1	6	-	-	-	1
23	-	-	-	-	-	-	-	-	1	-	-	-	-
24	6	3	-	3	2	-	-	2	13	-	-	-	-
25	42	8	6	28	21	7	10	4	233	4	1	4	3
26	-	-	-	-	-	-	-	-	8	-	-	-	1
27	-	-	-	-	-	-	-	-	4	-	-	-	-
28	5	1	1	3	3	2	-	1	26	-	-	1	-
29	7	1	-	6	2	-	1	1	21	1	1	1	-
30	4	1	-	3	-	-	-	-	6	-	-	-	-
31	42	9	4	29	32	3	22	7	232	3	2	5	1
32	5	-	-	5	-	-	-	-	27	-	-	1	-
33	110	24	14	72	48	7	25	16	421	4	5	10	10
34	3	2	-	1	2	-	1	1	46	-	1	1	3
35	16	5	-	11	5	-	4	1	50	-	-	2	1
36	7	2	-	5	1	-	1	-	59	-	-	2	2
37	7	1	-	6	4	1	2	1	24	-	-	-	1
38	3	1	-	2	1	-	1	-	19	1	1	-	-
39	1	-	-	1	3	-	3	-	18	-	-	-	1
40	-	-	-	-	2	-	1	1	4	-	-	-	-
41	1	1	-	-	-	-	-	-	8	-	-	1	2
42	4	1	-	3	-	-	-	-	17	1	-	-	-
43	5	1	1	3	1	-	1	-	13	-	-	-	-
44	4	-	1	3	6	2	3	1	46	1	-	1	1
45	10	1	-	9	2	1	-	1	37	2	-	2	-
46	-	-	-	-	1	-	-	1	1	-	-	-	-
47	-	-	-	-	2	1	-	1	5	-	-	-	-
48	2	-	-	2	1	-	1	-	7	-	-	-	-
49	10	-	1	9	9	-	3	6	79	-	-	3	1
50	26	6	1	19	10	3	2	5	67	1	-	1	1
51	1	-	-	1	-	-	-	-	12	-	-	-	1
52	1	-	-	1	1	-	1	-	20	-	1	-	-
53	19	-	-	19	7	-	4	3	43	-	-	1	1
54	20	4	-	16	7	5	1	1	24	-	1	-	-
55	380	77	29	274	182	34	92	56	1,682	20	14	39	33
56	16	3	1	14	12	-	6	6	133	-	-	5	2
57	6	3	-	3	1	-	1	-	18	-	-	-	-
58	8	4	1	3	-	-	-	-	7	-	-	-	-
59	3	-	-	3	1	-	1	-	11	-	-	-	-
60	5	-	-	5	3	-	-	3	29	-	-	2	-
61	15	1	-	14	3	2	-	1	43	2	-	-	2
62	17	2	3	12	4	-	4	-	81	1	-	2	3
63	23	3	3	17	12	2	8	2	107	2	2	-	1
64	44	15	5	24	23	6	11	6	205	2	-	3	4
65	101	23	7	71	56	8	29	19	410	6	3	8	8
66	90	15	3	72	52	15	26	11	451	4	7	12	8
67	52	10	6	36	15	1	6	8	187	3	2	7	5
68	-	-	-	-	-	-	-	-	-	-	-	-	-
69	380	77	29	274	182	34	92	56	1,682	20	14	39	33

International Nos. Short List.		PERTH COUNTY—(continued).									Marginal Index Numbers.
		Blairgowrie and Rattray B.	Callander B.	Compar-Angus B.	Crief B.	Doune B.	Dunblane B.	Perth B.	Landward.		
	Population (Estimated)*	4,851	1,477	2,059	5,275	858	2,778	36,675	60,005	1	
	Total Live Births Registered (inc. Illeg.)	41	18	25	56	7	33	986	714	2	
	" " Corr. for Mother's Resid. (,)	117	26	43	83	11	47	613	1,019	3	
	" " " Male	62	19	23	40	6	14	304	516	4	
	" " " Female	55	7	20	43	5	33	309	508	5	
	" " " Illegitimate	29	3	8	8	-	1	61	122	6	
	Still-births Registered (inc. Illegitimate)	2	1	-	-	1	-	49	13	7	
	" " Corr. for Mother's Residence	5	-	-	3	1	1	32	30	8	
	Marriages Registered	60	13	13	42	16	41	517	277	9	
	Deaths Registered	82	26	25	66	12	40	690	712	10	
	" " Corrected for Residence	88	35	36	78	14	46	489	790	11	
	" " " Male	34	16	17	32	4	16	252	362	12	
	" " " Female	54	19	19	46	10	30	237	428	13	
	CAUSES OF DEATH.										
1	Typhoid fever (including Paratyphoid)	-	-	-	-	-	-	-	-	14	
14 (1)	Cerebro-spinal fever	-	-	-	-	-	-	-	1	15	
3	Scarlet fever	-	-	-	-	-	-	-	1	16	
4	Whooping-cough	-	-	-	-	-	-	-	2	17	
5	Diphtheria	-	-	-	-	-	-	-	1	18	
6	Tuberculosis of respiratory system	2	1	-	2	-	1	21	22	19	
7	Other forms of tuberculosis	1	-	-	1	-	1	-	9	20	
9	Syphilis	-	-	-	-	-	-	6	6	21	
10	Influenza	-	-	-	-	-	-	1	4	22	
12	Measles	-	-	-	-	-	-	-	1	23	
14 (2)	Other infect. or parasitic dis. (2, 8, 11, 13)+	1	1	-	1	-	1	5	4	24	
15	Cancer, malignant tumours	14	5	4	13	1	8	61	115	25	
16	Tumours, non-malignant or not defined	2	-	-	1	-	-	2	2	26	
20 (1)	Acute rheumatism	1	-	-	-	-	-	1	7	27	
18	Diabetes mellitus	-	1	1	-	-	2	7	14	28	
20 (2)	Other general diseases (17, 19)	-	-	-	-	-	2	6	10	29	
22	Meningitis, Disease of spinal cord	-	-	-	1	-	-	1	4	30	
22	Cerebral hæmorrhage, &c.	8	1	7	9	3	7	33	103	31	
23	Other diseases of nervous system	-	-	1	2	1	-	10	12	32	
24	Heart disease	25	10	11	21	4	9	96	216	33	
25	Other circulatory diseases	2	1	2	1	-	1	12	22	34	
26	Bronchitis	2	4	-	4	1	2	19	15	35	
27	Pneumonia	5	1	1	2	-	3	13	30	36	
28	Other respiratory diseases	4	-	2	-	-	-	7	10	37	
32 (1)	Gastric and duodenal ulcer	2	1	-	-	-	-	8	5	38	
29	Diarrhoea (all ages)	-	-	-	-	-	1	10	6	39	
30	Appendicitis	1	-	-	-	-	-	2	1	40	
31 (1)	Cirrhosis of liver	-	-	-	-	-	-	1	4	41	
31 (2)	Other diseases of liver	3	1	-	-	1	1	3	7	42	
32 (2)	Other digestive diseases	1	-	1	1	-	-	3	7	43	
33	Nephritis, acute or chronic	7	-	-	4	1	1	8	22	44	
34	Other dis. of genito-urinary system	-	1	-	1	-	1	12	18	45	
35	Puerperal sepsis	-	-	-	-	-	-	1	-	46	
36	Other puerperal causes	1	-	-	-	-	1	-	3	47	
37	Dis. of skin and organs of movement	-	1	-	1	-	-	1	4	48	
38	Congen. debil., prem. birth, malform., &c.	3	4	2	1	-	2	32	31	49	
39	Old age	2	-	2	3	1	1	25	30	50	
40	Suicide	-	-	-	-	-	-	8	3	51	
42	Road transport accidents	-	-	-	-	-	-	6	13	52	
43	Other violence (41)	1	1	2	5	-	-	14	18	53	
44	Causes ill-defined or unknown	-	1	-	4	1	-	4	13	54	
	ALL CAUSES	88	35	36	78	14	46	489	790	55	
	AGES AT DEATH.										
	Under 1	8	5	5	3	-	4	51	50	56	
	1-4	1	-	-	1	-	-	8	8	57	
	5-9	1	-	-	-	-	-	-	6	58	
	10-14	-	-	-	-	-	-	3	8	59	
	15-24	3	-	-	-	1	-	6	17	60	
	25-34	1	-	-	1	-	1	12	24	61	
	35-44	2	-	1	1	-	2	34	35	62	
	45-54	2	2	2	5	1	2	41	47	63	
	55-64	6	4	7	11	-	2	72	94	64	
	65-74	26	8	8	18	5	13	111	196	65	
	75-84	30	12	11	29	6	14	114	204	66	
	85 and over	8	4	2	9	1	8	37	101	67	
	Not stated	-	-	-	-	-	-	-	-	68	
	ALL AGES	88	35	36	78	14	46	489	790		

* These populations are for the year 1939, as no later estimates are available in the case of Small Burghs and Landward areas.

† Including erysipelas, septicæmia, dysentery, acute poliomyelitis, and lethargic encephalitis.

Marginal Index Numbers.	RENFREW COUNTY.									ROSS AND CROMARTY COUNTY.				
	Renfrew County.	Barthead B.	Gourock B.	Greenock B.	Johnstone B.	Paisley B.	Port-Glasgow B.	Renfrew B.	Landward.	Ross and Cromarty County.	Cromarty B.	Dingwall B.	Fortrose B.	Invergordon B.
1	322,642	12,283	9,350	81,366	14,031	92,072	20,042	16,759	76,739	61,956	793	2,776	807	1,449
2	5,499	166	65	1,555	193	1,661	381	157	1,321	1,056	26	146	9	17
3	5,878	198	142	1,590	300	1,663	502	319	1,164	1,143	23	67	11	34
4	2,974	104	64	785	157	887	268	162	597	589	15	33	6	14
5	2,904	94	78	805	143	826	234	157	567	554	8	34	5	20
6	283	8	8	90	16	85	21	11	44	96	2	4	2	2
7	216	6	1	80	2	66	8	4	49	35	1	5	-	1
8	234	12	2	78	6	67	17	8	42	44	1	1	1	3
9	2,987	114	91	777	128	1,032	224	143	478	378	4	54	5	13
10	3,846	95	106	990	103	1,243	206	118	985	803	7	46	13	11
11	4,021	155	139	1,037	169	1,173	264	199	885	874	11	33	11	28
12	2,098	77	70	569	83	602	137	105	455	440	5	12	6	14
13	1,923	78	69	468	86	571	127	94	430	434	6	21	5	14
14	1	-	-	-	-	1	-	-	-	-	-	-	-	-
15	3	1	-	1	-	1	-	-	-	1	-	-	-	-
16	2	-	-	1	-	1	-	-	-	1	-	-	-	-
17	11	-	-	4	-	4	1	-	2	2	-	-	-	-
18	16	-	-	3	2	6	-	3	2	1	1	-	-	-
19	260	9	6	86	14	76	13	16	40	33	-	-	-	-
20	72	3	1	24	3	25	3	-	13	7	-	2	-	-
21	10	1	1	1	-	4	-	1	2	4	-	-	1	-
22	29	2	-	8	2	5	6	-	6	4	-	-	-	-
23	9	-	-	-	-	6	3	-	-	-	-	-	-	-
24	14	2	2	3	-	1	-	1	5	4	-	-	-	1
25	548	26	11	128	24	155	28	25	151	90	1	5	1	3
26	8	-	1	1	-	2	1	1	2	4	-	-	-	-
27	7	-	-	1	-	4	1	-	1	1	-	-	-	-
28	35	3	-	8	2	9	1	2	10	11	-	-	1	1
29	62	1	3	13	5	17	2	7	14	11	-	2	-	-
30	17	-	1	4	-	4	2	1	5	3	-	-	-	-
31	420	16	16	84	20	127	18	15	124	102	1	3	-	5
32	60	5	2	18	4	22	1	-	8	15	-	-	-	1
33	919	28	44	213	47	262	47	55	223	202	2	10	2	1
34	88	1	2	30	2	19	4	1	29	30	-	1	2	2
35	153	8	2	52	8	42	12	8	26	29	-	3	-	-
36	203	6	4	60	7	64	26	6	30	23	-	-	-	-
37	55	-	3	15	-	20	4	1	12	15	-	1	-	-
38	35	1	2	6	4	10	3	2	7	9	-	-	1	-
39	70	2	-	36	-	12	10	4	6	8	-	-	-	-
40	18	2	1	3	1	8	1	1	1	2	-	-	-	-
41	9	2	-	2	-	-	-	1	4	-	-	-	-	-
42	19	-	1	5	-	6	1	1	5	3	-	-	-	-
43	57	2	2	16	3	11	5	3	15	17	1	-	-	1
44	100	5	5	18	5	35	5	4	23	13	-	-	-	1
45	56	4	6	8	1	10	3	3	21	13	-	1	-	1
46	9	-	-	2	-	4	-	2	1	1	-	-	-	-
47	17	-	-	5	-	7	-	1	4	1	-	-	-	-
48	20	3	-	4	-	7	3	1	2	4	-	-	-	1
49	255	5	4	80	6	101	22	12	25	37	2	3	1	3
50	82	4	4	29	2	11	7	-	25	101	3	-	1	2
51	15	1	1	2	1	2	2	2	4	-	-	-	-	-
52	66	3	1	11	4	25	7	5	10	7	-	-	-	1
53	134	6	12	36	2	34	15	8	21	28	-	2	-	2
54	52	3	1	16	-	13	7	6	6	37	-	-	-	2
55	4,021	155	139	1,037	169	1,173	264	199	885	874	11	33	11	28
56	470	11	6	165	15	161	45	21	46	54	2	2	1	4
57	97	2	-	24	7	34	16	4	10	7	-	2	-	1
58	43	1	1	14	-	14	5	2	6	5	1	-	-	-
59	40	1	1	12	3	12	6	-	5	5	-	2	1	-
60	171	8	8	57	9	44	10	10	25	21	-	-	-	2
61	177	6	7	44	9	55	17	11	28	28	-	1	-	2
62	214	13	8	52	7	59	15	17	43	35	-	-	-	-
63	369	14	16	97	13	105	24	18	82	50	1	3	1	1
64	617	24	14	164	27	161	38	34	155	82	1	4	1	5
65	919	41	37	216	40	264	52	41	228	173	3	4	2	3
66	730	32	30	156	35	213	30	35	199	283	1	12	3	7
67	173	2	11	35	4	51	6	6	58	126	2	3	2	3
68	1	-	-	1	-	-	-	-	-	-	-	-	-	-
69	4,021	155	139	1,037	169	1,173	264	199	885	874	11	33	11	28

International Nos. Short List.		ROSS AND CROMARTY COUNTY—(contd.).			ROXBURGH COUNTY.			Marginal Index Numbers.
		Stornoway B.	Tain B.	Landward.	Roxburgh County.	Hawick B.	Jedburgh B.	
	Population (Estimated)*	4,753	1,413	49,965	45,410	16,944	3,448	1
	Total Live Births Registered (inc. Illeg.)	131	22	705	592	301	77	2
	" " Corr. for Mother's Resid. (.,.)	99	29	880	678	243	63	3
	" " " Male -	52	12	457	386	136	43	4
	" " " Female -	47	17	423	292	107	20	5
	" " " Illegitimate	3	1	82	47	15	3	6
	Still-births Registered (inc. Illegitimate)	13	-	15	14	9	1	7
	" Corr. for Mother's Residence	3	1	34	22	10	3	8
	Marriages Registered -	55	41	206	361	149	42	9
	Deaths Registered -	96	12	618	551	199	39	10
	" Corrected for Residence -	51	19	721	586	220	36	11
	" " " Male -	26	11	366	283	102	17	12
	" " " Female -	25	8	355	303	118	19	13
	CAUSES OF DEATH.							
	Typhoid fever (including Paratyphoid)	-	-	-	-	-	-	14
14 (1)	Cerebro-spinal fever -	-	-	1	-	-	-	15
3	Scarlet fever -	-	-	1	-	-	-	16
4	Whooping-cough -	-	-	2	2	1	-	17
5	Diphtheria -	-	-	-	2	1	-	18
6	Tuberculosis of respiratory system -	2	-	31	14	9	2	19
7	Other forms of tuberculosis -	1	-	4	7	3	-	20
9	Syphilis -	1	-	2	-	-	-	21
10	Influenza -	-	-	4	8	-	3	22
12	Measles -	-	-	-	-	-	-	23
14 (2)	Other infect. or parasitic dis. (2, 8, 11, 13)†	-	-	3	4	-	-	24
15	Cancer, malignant tumours -	2	1	77	68	27	3	25
16	Tumours, non-malignant or not defined	1	1	2	2	1	-	26
20 (1)	Acute rheumatism -	-	-	1	-	-	-	27
18	Diabetes mellitus -	2	-	7	8	2	-	28
20 (2)	Other general diseases (17, 19) -	1	-	8	8	3	-	29
21	Meningitis, Disease of spinal cord	1	-	2	3	-	-	30
22	Cerebral hæmorrhage, &c. -	8	2	83	77	33	4	31
23	Other diseases of nervous system	2	-	12	6	3	-	32
24	Heart disease -	11	3	173	179	69	11	33
25	Other circulatory diseases -	3	2	20	19	4	-	34
26	Bronchitis -	2	-	24	14	6	3	35
27	Pneumonia -	1	1	21	23	11	1	36
28	Other respiratory diseases -	-	-	13	8	4	1	37
32 (1)	Gastric and duodenal ulcer -	-	-	8	8	4	-	38
29	Diarrhœa (all ages) -	2	-	6	4	1	-	39
30	Appendicitis -	-	-	2	3	1	-	40
31 (1)	Cirrhosis of liver -	-	-	-	2	1	-	41
31 (2)	Other diseases of liver -	-	1	2	6	2	2	42
32 (2)	Other digestive diseases -	-	1	14	5	1	-	43
33	Nephritis, acute or chronic -	-	-	12	17	4	-	44
34	Other dis. of genito-urinary system	1	-	10	14	4	-	45
35	Puerperal sepsis -	-	-	1	1	1	-	46
36	Other puerperal causes -	-	-	1	-	-	-	47
37	Diseases of skin and organs of movement	-	-	3	-	-	-	48
38	Congen. debil., prem. birth, malform., &c.	1	-	27	28	9	3	49
39	Old age -	4	5	86	8	1	2	50
40	Suicide -	-	-	-	4	3	-	51
42	Road transport accidents -	2	-	4	8	3	-	52
42	Other violence (41) -	3	-	21	19	7	1	53
44	Causes ill-defined or unknown -	-	2	33	7	1	-	54
	ALL CAUSES	51	19	721	586	220	36	55
	AGES AT DEATH.							
	Under 1 -	3	1	41	35	14	5	56
	1-4 -	-	-	4	13	2	1	57
	5-9 -	1	-	3	1	-	-	58
	10-14 -	1	-	1	3	1	-	59
	15-24 -	1	-	18	9	4	-	60
	25-34 -	3	1	21	10	7	-	61
	35-44 -	1	-	34	22	11	1	62
	45-54 -	5	1	38	44	19	-	63
	55-64 -	4	4	63	87	34	7	64
	65-74 -	9	4	153	177	71	9	65
	75-84 -	20	7	233	148	52	11	66
	85 and over -	3	1	112	34	5	2	67
	Not stated -	-	-	-	-	-	-	68
	ALL AGES	51	19	721	586	220	36	69

* These populations are for the year 1939, as no later estimates are available in the case of Small Burgh and Landward areas.

† Including erysipelas, septicæmia, dysentery, acute poliomyelitis and lethargic encephalitis.

Marginal Index Numbers.	ROXBURGH COUNTY —(continued).—			SELKIRK COUNTY.				STIRLING COUNTY.					
	Kelso B.	Melrose B.	Landward.	Selkirk County.	Galashiels B.	Selkirk B.	Landward.	Stirling County.	Bridge of Allan B.	Denny and Dunipace B.	Falkirk B.	Grangemouth B.	Kilryth B.
1	3,872	2,028	19,118	21,996	13,025	5,460	3,511	174,277	2,859	5,953	38,212	13,980	8,842
2	30	8	176	374	232	131	11	3,700	27	79	1,030	130	117
3	47	25	300	320	175	83	62	3,176	46	114	606	263	177
4	24	14	169	186	106	50	30	1,625	22	65	311	135	85
5	23	11	131	134	69	33	32	1,551	24	49	295	133	92
6	-	-	29	24	11	8	5	178	4	4	37	9	1
7	-	-	4	7	6	1	-	145	1	2	44	5	5
8	1	1	7	7	6	1	-	130	1	5	23	12	9
9	39	18	113	193	117	63	13	1,591	20	55	418	115	93
10	62	60	191	268	160	70	38	2,321	32	39	577	87	62
11	46	29	255	278	162	87	19	1,963	32	57	394	124	87
12	18	15	131	131	73	39	19	1,055	11	27	225	72	47
13	28	14	124	147	89	48	10	908	21	30	169	52	40
14	-	-	-	-	-	-	-	-	-	-	-	-	-
15	-	-	-	1	1	-	-	7	1	-	2	1	1
16	-	-	-	-	-	-	-	1	-	-	-	-	-
17	-	-	1	1	1	-	-	-	-	-	-	-	-
18	-	-	1	-	-	-	-	5	-	-	-	-	-
19	-	1	2	7	3	4	-	61	-	1	11	3	5
20	-	1	3	3	3	-	-	25	-	1	3	1	1
21	-	-	-	1	1	-	-	5	-	-	-	1	-
22	1	1	3	2	1	-	1	13	-	1	3	-	1
23	-	-	-	-	-	-	-	4	-	-	1	1	-
24	1	-	3	4	-	3	1	10	-	-	2	-	1
25	5	3	30	36	24	11	1	272	5	8	57	18	11
26	-	-	1	1	-	1	-	8	-	-	2	1	1
27	-	-	-	-	-	-	-	2	-	-	-	-	-
28	2	-	4	5	4	-	1	23	-	1	4	2	1
29	1	-	4	4	1	3	-	35	-	-	11	1	1
30	1	-	2	2	2	-	-	7	-	1	2	1	-
31	6	3	31	40	18	12	10	244	5	7	56	12	12
32	-	-	3	3	1	2	-	30	2	-	6	1	1
33	15	7	77	79	45	28	6	467	11	8	103	33	25
34	3	-	12	4	4	-	-	38	1	1	7	1	2
35	-	2	3	5	2	2	1	75	1	2	15	6	1
36	1	3	7	7	4	2	1	99	-	5	27	5	1
37	-	-	3	9	9	-	-	24	-	2	7	4	-
38	1	-	2	2	1	1	-	13	1	-	2	1	1
39	1	-	2	-	-	-	-	29	-	1	4	-	4
40	1	-	1	2	1	1	-	10	-	1	4	2	-
41	-	-	1	1	1	-	-	4	-	-	-	-	-
42	-	1	1	-	-	-	-	6	-	-	1	-	-
43	-	-	4	3	1	2	-	22	-	1	3	2	1
44	-	2	11	8	6	2	-	55	1	1	14	-	2
45	1	2	7	4	-	4	-	38	-	1	6	1	-
46	-	-	-	-	-	-	-	5	-	-	1	1	-
47	-	-	-	-	-	-	-	6	-	1	1	1	-
48	-	-	-	2	1	1	-	12	-	2	2	-	-
49	1	1	14	13	6	3	4	106	-	3	15	7	6
50	-	1	4	19	14	2	3	66	3	3	4	4	4
51	1	-	-	2	2	-	-	7	1	-	-	-	-
52	-	-	5	3	2	1	-	24	-	1	3	3	1
53	3	1	7	3	1	2	-	72	-	3	10	9	2
54	1	-	5	2	2	-	-	33	-	1	5	-	1
55	46	29	255	278	162	87	29	1,963	32	57	394	124	87
56	2	1	16	16	8	4	4	187	-	10	32	15	11
57	2	1	7	3	3	-	-	57	1	1	8	3	2
58	1	-	-	1	-	1	-	17	-	2	4	2	-
59	-	-	2	3	1	1	1	14	-	-	1	2	1
60	2	-	3	3	2	1	-	59	-	2	12	4	4
61	-	1	2	5	3	1	1	67	-	3	9	6	6
62	1	1	8	6	3	3	-	102	-	4	13	6	7
63	6	3	16	30	21	7	2	189	1	4	39	11	10
64	8	5	33	43	26	14	3	307	4	10	80	24	10
65	14	11	72	74	47	17	10	464	12	10	89	28	19
66	8	4	73	72	37	29	6	421	9	8	90	20	13
67	2	2	23	22	11	9	2	79	5	3	17	3	4
68	-	-	-	-	-	-	-	-	-	-	-	-	-
69	46	29	255	278	162	87	29	1,963	32	57	394	124	87

International Nos. Short List.		STIRLING COUNTY— (continued).		SUTHERLAND COUNTY.			WEST LOTHIAN COUNTY.			Marginal Index Numbers.
		Stirling B.	Landward.	Sutherland County.	Dornoch B.	Landward.	West Lothian County.	Armadale B.	Bathgate B.	
	Population (Estimated)*	26,191	78,240	15,271	706	14,565	83,564	5,415	10,426	1
	Total Live Births Registered (inc. Illeg.)	935	1,382	198	14	184	1,300	101	136	2
	" " Corr. for Mother's Resid. (..)	503	1,462	235	14	221	1,660	119	185	3
	" " " " Male	260	747	108	9	99	888	63	97	4
	" " " " Female	243	715	127	5	122	772	56	88	5
	" " " " Illegitimate	42	81	23	—	23	65	3	2	6
	Still-births Registered (inc. Illegitimate)	49	39	5	—	5	38	3	3	7
	" " Corr. for Mother's Residence	23	57	5	—	5	75	5	11	8
	Marriages Registered	286	604	98	11	87	671	71	93	9
	Deaths Registered	453	1,071	239	5	234	755	34	73	10
	" " Corrected for Residence	317	952	243	7	236	859	56	115	11
	" " " " Male	164	509	114	1	113	475	32	66	12
	" " " " Female	153	443	129	6	123	384	24	49	13
	CAUSES OF DEATH.									
1	Typhoid fever (including Paratyphoid)	—	—	—	—	—	—	—	—	14
14 (1)	Cerebro-spinal fever	—	2	—	—	—	2	1	—	15
3	Scarlet fever	—	1	—	—	—	—	—	—	16
4	Whooping-cough	—	—	—	—	—	—	—	—	17
5	Diphtheria	3	1	—	—	—	1	—	—	18
6	Tuberculosis of respiratory system	13	28	9	—	9	17	1	2	19
7	Other forms of tuberculosis	3	16	1	—	1	7	—	4	20
9	Syphilis	1	3	2	—	2	1	—	—	21
10	Influenza	2	6	—	—	—	5	—	—	22
12	Measles	—	2	—	—	—	1	1	—	23
14 (2)	Other infect. or parasitic dis. (2, 8, 11, 13)*	2	5	1	—	1	8	1	1	24
15	Cancer, malignant tumours	43	180	35	2	33	125	9	16	25
16	Tumours, non-malignant or not defined	1	3	—	—	—	6	—	—	26
20 (1)	Acute rheumatism	1	1	—	—	—	2	—	—	27
18	Diabetes mellitus	2	13	4	—	4	12	1	—	28
20 (2)	Other general diseases (17, 19)	5	17	5	—	5	17	2	2	29
21	Meningitis, Disease of spinal cord	—	3	1	—	1	2	1	1	30
22	Cerebral hæmorrhage, &c.	35	117	37	2	35	114	6	12	31
23	Other diseases of nervous system	3	17	4	—	4	17	—	4	32
24	Heart disease	69	218	59	1	58	180	7	34	33
25	Other circulatory diseases	10	16	6	—	6	16	2	1	34
26	Bronchitis	13	37	9	—	9	43	2	8	35
27	Pneumonia	12	49	10	—	10	45	2	4	36
28	Other respiratory diseases	5	6	1	—	1	19	1	2	37
32 (1)	Gastric and duodenal ulcer	4	4	—	—	—	6	—	—	38
29	Diarrhœa (all ages)	4	16	3	—	3	9	2	2	39
30	Appendicitis	1	2	1	—	1	5	—	—	40
31 (1)	Cirrhosis of liver	1	3	1	—	1	4	—	—	41
31 (2)	Other diseases of liver	1	4	—	—	—	5	—	1	42
32 (2)	Other digestive diseases	5	10	—	—	—	13	2	1	43
33	Nephritis, acute or chronic	7	30	9	—	9	21	1	—	44
34	Other dis. of genito-urinary system	9	21	5	—	5	14	—	4	45
35	Puerperal sepsis	2	1	—	—	—	1	—	—	46
36	Other puerperal causes	1	2	—	—	—	1	—	—	47
37	Dis. of skin and organs of movement	2	6	2	—	2	6	—	—	48
38	Congen. debil., prem. birth, malform., &c	17	58	1	—	1	49	6	5	49
39	Old age	11	37	25	1	24	26	—	3	50
40	Suicide	1	5	1	—	1	4	—	1	51
42	Road transport accidents	6	10	3	—	3	9	2	3	52
43	Other violence (41)	11	37	4	1	3	35	5	3	53
44	Causes ill-defined or unknown	11	15	4	—	4	11	1	1	54
	ALL CAUSES	317	952	243	7	236	859	56	115	55
	AGES AT DEATH.									
	Under 1	26	93	7	—	7	98	10	11	56
	1-4	13	29	4	—	4	20	2	4	57
	5-9	5	4	2	—	2	11	1	3	58
	10-14	2	8	1	—	1	8	—	1	59
	15-24	6	31	6	—	6	29	3	4	60
	25-34	9	34	6	—	6	25	—	7	61
	35-44	18	54	8	—	8	47	2	7	62
	45-54	33	91	13	—	13	74	7	10	63
	55-64	57	122	24	1	23	149	10	17	64
	65-74	70	236	51	3	51	189	14	26	65
	75-84	69	212	88	3	85	178	5	24	66
	85 and over	9	38	30	—	30	31	2	8	67
	Not stated	—	—	—	—	—	—	—	—	68
	ALL AGES	317	952	243	7	236	859	56	115	69

* These populations are for the year 1939, as no later estimates are available in the case of Small Burghs and Landward areas.

† Including erysipelas, septicæmia, dysentery, acute poliomyelitis, and lethargic encephalitis.

Marginal Index Numbers.	WEST LOTHIAN COUNTY— (continued).					WIGTOWN COUNTY.						ZETLAND COUNTY.			Unallocated Deaths.†
	Bo'ness B.	Linlithgow B.	Queensferry B.	Whitburn B.	Landward.	Wigtown County.	Newton-Stewart B.	Stranraer B.	Whithorn B.	Wigtown B.	Landward.	Zetland County.	Lerwick B.	Landward.	
1	10,446	3,546	2,004	4,207	47,520	29,634	1,973	7,236	997	1,286	18,142	19,868	5,178	14,690	-
2	139	29	30	86	779	602	32	186	12	25	347	374	119	255	-
3	194	59	45	95	963	678	40	183	13	32	410	377	107	270	-
4	89	30	23	60	526	365	22	99	10	13	221	191	53	138	-
5	105	29	22	35	437	313	18	84	3	19	189	186	54	132	-
6	7	4	5	6	38	86	4	11	3	6	62	37	13	24	-
7	3	1	-	4	24	22	2	5	2	-	13	15	6	9	-
8	6	3	1	4	45	27	3	3	2	-	19	15	4	11	-
9	119	41	19	33	295	314	32	129	5	24	124	153	89	64	-
10	88	26	16	21	497	411	21	114	13	14	249	333	105	228	-
11	104	53	27	33	471	402	27	97	14	22	242	302	62	240	1653
12	59	29	12	16	261	207	12	43	8	12	132	139	28	111	1587
13	45	24	15	17	210	195	15	54	6	10	110	163	34	129	66
14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
15	-	-	-	-	1	1	-	-	-	-	1	-	-	-	6
16	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-
17	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
18	-	-	-	-	1	-	-	-	-	-	-	-	-	-	4
19	2	-	3	-	9	10	-	3	1	1	5	7	2	5	78
20	-	-	-	-	3	8	1	2	-	1	4	5	1	4	28
21	1	-	-	-	-	3	-	1	-	-	2	-	-	-	10
22	2	-	-	-	3	6	-	1	-	-	5	1	-	1	1
23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
24	1	1	1	-	3	3	-	1	-	-	2	1	-	1	9
25	16	4	5	5	70	56	7	14	1	3	31	32	8	24	43
26	-	-	-	-	6	-	-	-	-	-	-	-	-	-	4
27	-	-	-	1	1	-	-	-	-	-	-	-	-	-	2
28	2	-	-	-	9	1	-	-	-	1	-	2	2	-	2
29	5	1	-	1	6	10	-	3	-	1	6	3	-	3	12
30	-	-	-	-	-	3	-	-	-	1	2	3	1	2	2
31	19	13	4	6	54	54	3	16	2	1	32	48	9	39	20
32	2	2	-	1	8	5	-	1	-	1	3	8	2	6	6
33	21	12	1	7	98	106	8	33	1	7	57	81	11	70	52
34	2	1	1	-	9	4	-	-	-	-	3	1	-	1	9
35	5	3	-	1	24	13	2	1	-	-	10	5	1	4	8
36	5	3	1	1	29	8	-	1	1	-	6	8	1	7	22
37	4	2	-	1	9	3	1	1	-	-	1	5	3	2	13
38	-	-	1	1	4	3	-	1	-	1	1	3	1	2	16
39	2	-	-	-	3	2	-	1	-	-	1	2	1	1	4
40	2	1	-	-	2	5	-	1	1	-	3	1	1	-	19
41	-	-	-	-	4	1	-	1	-	-	-	-	-	-	1
42	-	-	-	-	4	-	-	-	-	-	-	-	-	-	5
43	-	-	1	2	7	2	1	-	-	-	1	3	1	2	15
44	2	1	1	-	16	9	1	2	-	1	5	7	1	6	20
45	1	1	-	2	6	7	-	1	-	2	4	6	3	3	4
46	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1
47	-	-	-	-	1	2	-	1	-	-	1	-	-	-	1
48	1	-	1	-	4	2	-	-	-	-	-	1	-	-	11
49	4	3	1	2	28	27	1	2	-	-	24	8	3	5	-
50	-	-	2	-	21	13	-	-	3	-	10	41	6	35	-
51	1	2	-	-	-	-	-	-	-	-	-	1	-	1	67
52	-	1	1	-	2	4	-	2	1	-	1	3	-	3	169
53	4	2	1	1	19	22	1	4	3	1	13	5	2	3	973
54	-	-	2	1	6	6	1	-	-	-	5	8	1	7	13
55	104	53	27	33	471	402	27	97	14	22	242	302	62	240	1653
56	10	4	2	3	58	51	2	7	2	1	39	13	3	10	-
57	2	1	1	1	9	7	-	3	1	-	3	1	-	1	5
58	-	1	-	-	6	2	-	1	1	-	-	2	-	2	8
59	1	-	1	1	4	1	-	-	-	-	1	-	-	-	24
60	2	-	-	1	19	9	-	2	-	2	5	2	1	1	711
61	4	-	2	2	17	10	-	-	-	1	5	6	1	5	578
62	5	4	1	2	26	9	-	3	1	1	4	11	3	8	205
63	9	6	3	1	38	28	-	9	1	-	18	17	3	14	75
64	18	9	6	6	83	73	7	24	-	4	38	44	16	28	20
65	25	11	5	9	98	92	8	23	1	4	56	72	10	62	6
66	22	16	6	6	99	91	7	17	6	8	53	87	16	71	2
67	5	1	-	1	14	28	3	4	1	1	19	47	9	38	-
68	-	-	-	-	-	1	-	-	-	-	1	-	-	-	19
69	104	53	27	33	471	402	27	97	14	22	242	302	62	240	1653

† Including all Service deaths and all deaths due to war operations.

NOTES ON METEOROLOGICAL TABLES, 1942.

Up to and including the year 1930 tables giving monthly values for a large number of individual stations were printed *in extenso*. So far as possible the tables have now been reduced to summary form. More detailed information may be obtained from the Meteorological Office, Edinburgh, and from the official publications.

The observations of pressure in Table II have been reduced to mean sea-level, and reduced for the value of gravity to Lat. 45°.

The Air Temperatures throughout are from standard thermometers exposed in the regulation "Stevenson Screen."

Averages or normals in the case of pressure and rainfall refer to the period 1881-1915. In the case of temperature and sunshine, percentages of and departures from normal are calculated with reference to the period 1906-35; all the absolute values of the District Averages given in Table I refer to the period 1881-1915 however.

In Table II the figures, with the exception mentioned in the footnote, are extracted from the Quarterly Reports already published by the Registrar-General for Scotland and relate to the eleven towns, Glasgow, Edinburgh, Dundee, Aberdeen, Paisley, Greenock, Perth, Kirkcaldy, Kilmarnock, Ayr and Dunfermline.

TABLE I.—DISTRICT VALUES of AIR TEMPERATURE, RAINFALL and SUNSHINE.

DISTRICT.	MONTH.	AIR TEMPERATURE.			RAINFALL.		SUNSHINE.	NORMAL VALUES 1881-1915.			
		Highest.	Lowest.	Deviation from Average Daily Mean, 1901-30.	Percentage of Normal.	Number of Days Deviation from Normal.	Percentage of Average Duration, 1901-30.	Daily Mean Temperature.	Total Rainfall.	Number of Days.	Daily Sunshine.
		YEAR 1942.						YEARS 1881-1915.			
North Scotland.	Jan.	52	9	- 2.5	96	0	95	38.4	5.79	23	0.84
	Feb.	49	11	- 3.3	75	3	103	38.3	4.57	21	1.89
	Mar.	59	7	- 1.3	46	7	67	39.2	4.41	23	3.05
	Apl.	73	21	+2.4	56	6	158	42.9	3.23	19	4.55
	May	67	21	0.0	110	2	122	48.1	2.80	19	5.36
	June	72	29	- 0.8	89	0	60	52.4	2.72	16	5.17
	July	75	37	- 0.3	112	2	89	54.7	3.35	19	4.18
	Aug.	73	41	+0.9	106	0	62	54.6	4.18	21	3.69
	Sept.	70	20	+0.2	160	4	92	51.8	3.78	19	3.49
	Oct.	63	23	0.0	157	7	85	46.4	5.00	22	2.50
	Nov.	55	17	+0.3	52	1	89	41.8	5.63	23	1.22
	Dec.	57	19	+2.8	116	2	88	39.1	6.18	24	0.61
	Year	75	7	-0.1	99	5	93	45.6	51.64	249	3.05
East Scotland.	Jan.	53	8	-4.0	202	3	48	37.2	2.57	17	1.37
	Feb.	49	5	-5.2	98	1	93	37.4	2.24	16	2.50
	Mar.	63	-3	-1.3	53	5	81	39.2	2.48	19	3.51
	Apl.	73	21	+1.5	89	5	155	43.2	1.85	16	4.94
	May	71	20	-0.1	126	1	130	48.2	2.24	16	5.76
	June	82	31	+0.6	52	4	82	53.7	2.13	14	6.03
	July	78	36	0.0	92	3	107	56.4	2.87	17	5.09
	Aug.	80	37	+1.3	87	1	68	55.8	3.15	18	4.70
	Sept.	75	21	+0.2	134	2	116	52.3	2.24	15	4.06
	Oct.	69	23	+0.6	105	4	97	46.5	3.27	19	2.80
	Nov.	59	14	-0.3	23	8	111	41.1	3.11	19	1.73
	Dec.	59	12	+3.3	69	1	98	37.9	3.11	19	1.04
	Year	82	-3	-0.3	91	11	103	45.7	31.26	205	3.63
West Scotland.	Jan.	56	16	-3.6	163	1	88	39.4	4.57	20	1.17
	Feb.	51	12	-5.0	64	4	101	39.3	3.94	18	2.10
	Mar.	60	19	-1.6	103	0	85	40.7	3.58	19	3.51
	Apl.	73	26	+2.3	96	5	139	44.7	2.76	16	5.15
	May	70	25	-0.2	131	1	125	49.7	2.91	16	6.16
	June	81	30	-0.5	62	4	85	55.0	2.87	15	6.32
	July	76	36	-1.2	97	2	109	57.1	3.46	17	5.73
	Aug.	82	36	+1.4	114	2	54	56.6	4.41	18	4.99
	Sept.	70	26	0.0	175	6	103	53.5	3.66	16	4.24
	Oct.	66	25	+0.7	132	3	82	47.9	4.69	19	2.68
	Nov.	58	17	-0.4	30	7	111	43.2	5.16	19	1.59
	Dec.	56	13	+3.1	140	3	87	40.6	5.63	22	0.96
	Year	82	12	-0.5	109	3	100	47.3	47.64	215	3.67

TABLE II.—SUMMARY TABLE of mean Values of Air Pressure, Air Temperature and Wind Direction at the Principal Towns, together with extremes of temperature for Scotland as a whole and generalized figures for Rain in the British Isles.*

1942.			Air Pressure at 32° F. and Mean Sea Level.		AIR TEMPERATURE.							
					Means of		Mean of A and B.	Difference of Mean from Normal.	Daily Range.		Absolute Extremes.	
			Mean.	Difference from Normal.	A Maximum.	B Minimum.			Mean = A-B.	Difference from Normal.	Highest.	Lowest.
	In.	In.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	°F.		
January ...	29·902	+0·005	39·2	30·9	35·0	-4·2	8·3	-0·6	56	8		
February ...	30·134	+0·262	39·3	28·9	34·1	-5·3	10·4	+0·9	49	5		
March ...	29·925	+0·095	45·4	33·6	39·5	-1·5	11·8	+0·5	63	-3		
April ...	29·940	+0·021	54·3	38·4	46·4	+1·8	15·9	+2·3	73	21		
May ...	29·853	-0·124	58·2	41·7	50·0	+0·1	16·5	+2·1	71	20		
June ...	30·088	+0·090	63·1	47·2	55·1	+0·2	15·9	+0·6	82	29		
July ...	29·886	-0·043	65·2	50·3	57·7	-0·6	14·9	+0·6	78	36		
August ...	29·838	-0·050	64·9	52·9	58·9	+1·4	12·0	-1·3	82	36		
September ...	29·794	-0·183	60·4	47·4	53·9	+0·3	13·0	-0·2	78	20		
October ...	29·764	-0·113	54·5	43·6	49·1	+1·0	10·9	-0·4	69	23		
November ...	30·220	+0·370	47·6	34·7	41·2	-0·7	12·9	+3·0	62	14		
December ...	29·716	-0·055	48·0	37·9	42·9	+3·1	10·1	+1·4	60	12		
Means ...	29·922	+0·023	53·3	40·6	47·0	-0·4	12·7	+0·7	82	-3		

1942.	RAIN.				WIND.								
	Percentage of Normal.				No. of Observations—Total = 730.								
	Scotland.	England and Wales.	Northern Ireland.	British Isles.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.
January ...	131	146	200	Not available.	5	5	8	7	7	9	8	8	5
February ...	72	50	69		5	4	7	3	4	7	10	10	6
March ...	63	101	127		2	6	17	8	6	5	6	5	7
April ...	75	76	94		1	6	17	7	6	7	8	5	3
May ...	111	178	148		1	6	11	7	11	9	9	5	3
June ...	74	31	20		4	4	6	3	4	9	18	10	2
July ...	111	100	144		4	2	2	2	8	13	21	8	2
August ...	113	107	134		2	4	9	4	10	15	11	4	3
September ...	155	108	192		1	2	5	4	8	18	14	4	4
October ...	139	99	118		2	2	2	1	8	18	21	4	4
November ...	34	55	28		4	2	1	1	3	11	18	14	6
December ...	115	107	121		3	0	1	7	12	18	12	6	3
Year ...	102	97	116		34	43	86	54	87	139	156	83	48

* In this Table Air Pressure and Wind Observations are based on records at seven towns and the means of Air Temperature and Daily Range of Temperature on records at eleven towns. The Absolute Extremes of Temperature refer to Scotland as a whole. The generalized figures for Rain are based on a large number of observations and are extracted from the Monthly Weather Report of the Meteorological Office.

TABLE III.—NUMBER OF HOURS BRIGHT SUNSHINE.

1942.	NUMBER OF HOURS.												YEAR.
	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total. Hours.
NORTH SCOTLAND—													
Baltasound ...	14	41	67	169	140	125	106	80	96	65	17	8	928
Lerwick ...	17	47	59	185	140	95	104	69	101	72	24	12	925
Kirkwall ...	34	50	59	220	182	103	136	76	97	75	29	19	1080
Stornoway ...	39	47	57	215	238	92	130	75	100	63	43	16	1115
Skye, Duntuilm ...	34	60	89	232	258	81	144	67	89	58	26	14	1155
Fortrose ...	42	67	96	225	209	123	148	79	114	81	52	31	1267
Dalwhinnie ...	17	64	71	214	224	120	126	70	88	55	48	10	1107
Fort Augustus ...	17	67	77	202	197	79	94	67	86	39	39	13	977
Fort-William ...	4	63	74	194	210	89	121	71	77	37	31	4	975
Inverness ...	32	67	97	232	210	112	146	86	110	76	45	28	1241
Onich ...	16	73	83	180	185	82	104	72	68	47	40	12	962
EAST SCOTLAND—													
Nairn ...	38	74	105	234	210	129	152	83	117	86	53	33	1314
Forres ...	34	75	94	235	213	137	166	97	99	76	52	35	1313
Banff ...	21	65	83	209	182	125	156	112	126	88	52	28	1247
Aberdeen ...	18	70	72	206	206	130	157	101	138	95	61	31	1285
Braemar ...	7	66	51	197	166	134	133	84	105	56	55	14	1068
Craibstone ...	19	81	80	212	214	131	162	103	148	99	71	36	1356
Stonehaven ...	14	79	78	211	215	130	164	111	161	88	75	25	1351
Arbroath ...	16	80	77	213	262	165	185	92	166	113	53	36	1488
Dundee ...	24	78	85	197	226	158	168	95	159	103	83	39	1415
Longforgan ...	23	77	85	205	239	176	190	90	147	99	92	40	1463
Montrose ...	16	81	74	206	221	136	184	92	157	107	87	35	1396
Perth ...	22	54	80	205	225	177	186	89	144	88	79	31	1380
Dunfermline ...	28	55	81	213	229	168	173	92	136	78	64	52	1369
Kirkcaldy ...	22	49	83	205	216	182	162	95	144	101	80	36	1375
Leuchars ...	20	69	97	215	256	188	205	98	179	120	89	41	1577
Lundin Links ...	19	61	90	81	139	87	72	32	...
St. Andrews ...	19	59	100	211	245	174	188	94	159	102	80	39	1470
Balerno ...	30	66	95	227	233	177	197	102	145	56	55	43	1426
Boghall ...	25	51	76	204	185	147	149	71	132	80	61	43	1224
Edinburgh (R. Ob.)	23	58	99	220	221	164	175	99	152	93	69	50	1423
Dunbar ...	11	51	84	213	225	178	195	114	160	101	72	50	1454
North Berwick ...	12	56	83	213	205	161	179	97	145	81	41	32	1305
Peebles ...	18	63	77	201	209	149	156	72	121	59	53	27	1205
Marchmont ...	11	43	78	213	215	182	200	98	156	74	61	38	1369
WEST SCOTLAND—													
Dunoon (Ben More)	21	44	68	177	179	137	146	71	94	58	49	18	1062
Dunoon	54	87	163	208	138	149	74	102	61	...	29	...
Oban ...	11	34	88	193	215	117	149	89	98	23	...
Tiree ...	30	76	111	226	282	132	191	76	130	81	48	20	1403
Rothsay ...	31	57	90	205	236	165	173	82	125	60	62	27	1313
Cardross ...	26	46	75	174	181	133	123	73	106	50	57	26	1070
Helensburgh ...	28	45	79	190	214	143	147	73	116	52	54	28	1169
Stirling ...	28	42	75	197	187	147	159	66	137	72	66	39	1215
Greenock ...	15	46	81	195	222	161	170	89	120	56	42	18	1215
Paisley ...	21	29	64	194	206	157	157	84	133	65	45	26	1181
Abbotsinch...	25	32	71	192	202	149	164	85	110	61	50	28	1169
Carluke ...	38	70	90	207	215	145	153	79	117	64	47	45	1270
Glasgow ...	14	37	71	188	190	155	151	74	102	54	23	8	1067
Auchincruive ...	39	72	104	219	234	176	147	90	124	57	56	34	1352
Ayr ...	39	76	105	213	227	178	152	92	123	51	51	28	1335
Kilmarnock ...	28	63	94	216	242	173	159	93	125	61	50	37	1341
Prestwick ...	41	72	107	213	224	171	152	92	123	56	58	28	1337
Troon ...	42	68	99	219	239	197	183	106	126	64	56	30	1429
Turnberry ...	41	87	106	236	231	196	169	101	141	57	55	22	1442
Dumfries ...	33	61	86	197	215	184	163	71	134	70	55	25	1294
Eskdalemuir ...	39	61	90	197	206	171	152	58	119	62	73	33	1261
Ruthwell ...	21	55	93	200	219	181	152	73	130	66	42	15	1247

TABLE IV.—MONTHLY and ANNUAL AMOUNTS of RAINFALL and
Number of Days of RAIN at Selected Stations.

1942.	AMOUNTS.													Number of Days of Rain exceeding '01 inch.	YEAR.
	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Year.		
NORTH SCOTLAND—	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.		
Baltasound ...	5·08	3·24	3·04	1·50	4·78	3·03	2·43	2·37	4·83	7·14	4·50	5·73	47·67	316	
Lerwick ...	4·94	2·06	2·24	1·26	3·52	2·28	2·68	2·54	4·83	5·72	3·28	5·51	40·86	267	
Sumburgh ...	6·15	2·55	1·88	1·01	2·46	2·22	1·72	2·08	4·27	5·79	3·00	4·75	37·88	250	
Kirkwall ...	4·98	2·79	1·24	0·64	2·19	1·53	3·23	2·38	5·28	6·30	2·12	4·69	37·37	241	
Barra, Skallary ...	5·88	3·19	2·77	2·22	2·07	1·82	4·16	4·36	4·89	5·58	3·26	10·03	50·23	269	
Stornoway ...	4·40	3·29	2·65	1·19	1·53	2·25	4·75	3·97	4·54	6·02	2·60	7·73	44·92	253	
Skye, Duntuiln ...	5·14	3·54	2·54	1·35	1·63	3·07	5·90	5·85	6·43	8·19	4·49	8·92	57·05	254	
Cape Wrath ...	4·15	4·19	1·87	1·42	2·93	2·63	5·59	4·21	5·16	9·71	3·87	6·38	52·11	255	
Wick ...	4·37	2·29	1·22	0·96	1·96	0·98	3·86	1·71	3·22	4·30	1·35	3·59	29·81	231	
Achnashellach ...	7·57	3·70	2·07	1·89	2·57	3·89	6·45	7·94	9·71	13·50	4·43	11·53	75·25	253	
Fortrose ...	2·01	1·39	0·69	2·01	2·70	0·93	2·55	3·14	3·74	3·81	0·93	2·87	26·77	219	
Dalwhinnie ...	3·02	1·23	1·54	1·98	3·54	1·88	3·24	4·17	6·11	6·12	1·79	8·59	43·21	218	
Fort Augustus ...	3·61	2·40	0·92	1·37	2·18	2·19	2·23	4·84	6·04	7·56	1·82	7·65	42·81	209	
Fort-William ...	7·17	2·74	2·84	2·86	2·61	3·78	5·54	9·08	11·63	12·22	3·04	14·14	77·65	227	
Inverness ...	1·80	1·94	0·55	1·69	2·22	0·58	2·01	3·15	3·98	4·11	1·18	2·58	25·79	177	
Onich ...	7·57	4·19	2·94	2·51	3·33	3·15	7·69	9·68	12·13	12·93	3·36	13·90	83·38	251	
EAST SCOTLAND—															
Nairn ...	2·04	1·69	0·64	1·61	2·65	0·65	2·93	3·07	3·57	3·47	0·67	2·07	25·06	184	
Forres ...	3·54	2·99	0·91	0·94	2·74	1·64	2·33	3·23	2·82	4·18	1·00	2·13	28·45	179	
Gordon Castle ...	4·06	2·78	1·02	0·75	1·47	1·21	2·89	2·19	3·16	5·28	1·75	2·24	28·80	178	
Banff ...	3·96	1·69	1·19	0·40	1·32	0·97	2·07	1·95	2·04	5·03	1·33	3·24	25·19	209	
Aberdeen ...	4·55	2·00	1·00	1·37	3·06	1·01	1·72	2·57	2·92	3·87	0·81	2·05	26·93	193	
Balmoral ...	3·54	1·47	1·47	1·40	3·21	1·30	1·74	2·35	2·81	3·82	0·67	3·21	26·99	200	
Braemar ...	3·66	1·43	1·85	1·84	3·57	1·04	2·09	2·71	3·14	3·47	0·91	4·77	30·48	208	
Craibstone ...	4·18	3·26	1·01	1·46	3·93	1·39	2·33	3·03	3·43	4·22	0·80	1·92	30·96	192	
Tarland ...	4·35	1·53	1·27	1·69	2·74	1·05	2·63	2·22	2·80	5·37	0·67	1·81	28·13	201	
Stonehaven ...	5·00	1·98	1·05	1·76	3·19	1·05	2·73	2·72	3·48	3·19	0·59	1·99	28·73	201	
Arbroath ...	4·36	1·31	2·04	1·21	2·72	0·77	2·28	2·59	2·07	2·30	0·46	1·95	24·06	152	
Buddon Ness ...	3·93	1·46	1·40	1·39	3·59	0·94	2·31	1·89	2·70	1·98	0·44	1·94	23·97	174	
Dundee ...	4·04	1·83	1·32	1·63	3·64	1·22	2·48	2·14	2·71	2·03	0·46	1·78	25·28	183	
Kettins ...	3·50	1·41	2·03	2·41	3·67	1·25	3·17	4·00	2·82	1·75	0·43	2·93	29·37	171	
Montrose ...	3·83	1·47	1·37	1·13	2·34	0·79	1·86	3·04	2·41	2·24	0·37	2·17	23·02	170	
Longforgan ...	3·45	1·55	2·22	0·83	2·77	1·13	3·32	2·20	3·01	1·62	0·38	2·00	24·48	184	
Perth ...	3·37	1·20	1·81	1·92	3·03	1·11	2·02	2·94	3·12	1·98	0·44	2·00	24·94	177	
Cupar ...	3·61	1·67	1·98	1·72	3·33	1·05	3·05	2·24	2·71	2·00	0·33	2·43	26·12	190	
Dunfermline ...	3·80	1·56	1·49	1·92	2·89	1·20	2·50	2·25	3·08	2·40	0·35	1·64	25·08	179	
Kirkcaldy ...	2·52	1·38	1·49	2·08	2·58	0·86	3·53	2·37	2·53	2·22	0·38	1·80	23·74	169	
Leuchars ...	3·65	1·44	1·41	1·20	3·43	1·02	2·65	1·39	2·26	1·76	0·42	1·67	22·30	175	
Lundin Links ...	2·90	1·26	1·77	2·03	2·33	2·03	0·28	1·51	
St. Andrews ...	3·88	1·92	1·98	1·39	4·09	0·86	2·55	2·23	2·22	1·87	0·56	2·06	25·61	160	
Balerno ...	5·04	2·91	2·81	1·77	2·34	1·32	2·58	3·10	4·06	3·76	1·05	2·78	33·52	187	
Boghall ...	3·51	1·39	1·22	1·63	1·61	1·21	3·26	2·65	3·35	3·20	0·97	1·77	25·77	192	
Edinburgh ...	3·92	1·03	0·97	1·58	1·47	1·00	3·19	2·21	2·64	2·55	0·56	1·19	22·31	176	
Dunbar ...	2·47	1·09	0·56	0·94	1·24	0·74	1·65	1·72	2·09	1·81	0·45	1·02	15·78	140	
North Berwick ...	2·99	1·16	0·88	1·31	1·30	0·92	2·35	2·07	1·84	1·92	0·43	0·75	17·92	161	
Marchmont ...	4·54	2·90	1·91	1·20	2·48	0·96	2·40	2·61	2·70	2·99	0·45	1·86	27·00	209	
St. Abbs Head ...	3·20	0·93	0·82	1·02	3·24	1·08	2·01	1·72	2·11	2·04	0·47	1·61	20·25	168	
West Linton ...	5·67	1·54	2·28	1·58	2·42	1·08	2·81	3·53	3·59	5·07	0·90	2·77	33·24	186	
Peebles ...	4·07	1·45	1·33	1·63	2·96	0·82	2·23	2·00	3·61	3·41	0·54	3·42	27·47	171	
Kelso (Broom-lands) ...	2·54	1·53	1·32	0·60	2·25	1·12	2·95	1·53	2·33	2·02	0·36	1·15	19·70	162	
Wolfelee ...	3·57	2·16	2·29	1·77	3·47	0·97	3·00	2·40	3·70	3·06	0·71	4·34	31·44	193	

TABLE IV.—MONTHLY and ANNUAL AMOUNTS of RAINFALL and Number of Days of RAIN at Selected Stations—*continued*.

1942.	AMOUNTS.													Number of Days of Rain exceeding '01 inch.
	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Year.	YEAR.
WEST SCOTLAND—														
Ardtornish ...	11·19	4·12	4·56	3·55	4·24	3·31	6·90	10·00	10·01	10·59	2·60	14·02	85·09	234
Colonsay ...	6·84	2·84	2·61	2·10	3·19	3·27	5·24	6·26	7·64	6·96	1·89	7·56	56·40	240
Dunoon ...	10·00	2·17	4·94	2·93	3·64	2·98	6·42	8·44	8·97	11·19	3·73	12·22	77·63	210
Dunoon (Ben More)	12·03	3·74	7·31	4·69	5·32	4·65	7·72	9·86	10·50	13·77	3·16	14·07	96·82	229
Glenbranter ...	9·58	3·05	6·05	4·50	5·70	4·34	7·55	9·95	12·06	13·88	3·19	16·34	96·19	211
Oban ...	5·51	2·58	2·80	2·49	2·80	3·54	4·59	6·58	7·88	7·14	2·39	9·49	57·79	219
Rothsay ...	8·91	2·29	3·63	2·34	3·80	2·22	5·03	6·04	7·08	7·74	1·37	8·06	58·51	207
Tiree ...	5·39	2·48	2·32	2·19	2·43	2·41	3·68	4·94	6·22	5·29	2·39	7·38	47·12	241
Cardross...	5·16	1·60	4·74	2·13	3·23	1·70	3·01	4·67	4·72	5·75	1·39	6·65	44·75	211
Helensburgh ...	7·44	1·60	5·33	2·29	3·28	2·93	3·58	5·83	5·98	7·94	1·33	7·65	55·18	217
Balfron ...	5·93	1·57	4·80	2·80	3·40	1·90	2·62	4·42	6·15	6·18	1·01	7·21	47·99	204
Stirling ...	6·15	1·44	2·55	2·79	2·87	1·11	1·89	4·08	5·43	2·84	0·62	4·67	36·44	156
Greenock ...	9·68	2·48	4·80	3·07	3·38	2·56	4·01	5·78	6·87	8·82	1·53	10·10	63·08	209
Paisley ...	6·64	1·87	2·63	2·38	2·92	1·73	1·96	4·58	4·96	4·82	0·70	6·11	41·30	192
Abbotsinch ...	6·38	1·91	2·70	2·36	2·73	1·64	2·15	4·40	4·92	4·85	0·69	6·21	40·94	210
Dungavel ...	6·50	1·45	2·54	2·17	2·52	1·44	2·77	2·69	3·37	7·18	1·59	6·38	40·60	204
Carlisle ...	4·58	1·00	1·74	1·51	1·81	1·02	2·37	2·90	3·43	3·51	0·43	3·07	27·37	189
Glasgow ...	5·91	1·69	2·27	2·65	3·03	1·75	2·34	4·50	5·34	5·30	0·81	4·05	39·64	220
Auchincruive ...	4·57	1·26	1·63	1·13	2·28	1·71	3·04	4·39	4·52	4·77	0·89	4·65	34·84	204
Ayr ...	4·78	1·22	1·73	1·10	2·04	1·67	3·00	4·00	3·81	3·94	0·81	4·84	32·94	172
Colmonell ...	5·72	1·71	2·97	2·37	2·79	0·88	3·78	4·55	5·16	5·50	0·82	7·56	43·81	216
Kilmarnock ...	5·85	1·48	1·81	1·97	3·14	1·30	3·51	5·69	4·86	5·74	0·96	4·80	41·11	194
Prestwick ...	4·18	1·24	1·68	1·02	2·29	1·47	2·46	3·49	3·88	3·70	0·58	3·90	29·89	166
Troon ...	5·42	1·57	1·97	1·54	2·23	1·87	2·70	4·68	4·42	4·17	0·36	3·36	34·29	176
Turnberry ...	4·27	1·30	2·00	0·86	1·55	1·55	2·49	3·57	3·43	4·93	0·72	3·61	30·28	189
Dumfries ...	4·92	2·16	4·62	2·63	4·26	0·80	2·69	4·44	4·16	3·94	1·09	6·07	41·78	193
Eskdalemuir ...	8·31	2·89	4·70	3·18	5·42	1·13	4·02	5·41	7·05	6·70	1·48	9·24	59·53	223
Ruthwell ...	5·25	1·64	3·73	1·75	3·13	0·58	2·15	3·39	3·32	3·10	0·74	3·04	31·82	181
Glenlee ...	9·47	2·61	4·43	3·70	4·99	0·92	3·45	6·88	6·30	6·59	1·53	11·24	62·11	204
Tongland ...	9·04	1·82	5·28	2·36	4·99	0·70	3·87	4·19	4·30	6·07	1·04	7·19	50·85	156
Newton Stewart	8·43	2·05	4·20	2·78	3·28	1·31	5·14	5·05	5·03	5·49	1·03	7·82	51·61	201

Printed under the authority of HIS MAJESTY'S STATIONERY OFFICE

By J. Skinner & Co., Ltd., Thistle Street, Edinburgh.

Wt. 55994/18. 2/45. J.S.&Co., Ltd. G. 171.

S.O. Code 49-150-0-42.



Note— The line ... indicates the boundaries of the Districts
named in Meteorological Tables I, III, & IV.

Ordnance Survey, 1936.



THE ROYAL SANITARY INSTITUTE
LIBRARY

MAP
showing the stations
from which returns are made by
THE METEOROLOGICAL OFFICE
to the
Registrar General for Scotland.